2005 AMC 12B

(E) 40

(E) $\frac{4}{5}$

(E) 5

3. Brianna is using part of the money she earned on her weekend job to buy several equally-priced CDs. She used one fifth of her money to buy one third of the CDs. What fraction of her money will she have

4. At the beginning of the school year, Lisa's goal was to earn an A on at least 80% of her 50 quizzes for the year. She earned an A on 22 of the first 30 quizzes. If she is to achieve her goal, on at most how

(D) 400

price of two for 1 dollar. What was their profit, in dollars?

(C) 300

(C) 10

(C) $\frac{2}{5}$

(C) 3

2. A positive number x has the property that x% of x is 4. What is x?

(D) 20

(D) $\frac{2}{3}$

many of the remaining quizzes can she earn a grade lower than an A?

(D) 4

(B) 200

(B) 4

left after she buys all the CDs? (B) $\frac{1}{3}$

(B) 2

(A) 100

(A) 2

(A) $\frac{1}{5}$

(A) 1

1. A scout troop buys 1000 candy bars at a price of five for 2 dollars. They sell all the candy bars at the

(E) 500

5. An 8-foot by 10-foot floor is tiled with square tiles of size 1 foot by 1 foot. Each tile has a consisting of four white quarter circles of radius 1/2 foot centered at each corner of the tremaining portion of the tile is shaded. How many square feet of the floor are shaded?						
	(A) $80 - 20\pi$ (B) $60 - 10\pi$ (C) $80 - 10\pi$ (D) $60 + 10\pi$ (E) $80 + 10\pi$					
6.	In $\triangle ABC$, we have $AC = BC = 7$ and $AB = 2$. Suppose that D is a point on line AB such that B lies between A and D and $CD = 8$. What is BD ?					
	(A) 3 (B) $2\sqrt{3}$ (C) 4 (D) 5 (E) $4\sqrt{2}$					
7.	What is the area enclosed by the graph of $ 3x + 4y = 12$?					
	(A) 6 (B) 12 (C) 16 (D) 24 (E) 25					
8.	. For how many values of a is it true that the line $y = x + a$ passes through the vertex of the parabola $y = x^2 + a^2$?					
	(A) 0 (B) 1 (C) 2 (D) 10 (E) infinitely many					
9. On a certain math exam, 10% of the students got 70 points, 25% got 80 points, 20% got 85 po got 90 points, and the rest got 95 points. What is the difference between the mean and th score on this exam?						
	(A) 0 (B) 1 (C) 2 (D) 4 (E) 5					
10.	0. The first term of a sequence is 2005. Each succeeding term is the sum of the cubes of the digits of the previous terms. What is the 2005 th term of the sequence?					
	(A) 29 (B) 55 (C) 85 (D) 133 (E) 250					
11. An envelope contains eight bills: 2 ones, 2 fives, 2 tens, and 2 twenties. Two bills are drawithout replacement. What is the probability that their sum is \$20 or more?						
	(A) $\frac{1}{4}$ (B) $\frac{2}{7}$ (C) $\frac{3}{7}$ (D) $\frac{1}{2}$ (E) $\frac{2}{3}$					

1

17.	17. How many distinct four-tuples (a, b, c, d) of rational numbers are there with							
	$a \cdot \log_{10} 2 + b \cdot \log_{10} 3 + c \cdot \log_{10} 5 + d \cdot \log_{10} 7 = 2005$?							
	(A) 0	(B) 1	(C) 17	(D) 2004	(E) infinitely many			
18.	18. Let $A(2,2)$ and $B(7,7)$ be points in the plane. Define R as the region in the first quadrant confidence of those points C such that $\triangle ABC$ is an acute triangle. What is the closest integer to the are region R ?							
	(A) 25	(B) 39	(C) 51	(D) 60	(E) 80			
19.	19. Let x and y be two-digit integers such that y is obtained by reversing the digits of x . The integer and y satisfy $x^2 - y^2 = m^2$ for some positive integer m . What is $x + y + m$?							
	(A) 88	(B) 112	(C) 11	16 (D) 14	4 (E) 154			
20.	2. Let a, b, c, d, e, f, g and h be distinct elements in the set							
	$\{-7,-5,-3,-2,2,4,6,13\}.$ What is the minimum possible value of $(a+b+c+d)^2+(e+f+g+h)^2?$							
	(A) 30	(B) 32	(C) 34	(D) 40	(E) 50			
21. A positive integer n has 60 divisors and $7n$ has 80 divisors. What is the greatest integer k s 7^k divides n ?					has 80 divisors. What is the greatest integer k such that			
	(A) 0	(B) 1	(C) 2	(D) 3 (E	2) 4			
22.	2. A sequence of complex numbers $z_0, z_1, z_2,$ is defined by the rule							
					$z_{n+1} = \frac{iz_n}{\overline{z_n}},$			
	where $\overline{z_n}$ is the complex conjugate of z_n and $i^2 = -1$. Suppose that $ z_0 = 1$ and $z_{2005} = 1$. How many possible values are there for z_0 ?							
	(A) 1	(B) 2	(C) 4	(D) 2005	(E) 2^{2005}			
	2							

12. The quadratic equation $x^2 + mx + n$ has roots twice those of $x^2 + px + m$, and none of m, n, and p is

14. A circle having center (0, k), with k > 6, is tangent to the lines y = x, y = -x and y = 6. What is the

15. The sum of four two-digit numbers is 221. None of the eight digits is 0 and no two of them are the

16. Eight spheres of radius 1, one per octant, are each tangent to the coordinate planes. What is the radius

(D) $1 + \sqrt{3}$

(E) $6 + 6\sqrt{2}$

(E) 16

(E) 4

(D) 12

(E) 5

of the smallest sphere, centered at the origin, that contains these eight spheres?

13. Suppose that $4^{x_1} = 5$, $5^{x_2} = 6$, $6^{x_3} = 7$, ..., $127^{x_{124}} = 128$. What is $x_1x_2...x_{124}$?

same. Which of the following is not included among the eight digits?

(D) 4

(C) $1 + \sqrt{2}$

zero. What is the value of n/p? **(B)** 2

radius of this circle?

(B) 2

(B) $\sqrt{3}$

(A) $6\sqrt{2}-6$

(A) 1

(A) $\sqrt{2}$

(C) 4 (D) 8

(C) 3 (D) $\frac{7}{2}$

(B) 6 **(C)** $6\sqrt{2}$

(C) 3

(A) 1

23. Let S be the set of ordered triples (x, y, z) of real numbers for which

$$\log_{10}(x+y) = z$$
 and $\log_{10}(x^2+y^2) = z+1$.

There are real numbers a and b such that for all ordered triples (x, y, z) in S we have $x^3 + y^3 =$ $a \cdot 10^{3z} + b \cdot 10^{2z}$. What is the value of a + b?

- (A) $\frac{15}{2}$
- (B) $\frac{29}{2}$
- (C) 15 (D) $\frac{39}{2}$ (E) 24
- 24. All three vertices of an equilateral triangle are on the parabola $y=x^2$, and one of its sides has a slope of 2. The x-coordinates of the three vertices have a sum of m/n, where m and n are relatively prime positive integers. What is the value of m + n?
 - **(A)** 14
- **(B)** 15
- **(C)** 16
- **(D)** 17 **(E)** 18
- 25. Six ants simultaneously stand on the six vertices of a regular octahedron, with each ant at a different vertex. Simultaneously and independently, each ant moves from its vertex to one of the four adjacent vertices, each with equal probability. What is the probability that no two ants arrive at the same
 - (A) $\frac{5}{256}$
- (B) $\frac{21}{1024}$ (C) $\frac{11}{512}$ (D) $\frac{23}{1024}$ (E) $\frac{3}{128}$