

# Algebra Definitions

## On Rings, Polynomials, and Fields

### 1 Section 16.1 - Rings

1. A **ring**  $R$  is a set that is closed under two binary operations,  $+$  and  $\times$ . The following conditions must also be satisfied:
  - (a) Additive commutativity.
  - (b) Additive associativity.
  - (c) Additive identity.
  - (d) Additive inverse.
  - (e) Multiplicative associativity.
  - (f) Multiplicative distributivity 1 & 2.
2. A **ring with unity (or with identity)** is a ring  $R$  that has multiplicative identity.
3. A **commutative ring** is a ring  $R$  that has multiplicative commutativity.
4. An **integral domain** is a commutative ring  $R$  with identity such that for all  $a, b \in R$   $ab = 0$  implies  $a = 0$  or  $b = 0$ .
5. A **division ring** is a ring  $R$  that has multiplicative inverse for all nonzero  $a \in R$ .
6. A **zero divisor** of a commutative ring  $R$  is an  $a \in R$  ( $a \neq 0$ ) such that there exists a nonzero  $b \in R$  such that  $ab = 0$ .
7. The **ring of quaternions** is the set  $\mathbb{H} = \{a + b\hat{i} + c\hat{j} + d\hat{k} \mid a, b, c, d \in \mathbb{R}\}$ , where  $1 = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ ,  $\hat{i} = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$ ,  $\hat{j} = \begin{pmatrix} 0 & i \\ i & 0 \end{pmatrix}$ ,  $\hat{k} = \begin{pmatrix} i & 0 \\ 0 & -i \end{pmatrix}$ .

## 2 Section 16.2 - Integral Domains and Fields

1. A **field** is a commutative division ring.
2. The **characteristic** of a ring  $R$  is the least positive integer  $n$  such that  $nr = 0$  for all  $r \in R$ . If no such  $n$  exists, the characteristic of  $R$  is defined to be 0. (denote the characteristic of  $R$  by  $\text{char}R$ ).

## 3 Section 16.3 - Ring Homomorphisms and Ideals

1. A **ring homomorphism** is a map  $\phi : R \rightarrow S$  (where  $R, S$  are rings) such that  $\phi(a + b) = \phi(a) + \phi(b)$  and  $\phi(ab) = \phi(a)\phi(b)$  for all  $a, b \in R$ .
2. A **ring isomorphism** is a bijective map  $\phi : R \rightarrow S$  where  $R, S$  are rings.
3. The **kernel** of a ring homomorphism  $\phi : R \rightarrow S$  is the set  $\ker \phi := \{r \in R \mid \phi(r) = 0\}$ .
4. An **evaluation homomorphism** is a ring homomorphism of the form  $\phi_a : C[a, b] \rightarrow \mathbb{R}$  or other such related homomorphisms.
5. An **ideal** of a ring  $R$  is a subring  $I$  such that if  $a \in I$  and  $r \in R$ , then  $ar, ra \in I$ .
6. The **trivial ideals** of a ring  $R$  are the subrings  $\{0\}$  and  $R$ .
7. A **principal ideal** of a commutative ring  $R$  (with identity) is an ideal of the form  $\langle a \rangle = \{ar \mid r \in R\}$ .
8. A **two-sided ideal**  $I$  is a subring of a ring  $R$  such that  $rI \subset I$  and  $Ir \subset I$  for all  $r \in R$ .
9. A **one-sided ideal**  $I$  is a subring of a ring  $R$  is one such that  $rI \subset I$  for all  $r \in R$  (a **left ideal**) or  $Ir \subset I$  for all  $r \in R$  (a **right ideal**).

## 4 Section 17.1 - Polynomial Rings

1. A **polynomial over**  $R$  is an expression of the form  $f(x = \sum_{i=0}^n a_i x^i)$  with **indeterminate**  $x$ . Define  $a_0, \dots, a_n$  to be the **coefficients** of  $f$  and  $a_n$  is the **leading coefficient** of  $f$ . A polynomial is **monic** if its leading coefficient  $a_n$  is 1. The **degree** (write:  $\deg f(x) = n$ ) is the largest nonnegative number for which  $a_n \neq 0$ . If no such  $n$  exists, then  $f = 0$ , the **zero polynomial** and define the degree of  $f = 0$  to be  $-\infty$ . Denote  $R[x]$  to be the set of all polynomials with coefficients in a ring  $R$ .
2.  $R[x, y]$  is the **ring of polynomials in two indeterminates**  $x, y$  with **coefficients in**  $R$ .  $R[x_1, \dots, x_n]$  is the **ring of polynomials in**  $n$  **indeterminates with coefficients in**  $R$ .

## 5 Section 17.2 - The Division Algorithm

1. Let  $p(x) \in F[x]$  and  $\alpha \in F$ . Then  $\alpha$  is a **zero** (or **root**) of  $p(x)$  if  $p(x) \in \ker \phi_\alpha$ , where  $\phi_\alpha$  is an evaluation homomorphism. In other words,  $\alpha$  is a zero of  $p(x)$  if  $p(\alpha) = 0$ .