

Cards Against Developers is shamelessly based on Cards Against Humanity, which was released under a Creative Commons BY-NC-SA 2.0 license.

Cards Against Developers is released under the same license, which means you can use, remix, and share the game for free, but cannot sell it.



The source code and printable PDF versions of Cards Against Developers are available online at <https://github.com/crashtest-security/CardsAgainstDevelopers>. You can also submit pull requests to propose new cards.

Eurocrypt 2019 edition.

Cards Against Developers



Cards Against Developers is based on Cards Against Humanity, which described itself as “a party game for horrible people”. Cards Against Developers is not quite as mean, but still has bit of an edge. We are big fans of the cryptographic community, and hope this game is played in a spirit of fun. But if you don't like crude or offensive humor, this game may not be for you.

Basic Rules

Each player draws 7 white cards.

The person who most recently had a paper rejected begins as the Session Chair and picks a black card. The Session Chair reads the black card aloud and shows it to everyone.

Every other player picks 1 white card they think completes the black card best, and submits their white card face down to the Session Chair.

The Session Chair executes a mixnet protocol, and reads aloud each card combination (black + white). The Session Chair picks the combination they think is funniest; whoever submitted it wins the black card.

After the round, the next player becomes Session Chair. Everyone draws back up to 7 white cards.

At any time, a player may trade in 1 of their black cards to discard as many white cards as they would like and draw back up to 7. A player with no black cards can trade up to 3 white cards at most once per game.

The first player to win 5 black cards is declared the winner and awarded tenure.

Additional house rule variants can be found in the original instructions of Cards Against Humanity:

https://s3.amazonaws.com/cah/CAH_Rules.pdf