# The Egyptian Tangram



© Carlos Luna-Mota

mmaca

April 13, 2020

The Egyptian Tangram

# The Egyptian Tangram



A square dissection firstly proposed as a tangram in:

Luna-Mota, C. (2019) "El tangram egipci: diari de disseny" Nou Biaix, 44

# Origins

The Egyptian Tangram inspiration comes from the study of two other 5-piece tangrams...





The "Five Triangles" & "Greek-Cross" tangrams

# Origins

#### ...and their underlying grids





The "Five Triangles" & "Greek-Cross" underlying grids

# **Design Process**

The Egyptian Tangram is the result of an heuristic incremental design process:

Take a square and keep adding "the most interesting straight cut" until you have a dissection with 5 or more pieces.









# **Design Process**



#### To make an Egyptian Tangram from a square:

- 1. Connect the midpoint of the lower side with the upper corners.
- 2. Connect the midpoint of the left side with the top right corner.

#### **Antecedents**

It turns out that this figure is not new...

See problem 3 from:

Detemple, D. & Harold, S. (1996) "A Round-Up of Square Problems"

Mathematics Magazine, 69:1

...but, to the best of our knowledge, nobody used it before as a tangram

#### **Antecedents**

The name is not new either...



This dissection is often called "Egyptian Puzzle" or "Egyptian Tangram"

...but there is a good reason to consider our dissection the real "Egyptian Tangram" (even if it was designed in Barcelona)

#### **Antecedents**

The underlying grid is also a well known figure:



Brunés, T. (1967) "The Secrets of Ancient Geometry – and Its Use"

Bankoff, L. & W. Trigg, C. (1974) "The Ubiquitous 3:4:5 Triangle",

Mathematics Magazine, 47:2

### The pieces



- Just five pieces
- All pieces are different
- All pieces are asymmetric
- Areas are integer and not too different
- All sides are multiples of 1 or  $\sqrt{5}$
- All angles are linear combinations of  $90^{\circ}$  and  $\alpha = \arctan(\frac{1}{2}) \approx 26,565^{\circ}$

Name	Area	Sides	Angles
T1	1	1, 2, $\sqrt{5}$	90, $\alpha$ , 90 – $\alpha$
T4	4	2, 4, $2\sqrt{5}$	90, $\alpha$ , $90-\alpha$
T5	5	$\sqrt{5}$ , $2\sqrt{5}$ , 5	90, $\alpha$ , $90-\alpha$
Т6	6	3, 4, 5	90, $90-2\alpha$ , $2\alpha$
Q4	4	1, 3, $\sqrt{5}$ , $\sqrt{5}$	90, $90-\alpha$ , $90$ , $90+\alpha$

### The pieces

Although all pieces are asymmetric and different, they often combine to make symmetric shapes



#### The pieces

This means that it is very rare for an Egyptian Tangram figure to have a unique solution



There are three different solutions for the square and, in all three cases, two of the corners of the square are built as a sum of acute angles!

# Why we called it the *Egyptian* Tangram?

The smallest pieces of the Chinese and Greek-Cross tangrams can be used to build all the other pieces...







...but you cannot do the same with the Egyptian Tangram because of T6

# Why we called it the Egyptian Tangram?

Initially, T6 was considered as the *leftover* piece that results from cutting all these  $1:2:\sqrt{5}$  triangles from the borders of the square.

But it turned out to be a very well known triangle...



...the **Egyptian** Triangle (3:4:5) and, hence, the name

Puzzles & Activities


### Realistic figures —

Use all five pieces to make these figures:



Radiotelescope

# Realistic figures — II



# **Geometric figures**


Use all five pieces to make these figures:

Complete the path moving just one or two pieces at a time

# **Triangles**

Could you prove that there are just 10 triangles you can make with one or more pieces of the Egyptian Tangram?


How many solutions could you find for each figure?




Top row areas: 20, 16, 9, 5, 4, 1

Bottom row areas: 15, 10, 10, 6

Could you prove that there are just 11 **complex quadrilaterals** you can make with all five pieces of the Egyptian Tangram?




Simple quadrilaterals: Not self-intersecting



All simple quadrilaterals tile the plane!


 $\alpha + \beta + \gamma + \delta = 2\pi$ 

Convex quadrilaterals: All internal angles are smaller than  $\pi$ 




Law of Cosines:  $p^2q^2 = a^2c^2 + b^2d^2 - 2abcd\cos(\alpha + \gamma)$ 

Trapeziums (UK) / Trapezoids (US): One pair of parallel sides




 ${\sf Trapezium/Trapezoid} \ \Leftrightarrow \ {\sf Diagonals} \ {\sf cut} \ {\sf each} \ {\sf other} \ {\sf in} \ {\sf the} \ {\sf same} \ {\sf ratio}$ 

Parallelograms: Two pairs of parallel sides




Parallelogram  $\Leftrightarrow$  Diagonals bisect each other  $\Leftrightarrow$   $a^2 + b^2 + c^2 + d^2 = p^2 + q^2$ 

Cyclic quadrilaterals: All vertices lie on a circle




Cyclic 
$$\Leftrightarrow$$
  $\alpha + \gamma = \beta + \delta$ 

Tangential quadrilaterals: All sides are tangent to a circle




Tangential  $\Leftrightarrow$  a+c=b+d

Isosceles Trapezoids: Two pairs of adjacent angles are equal




Isosceles trapezoids  $\Leftrightarrow$  Cyclic quadrilaterals with equal diagonals

Darts & Kites: Two pairs of adjacent sides are equal




 $Darts/Kites \Leftrightarrow Tangential\ quadrilaterals\ with\ perpendicular\ diagonals$ 

Rhombi: All sides are equal




Rhombi  $\Leftrightarrow$  Parallelograms with perpendicular diagonals

Rectangles: All angles are equal



Rectangles  $\Leftrightarrow$  Parallelograms with equal diagonals


**Squares:** Regular quadrilaterals



Among all quadrilaterals, squares maximize the Area: Perimeter ratio

# Remote control symbols


Use all five pieces to make these symbols:





#### **Arrows**

Use all five pieces to make any of these arrows:



#### The Tsunami

Use all five pieces to make any of these figures:



### The three solutions of the square


Could you prove that there are just three different solutions for the square?



What's the area of this square? What's its perimeter? How many times do you find  $\sqrt{5}$  in the Egyptian Triangle pieces?

### Figures with unique solutions

Could you prove that all these figures have unique solutions?



#### Triangle paradox — I

Both figures use all 5 pieces...



Where did the triangle go?

#### Triangle paradox — II

Both figures use all 5 pieces...



Where did the triangle go?

#### Triangle paradox — III

Both figures use all 5 pieces...



Where did the triangle go?

### Square paradox — I

Both figures use all 5 pieces...



Where did the square go?

#### Square paradox — II

Both figures use all 5 pieces...



Where did the square go?

## Square paradox — III


Both figures use all 5 pieces...



Where did the square go?

## Sum of similar figures


Use all 5 pieces to make the single figure in the LHS, then use them to make the two figures on the RHS



In both equations, the figures are similar and areas are in ratio 5:4:1


# The Egyptian Four-Triangle-Tangram

Make these nine figures using just the four triangles of the Egyptian Tangram



## The Egyptian Three-Triangle-Tangram

You can make 11 convex figures with T1, T4 & T5:



See: Brügner, G. (1984) "Three-Triangle-Tangram", Bit, 24

## The Egyptian Three-Triangle-Tangram

Since 
$$area(T1) + area(T4) = area(T5)$$
 ...



...you can verify three cases of Pythagoras' theorem (and these particular cases turn out to be T1, T4 & T5 right triangles!)

# Properties

Mathematical


#### Golden Rectangle — I

The dashed rectangle proportions are  $1:\phi$ 



#### Golden Rectangle — II

The dashed rectangle proportions are  $1:\phi$ 



where 
$$\phi=\frac{1+\sqrt{5}}{2}$$
 is the golden ratio

#### Golden Rectangle — III


The dashed rectangle proportions are  $1:\varphi$ 



where 
$$\phi=\frac{1+\sqrt{5}}{2}$$
 is the golden ratio

#### Golden Rectangle — IV

The dashed rectangles proportions are  $1:\phi$ 



#### $\varphi$ and $\sqrt{5}$ are irrational





This is a golden rectangle, which means that  $\frac{base}{height} = \varphi$ , the golden ratio.


If we remove a square, what remains is also a golden rectangle:  $\frac{\text{height}}{\text{base-height}} = \phi$ 

If we assume that  $\varphi=\frac{b}{h}$ , with b and h coprime integers, then  $\varphi=\frac{h}{b-h}$  is an equivalent fraction, with a smaller integer numerator and a smaller integer denominator, which is absurd. Therefore, our initial assumption must be false.

And, since  $\phi=\frac{1+\sqrt{5}}{2}$  is irrational,  $2\phi-1=\sqrt{5}$  must be irrational too.

## The Egyptian Tangram and the $5 \times 5$ grid

Using the intersection point of the Egyptian Tangram...





...you can divide the square into  $5 \times 5$  smaller squares!

#### The underlying grid — I

Using the intersection points of this figure...









...you can divide the square into:

 $2\times2$ ,  $3\times3$ ,  $4\times4$  or  $5\times5$  smaller squares!

## The underlying grid — II

The relative sizes of these polygons are...



Small Triangles: 1 Small Kites: 3 **Big Triangles:** 6

Big Kites: 8 Octagon: 20

Whole Square: 120

#### The underlying grid — III

There are 32 egyptian triangles in this figure...





...they come in 4 sizes and there are 8 of each kind.

#### The underlying grid — IV

There are  $24 \cdot 1:2:\sqrt{5}$  triangles in this figure...






...they come in 3 sizes and there are 8 of each kind.

# The $1:2:\sqrt{5}$ incenter and

If the inradius of a 1:2: $\sqrt{5}$  triangle is 1...



...its shorter leg measures  $\phi+1=\phi^2=rac{3+\sqrt{5}}{2}$ 

#### The 3:4:5 incenter

If we overlay T6 and T1 as shown in the figure...



...a T1 vertex lies on the incenter of T6

#### Dissecting 3:4:5 — I

You can use this dissection of T6 to prove that...




$$\frac{\pi}{2} = \arctan\left(\frac{1}{1}\right) + \arctan\left(\frac{1}{2}\right) + \arctan\left(\frac{1}{3}\right)$$

(consider the sum of the angles touching the vertices of T6 and divide by 2)

#### Dissecting 3:4:5 — II

You can use this dissection of T6 to prove that...




$$\pi = \arctan(1) + \arctan(2) + \arctan(3)$$

(consider the sum of the angles touching the incenter of T6 and divide by 2)

# Dissecting 3:4:5 — III


You can dissect a 3:4:5 triangle into...



...a 3:4:5 triangle and two congruent 1:2: $\sqrt{5}$  triangles

# Dissecting $1:2:\sqrt{5}$ — I


You can dissect a  $1:2:\sqrt{5}$  triangle into...



...a 3:4:5 triangle and two congruent 1:2: $\sqrt{5}$  triangles

# Dissecting 1:2: $\sqrt{5}$ — II

You can dissect a  $1:2:\sqrt{5}$  triangle into...



...a 3:4:5 triangle and two different 1:2: $\sqrt{5}$  triangles

# Dissecting $1:2:\sqrt{5}$ — III


You can assemble a  $1:2:\sqrt{5}$  triangle aggregating...



...five congruent 1:2: $\sqrt{5}$  triangles and iterate to get the **Pinwheel tiling** of the plane

# Dissecting $1:2:\sqrt{5}$ — IV


You can dissect a  $1:2:\sqrt{5}$  triangle into...



...five congruent  $1:2:\sqrt{5}$  triangles, remove the central one and iterate to get the **Pinwheel fractal** 

#### The circumcircles — I


Since opposite angles add to  $\pi$ ...



...Q4 is a cyclic quadrilateral

#### The circumcircles — II


All circumcircles pass through a common point...



...and C(T6) = C(T5) passes through the center of  $C(Q4) \ \& \ C(T4)$ 

#### The circumcircles — III


These cirmcumcircles intersect at the square's center...



...which happens to be T6's incenter

#### Tangent circles — I


These three points are aligned...



...and these two circles are tangent

#### Tangent circles — II


The line is tangent to this circle...



...and the right triangle below is an Egyptian Triangle

#### Tangent circles — III

The radius of these three circles are in ratio  $1:\varphi:\varphi^2$ 




#### Tangent circles — IV

The radius of these two circles are in ratio  $1:\varphi^2$ 



#### Tangent circles — V


The radius of these two circles are in ratio  $1:\varphi^2$ 



#### Angles of Q4 in the Golden Rhombus

# The angles $90-\alpha$ and $90+\alpha$ that appear in Q4 also appear in the Golden Rhombus

(a rhombus whose diagonals are in proportion  $1\!:\!\phi$  , with  $\phi=\frac{1+\sqrt{5}}{2})$ 



The faces of the rhombic triacontahedron and the rhombic hexecontahedron are Golden Rhombi

## Angles of Q4 = Angles of T5 $\cup$ T6

Even though they are NOT similar figures...



...the same angles appear in Q4 and T5  $\cup$  T6

#### $\phi$ and the perimeters T1, Q4 & T5 $\cup$ T6

The perimeters of T1, Q4 & T5  $\cup$  T6 are in a geometric progression whose factor is  $\phi$ 



$$\frac{2\sqrt{5}+4}{\sqrt{5}+3} = \frac{3\sqrt{5}+7}{2\sqrt{5}+4} = \phi = \frac{1+\sqrt{5}}{2}$$

#### References (by date)

- Brunés, T. "The Secrets of Ancient Geometry" (1967)
- Bankoff, L. & Trigg, C. W. "The Ubiquitous 3:4:5 Triangle" (1974)
- Brügner, G. "Three-Triangle-Tangram" (1984)
- Detemple, D. & Harold, S. "A Round-Up of Square Problems" (1996)
- Bogomolny, A. "Cut The Knot" (1996–2018)
- Luna-Mota, C. "El tangram egipci: diari de disseny" (2019)
- Rajput, C. "A Classical Geometric Relationship That Reveals
   The Golden Link in Nature" (2019)