

TEST DETAILS REPORT

2015-06-26, 09:31:33+0200



TC_005_24_reportTest

| | |
|-------------|----------------------|
| Project | QTS Tests |
| Module | 005_ReportTests_2 |
| Test Object | TC_005_24_reportTest |

Statistics

| | |
|-----------------|-----|
| Total Testcases | 5 |
| Successful | 5 ✓ |
| Failed | 0 |
| Not Executed | 0 |

Module Properties

| | | | |
|------------------------|---|-------------|---|
| Project Root Directory | E:\Projects\TESSY_TQP | | |
| Configuration File | \$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml | | |
| Target Environment | GNU GCC Eclipse CDT (Default) | | |
| Kind of Test | Unit Test | | |
| Linker Options | | | |
| Source File(s) | | | |
| File | \$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_2.c | Revision: 8 | Author: Tobias Bochtler Date: 18.09.2013 |
| Compiler Options | -DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I\$(PROJECTROOT)\Source\Include | | |

Attributes

| Name | Value |
|--------------------|-------|
| Float Eval Epsilon | 0.0 |
| Float Precision | 8 |

Comments/Description/Specification

| Name | Text |
|----------------------------|--|
| Module '005_ReportTests_2' | The ReportTest2 tests are tests with usercode. There is no instrumentation. |

Usercode**Stub Functions**

```
exfunc2
$stub signed long exfunc2() {

    // This is the line 1 of testobject specific stubfunction
    // This is the line 2 of testobject specific stubfunction
    // This is the line 3 of testobject specific stubfunction
}
```

Declarations

```
#define TESTVAR 1
#define HALLO 3
```

Test Case 1 ✓

```
Prolog      // This is the Testcase prolog line 1
            // This is the Testcase prolog line 2
            // This is the Testcase prolog line 3
```

Test Case 2 ✓

```
Prolog      // This is the Testcase prolog line 1
            // This is the Testcase prolog line 2
            // This is the Testcase prolog line 3
```

Test Case 3 ✓

```
Epilog      // This is the Testcase epilog line 1
            // This is the Testcase epilog line 2
            // This is the Testcase epilog line 3
```

Test Case 4 ✓

```
Prolog      // This is the Testcase prolog line 1
            // This is the Testcase prolog line 2
            // This is the Testcase prolog line 3
```

Test Case 5 ✓

```
Prolog      // This is the Testcase prolog line 1
            // This is the Testcase prolog line 2
            // This is the Testcase prolog line 3
```

```
Epilog      // This is the Testcase epilog line 1
            // This is the Testcase epilog line 2
            // This is the Testcase epilog line 3
```