

## **Local Item Dependence**

Master Rasch Seminar 6 – 21.10.2020

Carolina Fellinghauer : c.fellinghauer@psychologie.uzh.ch

### **Local Item Dependence**

Local item dependencies (LID) indicate that items are associated or correlated above a certain cut-off.

LID introduces bias in the estimation of the reliability of the metric.

## Residual Correlation (Q<sub>3</sub>)

Strength of item association is computed using the correlation matrix of the standardized residuals.

Items are said locally dependent when correlating positively above a certain cut-off.

The cut-off is typically set at 0.2 or 0.3

$$corr(X, Y) = \frac{cov(XY)}{\sigma_X \sigma_Y}$$

	<b>I</b> 1	12	13
<b>I1</b>	1	0.03	0.4
12	0.03	1	-0.3
13	0.4	-0.3	1

Example of a correlation matrix

## Residual Correlation (Q<sub>3</sub>) Cut-off

The cut-off for an acceptable item residual correlation is typically set at 0.2 or 0.3.

Recent simulation studies have suggested another, more reliable but more conservative, approach to detect LID:

$$Q_3^{\star} = Q_{3,max} - \bar{Q_3} > 0.2$$

The cut-off corresponds to the mean residual correlation + 0.2. No residual correlation should be above this cut-off.

# Residual Correlation (Q<sub>3</sub>) Visual inspection

One approach to detect the dependency, is to search through the correlation matrix.


With large scales, the inspection of the residual matrix can become tedious.


Another approach is to visualize the dependencies with a graphical model.

The graphical model has the advantage to show association patterns, beyond the pairwise correlations.

## Residual Correlation (Q<sub>3</sub>) Visual inspection

#### **Item Dependencies**







### Let's go to R-Studio

Open the R-Script MS6\_Rscript.r that is in the OLAT or the MS-Teams Course Materials.

### Exercise

Use the MDS capacity data to investigate if LID items are found in the capacity metric:

- a) cut-off of 0.2
- b) cut-off mean Q3 + 0.2

Which are the two pair of items with the strongest dependency?

Which pair of items are only flagged when using 'Q3star'?

Do you see themes in the correlation pattern? Potential nested latent constructs?