


Springboard Data Science Capstone Project - 1
Predicting the Likelihood of **Customer Churn**

Milestone Report



Carolyn Massa

March, 2020



Contents

[illegible]

1 Introduction

Whatever you call it – defection, attrition, turnover – customer churn is a painful reality that all businesses must deal with. Even the largest and most successful companies suffer from customer churn and understanding what causes formerly loyal customers to abandon ship is crucial to lasting, sustainable business growth.

Let’s say you are the person responsible for allocating and maintaining a company’s budget for client acquisition. You may spend, say, 15,000 USD just to obtain a client after marketing and customer service costs. You notice over time over 10% of your 10,000-customer client base continue to leave after your meticulous efforts made to acquire the customer and maintain them. This is where a close analysis is necessary to make appropriate modifications to your processes and possible your product offerings.

Most businesses are heavily affected by customer churn...from banks to online retailers, it matters and is mission critical to examine WHY the customer is leaving your business and putting their purchasing power into another organization.

You can measure your client churn rate in one or more of the following ways:


- Total number of customers lost during a specific period
- Percentage of customers lost during a specific period
- Recurring business value lost
- Percentage of recurring value lost

In my study I connect to a dataset from a Global Bank to explore their rate of churn, look for patterns and build a model that can be put into production to serve to look for possible churn “warnings” so the Global Bank management teams can react and address and change the correct deficiencies and take appropriate measures to prevent their loss.

“Null Hypothesis”

Does it makes little difference in consumer behavior or trends as whether a customer leaves a bank or not? According to a “Call Miner” Index below, banks have an average annual churn rate of 20% of their valued customer base. That being stated, my N0 is that *“Gender is not a determining factor to whether a customer leaves the bank or not”*. I will test this hypothesis at the end of this Milestone Report and verify *if* this is a valid statement or not.

Chart #1 - The CallMiner Index | Switching rates per sector in the last 12 months



2 Data Acquisition and Cleaning

I acquired the “bank churn” dataset from Kaggle.com which contains a list of the bank’s 10,000 customers and the # of who churned in an 11 - year time frame.

The Data set below has 13 variables relating to 10,000 customers from which to develop a predictive churn model from. Below I process the data and start my Exploratory process. My [python code can be reviewed here](#) along with a Powerpoint slide [Presentation here](#).

The 13 variables are here as referenced by the INDEX:

Customer ID	Sur Name	Credit Score	Geography	Gender
Age	Tenure	Balance	#of Products	Has Credit Card
Is Active Member	Estimated Salary	Exited		

Obviously, the data is incomplete and leaves a lot of unanswered questions.

- Would it be possible to obtain balances over a period as opposed to a single date?
- What date did the customer exit?
- What types of products are the customers in?
- Could they have exited from a product and not the bank?

To begin I need to verify the type of data, what % is useable and look for patterns; I notice that of the 10,000 customers of Word Bank, 2,037 have churned in the past 11 years which is a 20% Churn Rate; relatively high by business standards. I also discover that the average tenure is 5 years with the bank and the average age who leaves is 44 years old. The average age of the Global Bank's customers is 37 years old with the youngest being 18 and the oldest being 92.

Proportion of customer churned and retained




Fig 1 As you can see from the figure above 20.4% of 10,000 customers have churned over the past 11 years which is 2, 037 former bank customers.




Fig 2 above as you can see from the figure above of the 2,037 who have left the bank 814 come from Germany, 810 from France, and Spain has a total of with 413 members who have left the Bank.

I next examine by data which does not missing fields or outliers. I dropped 3 columns as they played no relevance in my research. Those 3 columns were 1) Surname 2) CustomerID 3) RowNumber.

2 Exploratory Data Analysis

Introduction to the cleaned data:
After I verify that I have no missing values and/or irrelevant data; I get to work at seeking patterns and running correlations.

I compare the Churn rates by Gender, Geography, Credit Card Holder, and Product Participation which are **“Categorical Variables”** meaning they are not **CONTINUOUS** as in the Gender is either male or female and does not change.

I use the python “describe” function to cumulatively review my data set and provide the minimum and maximum values, the mean, the bottom 25% percentiles, 50% percentiles which is the same as the mean, the top 75% percentiles and the maximum values contained in my continuous variables. It also displays the standard deviation for all observations as well as my dataset datatypes.

I am curious to I check for outliers where the oldest customer is 92, the average member is 38 and the youngest is 18. The highest bank balance is \$250,898, the lowest \$0 and the average \$97,198. This data helps me put the members into prospective as I investigate further the cause of churn.

Below I compare 4 of my Variables against their Churn Rate:






Fig. 3 above: I discovered the following:

- As mentioned earlier, the country of France has the least churn rate and Germany has the highest. However, the proportion of churned customers is inversely related to the population of customers alluding to the bank possibly having a problem (maybe not enough customer service resources allocated) in the areas where it has fewer clients.
- The proportion of female customers churning is also greater than that of male customers.
- Oddly, many of the customers that churned are those with credit cards. Many customers have credit cards so this could just be a coincidence.
- The inactive members have a greater churn. The overall proportion of inactive members is quite high suggesting that the bank may need a program implemented to turn this group to active customers as this can have a positive impact on the customer churn.



Fig(s) 4/5 Above: Age groups that has the highest “churn” rate are those between 35 and 50.




Fig (s) 6 Above: I see that the Bank has its highest customer count leave the bank in the **years 1, 3 & 9** and its lowest in its **10th year**. The bottom plots show the customers Age and Bank Balances that left during these years. ****Note** that the plot’s legend shows ‘1, 3 & 9’ as Python will 0 index the data. I see that that during these 3 years the customers with higher balances left the bank and the age groups between 40 and 49 were more significant.

Now I compare the **“Continuous Variables”** (which means are **non-categorical**) against Churn below:




Fig. 7 above: I discovered the following:

Interestingly, neither the product nor the salary has an impactful effect on the likelihood to churn. There is no significant difference in the credit score distribution between retained and churned customers. Regarding the tenure, the average tenure of client is 5 years and this type of client had a lesser likelihood to churn where those customers on opposing spectrums (spent little time with the bank to a lot of time with the bank) were **more likely to churn**. Worryingly, the bank is losing customers with significant bank balances which is likely to hit their available capital for lending. The average bank balance for a churned customer is \$91,000 with an average bank balance of \$101,465. One interesting find is the older customers are churning at a higher rate than the younger ones which alludes to the fact that the bank may not have adequate service standards that meet customer service expectations of older clients. The bank may gain from creating additional services plans for this client base.




Figure 8 above: Since Age and Bank Balance presented some insights, I plotted a swarm plot to display clearer results. We see that the orange dots show clearly the Age Range between 35 and 70 had higher likelihood to churn while the bank account holder’s credit score has little relevance. There are more clusters of Churned Customers in the Bank Account Balance scatter plot between \$100,000 and \$150,000.




Figure 9 above: In this bar chart I review Churn by each of the 3 countries, it is again clear that those bank member with balances in between 101,000 and \$150,000 are more likely to Churn. Germany has the highest Churn rate of the 3.

2.1 Overview of Correlation for all variables: Next I want to see how all the variables related to the possibility of churn using Pearson’s R:




Fig: 10: In this Heatmap I used **Pearson's correlation coefficient** which is the test statistics that measures the statistical relationship, or association, between two continuous variables. It is known as the best method of measuring the association between variables of interest because it is based on the method of covariance. Note that a score of 1.0 is perfect correlation and -1.0 is negative correlation.

2.2 Data Pre-processing/Feature Engineering

We know that customer “churn” is either they DO churn and leave, or they do not leave. This means that 0 = not leaving and 1 = leaving. I used supervised machine learning algorithms to build a predictive model. Furthermore, since there are only two outcomes (or classes) in the data (0 and 1), I use binary classification algorithms. The models are trained using the 70% of the data and the remaining 30% is used to evaluate the performance of the models. I had to perform “feature engineering” to combine variables that have an impact on the possibility of churn. I will describe these next before moving onto my modeling where I used a Logistic Regression with a primal fit and Support Vector Machine Learning (SVM) with an RBF Kernel as my data is not liner and what the RBF kernel SVM actually does is to create non-linear combinations of features to uplift your samples onto a higher-dimensional feature space where you can use a linear decision boundary to separate your classes.

Prior to running my algorithms with my data, I needed to implement a few pre-processing steps to enhance my study and increase its accuracy. We outline these steps below. Note that some of the steps are not required (or not good for the best results) in some algorithms, but we list below all the pre-processing steps (in order that they are performed) that we used across all classification algorithms in this work:

Hot Key encoding: In the dataset, there are some variables with numerical values, some variables with categories and some variables with binary values (0 and 1). For numerical and binary variables, we do not worry about labeling. However, we perform label encoding for the categorical variables. This step is carried out on the whole dataset. I “Hot Key” encoded the following variables: **Gender and Geography** to transform them to binary using a “for”/” if” statement. I performed “Hot Label

Encoding” where I changed the value “0” (no churn) in the two categorical variables “Has Credit Card” and “Is Active Member” to a -1 to show a negative relationship more clearly.

New Variables: I created 3 new variables that correlated to each other to better: Balance/Salary, TenurebyAge, and CreditScore Given Age

Data splitting: The second step involves splitting the label encoded dataset into train and test datasets. In this project I separated the data to a 70/30 ratio. The fractions of both classes remain the same in train (70) and test (30) datasets.

Scaling: For some algorithms, it is necessary that we scale the values of all features to lie within a fixed range. We scale features such that all features have values between 0 and 1.




Fig 11 above: Here I combined **Bank Balance** and **Salary** to show ration to further examine correlation with Churn and enforce the evidence that higher bank balances have more Churn.




Fig 12 above: Tenure is a function of age, so I combined the two to check for trends




Fig 13: Again, the scatter plot above shows a clear trend in Age of those bank members who left the bank with concentrated orange dots in the 40 to 65 age groups.

Scaling the Data Set: I use the min/max operations to scale my “continuous variables” to eliminate unnecessary variances. Min/Max is also known as “**Normalization**”. This formula behind this is below: These “normalization” techniques help in comparing corresponding normalized values from two or more different data sets in a way that it eliminates the effects of the variation in the scale of the data sets i.e. a data set with large values can be easily compared with a data set of smaller values.

Normalization Formula

$$X_{normalized} = \frac{(X - X_{minimum})}{(X_{maximum} - X_{minimum})}$$

I used it to process my data as I will apply Logistic Regression, Support Vector Machine Learning and a Random Forest Method for my algorithm and I want to eliminate variants in my data. SVM is intrinsically two-class. For multiclass problem you will need to reduce it into multiple binary classification problems. For example, if I am working with and comparing two different data sets and one has much larger values than the other, I would want them to be standardized between a range of 0 to 1. The Normalization techniques are not typically used in Random Forest or K Nearest neighbors as one is working with decision trees which are not affected by scaling your data.

Modeling Pipeline

Next, I build a “**Data Pipeline**” In Python which allows the me to transform data from one representation to another through a series of steps. In other words, to ensure my hot encoding, min/max normalization and both my categorical and continuous variables continue in the test and train modeling.

Model Fitting

For the Bank Churn dataset, since it is relatively small (10,000 records and 13 variables which I split into 2 sets: Training (70%) and Testing (30%) I chose the following 3 algorithms to build my model:

1) Logistic Regression: I cannot apply “Linear Regression” to this problem is it is a classification problem. Logistic Regression is one of the basic and popular algorithms to solve a classification problem. It is named as ‘**Logistic Regression**’, because it’s underlying technique is quite the same as Linear Regression. The term “Logistic” is taken from the **Logit function** that is used in this method of classification which uses the Sigmoid function.

An explanation of logistic regression can begin with an explanation of the standard logistic function. The logistic function is a Sigmoid function, which takes any real value between zero and one. It is defined as

$$\sigma(t) = \frac{e^t}{e^t + 1} = \frac{1}{1 + e^{-t}}$$

2)Support Vector Machine (SVM) is a supervised machine learning algorithm which can be used for both classification and regression challenges. SVM is mostly used in classification problems. In this algorithm, we plot each data item as a point in n-dimensional space (where n is number of features you have) with the value of each feature being the value of a coordinate. SVM is better suited as I need a way to separate my data into CHURN or NO CHURN and Logistic Regression uses a straight line. I used a large C to output low bias and high variance and to instill a regulation parameter and achieve a higher level of accuracy.

3) Random Forest works well with a mixture of numerical and categorical features which the Bank Churn data has. When features are on the various scales, it is also works well and data does not even need to be “normalized” or “scaled” though I did scale my data to apply Logistic and SVM models. Roughly speaking, with Random Forest you can use the data as it is. Random Forest uses a large # of trees, works with missing values and is often considered to be a highly accurate model for both regression and classification problems.

Classification Reports: (I will review the Test Data results but show the train data results for comparison)

The last line gives a weighted average of precision, recall and f1-score where the weights are the support values. The total is just for total support which is 5 here.

The f1-score gives you the harmonic mean of precision and recall. The scores corresponding to every class will tell you the accuracy of the classifier in classifying the data points in that class compared to all other classes.

The support is the number of samples of the true response that lie in that class which for this study are 2995.

Source: [sklearn documentation](#).

Logistic Regression – **TEST** DATA RESULTS

	precision	recall	f1-score	support
0	0.83	0.96	0.89	2411
1	0.57	0.20	0.29	584
accuracy			0.81	2995
macro avg	0.70	0.58	0.59	2995
weighted avg	0.78	0.81	0.78	2995

LOGISTIC REGRESSION **TRAIN** DATA RESULTS

	precision	recall	f1-score	support
0	0.83	0.96	0.89	5547
1	0.61	0.24	0.34	1453
accuracy			0.81	7000
macro avg	0.72	0.60	0.61	7000
weighted avg	0.78	0.81	0.78	7000

SVM **TEST** DATA RESULTS

	precision	recall	f1-score	support
0	0.88	0.98	0.93	2411
1	0.86	0.45	0.59	584
accuracy			0.88	2995
macro avg	0.87	0.71	0.76	2995
weighted avg	0.88	0.88	0.86	2995

SVM **TRAIN** DATA RESULTS

	precision	recall	f1-score	support
0	0.87	0.90	0.89	5547
1	0.57	0.50	0.53	1453
accuracy			0.82	7000
macro avg	0.72	0.70	0.71	7000
weighted avg	0.81	0.82	0.81	7000

Random Forest - **TEST** DATA RESULTS

	precision	recall	f1-score	support
0	0.86	0.98	0.92	2411
1	0.85	0.36	0.50	584
accuracy			0.86	2995
macro avg	0.85	0.67	0.71	2995
weighted avg	0.86	0.86	0.84	2995

RF **TRAIN** DATA RESULTS

	precision	recall	f1-score	support
0	0.87	0.95	0.91	5547
1	0.72	0.47	0.57	1453
accuracy			0.85	7000
macro avg	0.80	0.71	0.74	7000
weighted avg	0.84	0.85	0.84	7000

I review my scores by my Model using the F1-score as it takes both Churn and Non-Churn predictions into account and I applied it to an uneven class distribution. I will look at how well the mode did at predicting “Churn” which is represented by the “1” in my report.

Accuracy - Accuracy is the most intuitive performance measure and it is simply a ratio of correctly predicted observation to the total observations. One may think that, if we have high accuracy then our model is best. Yes, accuracy is a great measure but only when you have symmetric datasets where values of false positive and false negatives are almost same. Therefore, you must look at other parameters to evaluate the performance of your model.
Accuracy = TP+TN/TP+FP+FN+TN

Precision - Precision is the ratio of correctly predicted positive observations to the total predicted positive observations. The question that this metric answer is of all bank customers that are labeled as having remained at the bank, how many remained with the bank? High precision relates to the low false positive rate.
Precision = TP/TP+FP

Recall (Sensitivity) - Recall is the ratio of correctly predicted positive observations to the all observations in actual class - yes. The question recall answers are: Of all the bank customers that truly remained with the bank, how many did we label?
Recall = TP/TP+FN

F1 score - F1 Score is the weighted average of Precision and Recall. Therefore, this score takes both false positives and false negatives into account. Intuitively it is not as easy to understand as accuracy, but F1 is usually more useful than accuracy, especially if you have an uneven class distribution. Accuracy works best if false positives and false negatives have similar cost. If the cost of false positives and false negatives are very different, it’s better to look at both Precision and Recall.
F1 Score = 2*(Recall * Precision) / (Recall + Precision)

Source = [Exsilio](#)

Logistic Regression results: The accuracy for our LR model is 0.81 which means our model is approx. 81% accurate. We have 0.78 precision score which is also strong as well as a recall of 0.81 which is good for this model as it’s above 0.5. Our F1 score is 0.90.


Support Vector Machines: The accuracy for our SVM model is 0.88 which means our model is approx. 88% accurate. We have 0.88 precision score which is also strong as well as a recall of 0.88 which is good for this model as it’s above 0.5. Our F1 score is 0.86.

Random Forest Model: The accuracy for our RF model is 0.86 which means our model is approx. 86% accurate. We have 0.86 precision score which is also strong as well as a recall of 0.86 which is good for this model as it’s above 0.5. Our F1 score is 0.84.

As we see from the **RF Model Confusion Matrix** Below that our RF Model resulted in the following: From the sample of 2995 the RF model found 2373 predictions to be true positives which is a “NO CHURN” result and 209 as a True Negative which is a “Churn” result.

	Confusion Matrix for Random Forest		
	Predicted by Model		
Actual	Positive	Negative	
	TP = 2373	FN = 38	
	FP = 375	TN = 209	
TRUE	We then add the TP and the TN then divide by our sample of 2995		
FALSE	to get .86 which matches our weighted average in our RF		
	Classification Report.		

ROC CHART



A **ROC curve (receiver operating characteristic curve)** is a graph showing the performance of a classification model at all classification thresholds. This curve plots two parameters:

- True Positive Rate
- False Positive Rate

True Positive Rate (TPR) is a synonym for recall and is therefore defined as follows:

$$TPR = \frac{TP}{TP + FN}$$

False Positive Rate (FPR) is defined as follows:

$$TPR = \frac{TP}{TP + FN}$$

Fig 14: Illustration of ROC Chart (Source = Wikipedia)

A ROC curve plots TPR vs. FPR at different classification thresholds. Lowering the classification threshold classifies more items as positive, thus increasing both False Positives and True Positives. AUC - ROC curve is a performance measurement for classification problem at various thresholds settings. ROC is a probability curve and the AUC represent degree or measure of **separability**. It tells how much a model is capable of distinguishing between classes. The higher the AUC, better the model is at predicting 0s as 0s and 1s as 1s. By analogy, Higher the AUC, better the model is at distinguishing between patients with disease and no disease.

The ROC curve is plotted with TPR against the FPR where TPR is on y-axis and FPR is on the x-axis.

Source: [Toward Data Science](#)

To evaluate effectiveness of my model I will be using the following metrics.

$$\text{Accuracy} = \frac{TP+TN}{TP+FP+FN+TN}$$




Fig 15 above: ROC/AUC compares the effectiveness of the **Logistic Regression, the SVM and RF models**. This accuracy is measured by the area under the ROC curve. An area of 1, for instance, is a perfect score while .5 is meaningless (like flipping a coin). So, for all the customers, .77 of the instances are correctly classified in the **RF model** , .71 are correctly classified in the SVM model, and only .58 of the instances in the study are correctly classified in the Logistic Regression model.

Here is a rough guide for classifying the accuracy of the ROC/AUC using a diagnostic test is the traditional academic point system:

- .90-1 = excellent (A)
- .80-.90 = good (B)
- .70-.80 = fair (C)
- .60-.70 = poor (D)
- .50-.60 = fail (F)

Source [UNMC](#)

Now that we now the accuracies of our 3 Models let’s look at how each Data Point contributes to the level of Churn for our Bank.




Fig 16 (above): Shown is a bar chart of the Variables of importance according to the Random Forest algorithm.





Fig 17 above: I rank each Variable by its significance according to the “Lasso Model” as described below. We clearly notice that Age and Bank Balance played key roles in weather the customer left the bank or not.

Lasso method ([Source: Hackernoon](#))

Lasso is another extension built on regularized linear regression, but with a small twist. The loss function of Lasso is in the form:

$$L = \sum (\hat{y}_i - y_i)^2 + \lambda \sum |\beta|$$

The only difference from Ridge regression is that the regularization term is in absolute value. But this difference has a huge impact on the trade-off we’ve discussed before. Lasso method overcomes the disadvantage of Ridge regression by not only punishing high values of the coefficients β but actually setting them to zero if they are not relevant. Therefore, you might end up with fewer features included in the model than you started with, which is a huge advantage.



Null Hypothesis Conclusion

In the beginning of the Milestone Report I make a Null Hypothesis that customer traits had no impact on whether the bank customer left or not. I run a “p- value” Test to investigate further and I use ““BankSalaryRatio” as it has been shown to have impact on Customer Churn.

What is the “p-value”? The smaller the p-value the

higher the significance because it tells the investigator that the hypothesis under consideration may not adequately explain the observation. The null hypothesis is rejected. If any of these probabilities is less than or equal to a small, fixed but arbitrarily pre-defined threshold value. This is referred to as the level of significance and is set by the researcher before examining the data and is arbitrary. It typically ranged from .05 to .001. Here I review the results and determine that since “Balance” and “BalanceSalaryRatio” are below .05 I will reject my Null Hypothesis.




Fig 17 above: p-value illustration

const	6.320921e-04
CreditScore	2.087470e-01
Age	5.318891e-50
Tenure	8.387585e-01
Balance	2.091051e-02
NumOfProducts	6.449643e-02
EstimatedSalary	9.835981e-02
BalanceSalaryRatio	3.140875e-02
TenureByAge	8.052536e-01
CreditScoreGivenAge	4.167467e-01
HasCrCard	9.617095e-01
IsActiveMember	1.444840e-26
Geography_Spain	8.212921e-02
Geography_Germany	1.106078e-09
Geography_France	4.471835e-02
Gender_Female	8.469826e-08
Gender_Male	8.469826e-08

Fig 18 left: The “p- value” results of my test data. These clearly indicate that the p-value of “BalanceSalaryRatio” is below .05. I will reject my “H0” and move to a “HA” where I will make a hypothesis that the “BalanceSalaryRatio” is one variable in my study that does impact Customer Churn.

Chi Squared Test

The **Chi-square test** is intended to **test** how likely it is that an observed distribution is due to chance. It is also called a "goodness of fit" statistic, because it measures how well the observed distribution of data fits with the distribution that is expected if the variables are independent.

Below I performed a Chi Squared Test to test my 1st Null Hypothesis which was **“Gender is not a determining factor to whether a Customer leaves the bank of not”**

We see from the results below the “p-value” is less than our significance of .05 so we reject the HO and go with the HA which is **“Gender has a determining factor if the customer leaves the bank”**

```

contingency_table :-
  Exited      0      1
Gender
Female  3404  1139
Male    4559   898 We notice more females have left the bank than males
Observed Values :- Our observed values (actual values are different from
our "Expected" Values if there were no relationship)
[[3404 1139]
 [4559  898]]
Expected Values :-
[[3617.5909  925.4091]
 [4345.4091 1111.5909]]
Degree of Freedom:- 1
chi-square statistic:- 113.44910030392086
critical_value: 3.841458820694124
p-value: 0.0
Significance level: 0.05
Degree of Freedom:

```

```

1
chi-square statistic: 113.44910030392086
critical_value: 3.841458820694124
p-value: 0.0
Reject H0, There is a relationship between 2 categorical variables

```

The “T=Test”

There are **three main types of t-test**:

1. An [Independent Samples t-test](#) compares the [means](#) for two groups.
2. A [Paired sample t-test](#) compares means from the same group at different times (say, one year apart).
3. A [One sample t-test](#) tests the mean of a single group against a known mean.

The [t score](#) is a ratio between the **difference between two groups and the difference within the groups**. The larger the t score, the more difference there is between groups. The smaller the t score, the more similarity there is between groups. A t score of 3 means that the groups are three times as different *from* each other as they are within each other. When you run a t test, the bigger the t-value, the more likely it is that the results are repeatable.

- A large t-score tells you that the groups are different.
- A small t-score tells you that the groups are similar.

Here are my results of my unpaired t-test using the “Bank Balance versus Exited” variable of Group A that Left the bank and Group B that Stayed with the bank.

$t = 4.099347824053505$ *(the 4.09 tells us that the groups are 4 x as different from each other than within each other)*

$p = 0.0006731971893310096$ *(this p-value is less than our .05 significance value so it is a rare event so we Reject the H0)*

We notice the p- value (alpha) is less than the .05 significance threshold so we reject the Null Hypothesis and go with the alternative hypothesis: The customer’s Bank Balance DOES affect if the customer left the bank or not.

Bank balance details of those who exited the bank (observable only as it is based on the 2,037 clients of 10,000 that left the bank)

```
count      2037.000000
mean      91108.539337
std       58360.794816
min        0.000000
25%       38340.020000
50%       109349.290000
75%       131433.330000
max       250898.090000
Name: Balance, dtype: float64
```

Bank balance details of those who did not exit the bank (Based on the 7,963 customers that stayed with the bank)

```
count      7963.000000
mean      72745.296779
std       62848.040701
min        0.000000
25%        0.000000
50%       92072.680000
75%      126410.280000
max      221532.800000
Name: Balance, dtype: float64
```

Final Thoughts and Summaries:

Though my examination of the small data set I did discover a few significant findings:

- There is no significant difference in the credit score distribution between retained and churned customers.
- The older customers (over 35) are churning at a higher rate than the younger ones alluding to a difference in service preference in the age categories. The bank may need to review their target market or review the strategy for retention between the different age groups
- Bank members with an average tenure are slightly less likely to churn than those with either low or high number of tenure years.
- The data shows that customers with higher balances are churning at a higher rate which is cause for concern for their lending capability. The bank could benefit from offering special programs when, say, a balance of \$75,000 and offer a higher rate of interest on a savings account or special investment privileges.
- Neither the product nor the salary has a significant effect on the likelihood to churn.
- More females have churned than males therefore perhaps the bank can initiate “Female Investment “education programs to address female concerns
- More credit card holders churn though most of the bank customers possess credit cards but it may benefit the bank to review their credit card benefits to stay competitive with other providers and initiate a “point system” in which points are converted to cash in your account.
- The bank can benefit from increasing incentives in keeping credit card holders.

- Salary has little effect on the chance of a customer churning.

The study can be greatly improved with the following data since there are many unanswered questions:

- Would it be possible to obtain balances over time as opposed to a single date?
- What date did the customer exit?
- What types of products are the customers in? Do they leave as they are not happy with the products? What did competitors offer?
- Could they have exited from a product and not the bank?
- Does the bank have an investment division?
- Did the customer retire and consolidate assets elsewhere?

Of course, every business needs to perform analysis and take measures to prevent Customer Churn; considering the cost of acquiring each customer, a study should be an annual requirement.