## Exercise A: BorderDecorator.java

```
package ExABpackage;
import java.awt.*;

public class BorderDecorator extends Decorator{
   public BorderDecorator (Component c, int x, int y, int width, int height) {
        super(c, x, y, width, height);
   }

   @Override
   public void draw(Graphics g) {
        this.getCmp().draw(g);
        Stroke dashed = new BasicStroke(3, BasicStroke.CAP_BUTT,
        BasicStroke.JOIN_BEVEL, 0, new float[]{9}, 0);
        Graphics2D g2d = (Graphics2D) g;
        g2d.setStroke(dashed);
        g.drawRect(this.getX(), this.getY(), this.getWidth(), this.height);
   }
}
```

#### ColouredFrameDecorator.java

```
package ExABpackage;
import java.awt.*;
public class ColouredFrameDecorator extends Decorator {
    private int thickness;
    public ColouredFrameDecorator(
        Component c, int x, int y, int width, int height, int thickness){
        super(c, x, y, width, height);
        this.thickness = thickness;
    }
```

```
@Override
public void draw(Graphics g){
    this.getCmp().draw(g);
    Graphics2D g2d = (Graphics2D)g;
    Stroke oldStroke = g2d.getStroke();
    Color oldColour = g2d.getColor();
    g2d.setStroke(new BasicStroke(this.thickness));
    g2d.setColor(Color.red);
    g2d.drawRect(this.getX(), this.getY(), this.getWidth(), this.height);
    g2d.setStroke(oldStroke);
    g2d.setColor(oldColour);
}
```

#### Component.java

```
package ExABpackage;
import java.awt.*;
public interface Component {
   void draw(Graphics g);
}
```

#### Decorator.java

```
package ExABpackage;

public abstract class Decorator implements Component{
    private Component cmp;
    private int x, y, width;
    public int height;

public Decorator(Component c, int x, int y, int width, int height) {
        this.cmp = c;
        this.x = x;
        this.y = y;
    }
}
```

```
this.width = width;
    this.height = height;
}

public Component getCmp() {
    return cmp;
}

// Getters
public int getX() {
    return x;
}

public int getY() {
    return y;
}

public int getWidth() {
    return width;
}
```

### Text.java

```
package ExABpackage;
import java.awt.*;
public class Text implements Component{
   private int x, y;
   private String text;
   public Text(String text, int x, int y) {
      this.text = text;
      this.x = x;
      this.y = y;
```

```
public void draw(Graphics g){
    g.drawString(text, x, y);
}
```

# Exercise B: ColouredGlassDecorator.java

```
package ExABpackage;
import java.awt.*;

public class ColouredGlassDecorator extends Decorator {
    public ColouredGlassDecorator(Component c, int x, int y, int width, int height) {
        super(c, x, y, width, height);
    }

    @Override
    public void draw(Graphics g) {
        this.getCmp().draw(g);
        Graphics2D g2d = (Graphics2D) g;
        g2d.setColor(Color.green);
        g2d.setComposite(AlphaComposite.getInstance(AlphaComposite.SRC_OVER, 1
    *
        0.1f));
        g2d.fillRect(25, 25, 110, 110);
    }
}
```