

Exam on Electrostatics

2 hours :: 25 marks

March 27, 2014

Problem 1: KVL

Derive Kirchoff's voltage law (which states that the algebraic sum of voltage rise and voltage drops in a closed circuit is zero) from one of the Maxwell's equations. Just give arguments.

(2 marks)

Problem 2: Cylindrical as if parallel plates


A long cylindrical capacitor is given (inner radius a , outer radius b) with a dielectric inside. Its dielectric constant varies as

$$k = \frac{T}{r}$$

where r is the perpendicular distance from the common axis. Find the capacitance per unit length.

(3 marks)


Problem 3: Dielectric oscillation



A parallel plate capacitor (plate separation d) is charged with a dielectric slab (mass m , dielectric constant k) perfectly inside it so that each plate (length l , width w) contains charge of magnitude Q . The battery is then disconnected and a tiny nudge is applied on the slab (the figure is exaggerated). Find the oscillation frequency.

(4 marks)

Problem 4: Averages



Show that the average electric field over the volume of a sphere due to all charges outside is the same as the field they would produce at the center. Do this by the following steps:

- (a) Take the co-ordinate system so that the sphere, say of radius a , is centered at the origin. Now show that the average field due to a single point charge q at a point \vec{R} outside the sphere ($R > a$) is the same as the field that the sphere would produce at \vec{R} had it been uniformly charged with volume charge density

$$\rho = -\frac{q}{\frac{4}{3}\pi a^3}.$$

(2 marks)

- (b) Now use the Gauss' law to complete the result for a single point charge.

(1 mark)

- (c) Give arguments how you can extend the proof for an arbitrary charge distribution that lie outside the sphere.

(1 mark)

- (d) While you are at it, show similarly that the average field due to all charges within the sphere is given by

$$\vec{E}_{ave} = -\frac{1}{4\pi\epsilon_0} \frac{\vec{p}}{a^3}$$

where $\vec{p} = \int_{sphere} \rho \vec{r} dV$ is the total electric dipole moment for the charges located inside the sphere with respect to the co-ordinate system we chose in part (a).

(2 marks)

Problem 5: Images




Figure 1: Two parallel wires

Two infinitely long wires running parallel to the x axis carry uniform charge densities $+\lambda$ and $-\lambda$ (Fig. 1).

- (a) Find the potential at any point (x, y, z) , using origin as your reference.

(2 marks)

- (b) Show that the equipotential surfaces are circular cylinders, and locate the axis and radius of the cylinder corresponding to a given potential V_0 .

(3 marks)




Figure 2: Two parallel wires with a conductor between them

- (c) Now a long conducting cylinder is placed between them in parallel (Fig. 2). The conductor is not grounded, carries no net charge and has a radius R . Find the potential $V(\vec{r})$ now.

(5 marks)