

# shumko\_asilib\_figures

July 25, 2022

## 1 Figure Notebook for “AuroraX, aurorax-api and aurorax-asilib: a user-friendly auroral all-sky imager analysis framework”

```
[ ]: from datetime import datetime, timedelta
import string

import matplotlib.pyplot as plt
from matplotlib import dates
from matplotlib.gridspec import GridSpec
import numpy as np
import asilib

print(f'asilib version: {asilib.__version__}')
```

asilib version: 0.12.1

## 2 Figure 2

```
[ ]: location_code = 'RANK'
time = datetime(2017, 9, 15, 2, 34, 0)
map_alt_km = 110
fontsize=17

lon_bounds = (-102, -82)
lat_bounds = (58, 70)

fig, ax = plt.subplots(2, 2, figsize=(10, 10))
asilib.make_map(ax=ax[0, 1], lon_bounds=lon_bounds, lat_bounds=lat_bounds)
asilib.make_map(ax=ax[1, 1], lon_bounds=lon_bounds, lat_bounds=lat_bounds)

ax[0, 0].axis('off')
ax[1, 0].axis('off')
ax[0, 1].axis('off')
ax[1, 1].axis('off')

asilib.plot_fisheye('THEMIS', location_code, time, ax=ax[0, 0], label=False)
```

```


asilib.plot_fisheye('REGO', location_code, time, ax=ax[1, 0], label=False)
asilib.plot_map('THEMIS', location_code, time, map_alt_km, ax=ax[0, 1],
    ↪asi_label=False)
asilib.plot_map('REGO', location_code, time, map_alt_km, ax=ax[1, 1],
    ↪asi_label=False)

ax[0, 0].text(0, 1, f'(A) THEMIS fisheye lens', va='top', transform=ax[0,0].
    ↪transAxes,
    color='white', fontsize=fontsize, weight='bold')
ax[0, 1].text(0, 1, f'(B) THEMIS mapped to {map_alt_km} km', va='top',
    ↪transform=ax[0,1].transAxes,
    color='k', fontsize=fontsize, weight='bold')
ax[1, 0].text(0, 1, f'(C) REGO fisheye lens', va='top', transform=ax[1,0].
    ↪transAxes,
    color='white', fontsize=fontsize, weight='bold')
ax[1, 1].text(0, 1, f'(D) REGO mapped to {map_alt_km} km', va='top',
    ↪transform=ax[1,1].transAxes,
    color='k', fontsize=fontsize, weight='bold')

plt.suptitle(f'An auroral arc observed by {location_code} on {time}',
    ↪fontsize=20)
plt.tight_layout()
plt.savefig('figures/fig2.jpg', dpi=300)

```

An auroral arc observed by RANK on 2017-09-15 02:34:00



```
[ ]: themis_skymap = asilib.load_skymap('THEMIS', location_code, time)
     rego_skymap = asilib.load_skymap('REGO', location_code, time)
```

```
[ ]: themis_skymap['SKYMAP_PATH']
```

```
[ ]: PosixPath('/media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-
data/themis/skymap/rank/themis_skymap_rank_20170915_vXX.sav')
```

```
[ ]: rego_skymap['SKYMAP_PATH']
```

```
[ ]: PosixPath('/media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-
data/rego/skymap/rank/rego_skymap_rank_20170817_v01.sav')
```

### 3 Figure 3


```
[ ]: fontsize=11
fig, ax = plt.subplots(3, 1, figsize=(10, 8), sharex=True)
time_range = (datetime(2008, 3, 9), datetime(2008, 3, 10))
asilib.plot_keogram('THEMIS', 'GILL', time_range, ax=ax[0])
asilib.plot_keogram('THEMIS', 'GILL', time_range, ax=ax[1], map_alt=map_alt_km)
asilib.plot_keogram('THEMIS', 'GILL', time_range, ax=ax[2], map_alt=map_alt_km,
    ↪aacgm=True)
ax[-1].set_xlabel('Time', fontsize=fontsize)
ax[0].set_ylabel('Pixel index', fontsize=fontsize)
ax[1].set_ylabel('Geographic latitude [deg]', fontsize=fontsize)
ax[2].set_ylabel('Magnetic latitude [deg]', fontsize=fontsize)

fmtr = dates.DateFormatter("%H:%M")
ax[-1].xaxis.set_major_formatter(fmtr)
ax[1].set_title('')
ax[2].set_title('')
ax[0].text(0, 1, f'(A) Unmapped', va='top', transform=ax[0].transAxes,
    color='white', fontsize=fontsize+4, weight='bold')
ax[1].text(0, 1, f'(B) Mapped to {map_alt_km} km | geographic', va='top',
    ↪transform=ax[1].transAxes,
    color='white', fontsize=fontsize+4, weight='bold')
ax[2].text(0, 1, f'(C) Mapped to {map_alt_km} km | magnetic', va='top',
    ↪transform=ax[2].transAxes,
    color='white', fontsize=fontsize+4, weight='bold')
plt.savefig('figures/fig3.jpg', dpi=300)
```

```
/home/mike/research/aurora-asi-lib/env/lib/python3.9/site-
packages/scipy/io/idl.py:281: UserWarning: Not able to verify number of bytes
from header
```

```
warnings.warn("Not able to verify number of bytes from header")
```

2008-03-09 | THEMIS-GILL keogram



```
[ ]: time_range = (datetime(2008, 3, 9, 4, 35), datetime(2008, 3, 9, 4, 50))
      asilib.animate_fisheye('THEMIS', 'GILL', time_range, overwrite=True)
```

Created a /media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-data/animations/images/20080309\_043500\_themis\_gill\_fisheye directory

ffmpeg version 4.2.7-0ubuntu0.1 Copyright (c) 2000-2022 the FFmpeg developers  
built with gcc 9 (Ubuntu 9.4.0-1ubuntu1~20.04.1)  
configuration: --prefix=/usr --extra-version=0ubuntu0.1 --toolchain=hardened  
--libdir=/usr/lib/x86\_64-linux-gnu --incdir=/usr/include/x86\_64-linux-gnu  
--arch=amd64 --enable-gpl --disable-stripping --enable-avresample --disable-  
filter=resample --enable-avisynth --enable-gnutls --enable-ladspa --enable-  
libaom --enable-libass --enable-libbluray --enable-libbs2b --enable-libcaca  
--enable-libcdio --enable-libcodec2 --enable-libflite --enable-libfontconfig  
--enable-libfreetype --enable-libfribidi --enable-libgme --enable-libgsm  
--enable-libjack --enable-libmp3lame --enable-libmysofa --enable-libopenjpeg  
--enable-libopenmpt --enable-libopus --enable-libpulse --enable-librsvg  
--enable-librubberband --enable-libshine --enable-libsnappy --enable-libsoxr  
--enable-libspeex --enable-libssh --enable-libtheora --enable-libtwolame  
--enable-libvidstab --enable-libvorbis --enable-libvpx --enable-libwavpack

```

--enable-libwebp --enable-libx265 --enable-libxml2 --enable-libxvid --enable-
libzmq --enable-libzvbi --enable-lv2 --enable-omx --enable-openal --enable-
openc1 --enable-opengl --enable-sdl2 --enable-libdc1394 --enable-libdrm
--enable-libiec61883 --enable-nvenc --enable-chromaprint --enable-frei0r
--enable-libx264 --enable-shared
WARNING: library configuration mismatch
avcodec configuration: --prefix=/usr --extra-version=0ubuntu0.1
--toolchain=hardened --libdir=/usr/lib/x86_64-linux-gnu
--incdir=/usr/include/x86_64-linux-gnu --arch=amd64 --enable-gpl --disable-
stripping --enable-avresample --disable-filter=resample --enable-avisynth
--enable-gnutls --enable-ladspa --enable-libaom --enable-libass --enable-
libbluray --enable-libbs2b --enable-libcaca --enable-libcdio --enable-libcodec2
--enable-libflite --enable-libfontconfig --enable-libfreetype --enable-
libfribidi --enable-libgme --enable-libgsm --enable-libjack --enable-libmp3lame
--enable-libmysofa --enable-libopenjpeg --enable-libopenmpt --enable-libopus
--enable-libpulse --enable-libsvg --enable-librubberband --enable-libshine
--enable-lisnappy --enable-libsoxr --enable-lispeex --enable-libssh --enable-
libtheora --enable-libtwolame --enable-libvidstab --enable-libvorbis --enable-
libvpx --enable-libwavpack --enable-libwebp --enable-libx265 --enable-libxml2
--enable-libxvid --enable-libzmq --enable-libzvbi --enable-lv2 --enable-omx
--enable-openal --enable-openc1 --enable-opengl --enable-sdl2 --enable-libdc1394
--enable-libdrm --enable-libiec61883 --enable-nvenc --enable-chromaprint
--enable-frei0r --enable-libx264 --enable-shared --enable-version3 --disable-doc
--disable-programs --enable-libaribb24 --enable-lislsfun --enable-
libopencore_amrnb --enable-libopencore_amrwb --enable-libtesseract --enable-
libvo_amrwbenc
libavutil      56. 31.100 / 56. 31.100
libavcodec     58. 54.100 / 58. 54.100
libavformat    58. 29.100 / 58. 29.100
libavdevice    58.  8.100 / 58.  8.100
libavfilter    7. 57.100 /  7. 57.100
libavresample  4.  0.  0 /  4.  0.  0
libswscale     5.  5.100 /  5.  5.100
libswresample  3.  5.100 /  3.  5.100
libpostproc   55.  5.100 / 55.  5.100
Input #0, image2, from '/media/mike/692d5b55-e101-4c9f-a338-50bfcd97761e/asilib-
data/animations/images/20080309_043500_themis_gill_fisheye/%05d.png':
Duration: 00:00:30.00, start: 0.000000, bitrate: N/A
Stream #0:0: Video: png, rgba(pc), 432x432 [SAR 2835:2835 DAR 1:1], 10 fps,
10 tbr, 10 tbn, 10 tbc
Stream mapping:
Stream #0:0 -> #0:0 (png (native) -> h264 (libx264))
Press [q] to stop, [?] for help
[libx264 @ 0x5592144fa140] using SAR=1/1
[libx264 @ 0x5592144fa140] using cpu capabilities: MMX2 SSE2Fast SSSE3 SSE4.2
AVX FMA3 BMI2 AVX2
[libx264 @ 0x5592144fa140] profile High, level 2.2
[libx264 @ 0x5592144fa140] 264 - core 155 r2917 0a84d98 - H.264/MPEG-4 AVC codec

```

```
- Copyleft 2003-2018 - http://www.videolan.org/x264.html - options: cabac=1
ref=8 deblock=1:0:0 analyse=0x3:0x133 me=umh subme=9 psy=1 psy_rd=1.00:0.00
mixed_ref=1 me_range=16 chroma_me=1 trellis=2 8x8dct=1 cqm=0 deadzone=21,11
fast_pskip=1 chroma_qp_offset=-2 threads=12 lookahead_threads=1 sliced_threads=0
nr=0 decimate=1 interlaced=0 bluray_compat=0 constrained_intra=0 bframes=3
b_pyramid=2 b_adapt=2 b_bias=0 direct=3 weightb=1 open_gop=0 weightp=2
keyint=250 keyint_min=10 scenecut=40 intra_refresh=0 rc_lookahead=60 rc=crf
mbtree=1 crf=25.0 qcomp=0.60 qpmin=0 qpmax=69 qpstep=4 ip_ratio=1.40 aq=1:1.00
Output #0, mp4, to '/media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-
data/animations/20080309_043500_044957_themis_gill_fisheye.mp4':
```

Metadata:

encoder : Lavf58.29.100


Stream #0:0: Video: h264 (libx264) (avc1 / 0x31637661), yuv420p, 432x432  
[SAR 1:1 DAR 1:1], q=-1--1, 10 fps, 10240 tbn, 10 tbc

Metadata:

encoder : Lavc58.54.100 libx264

Side data:

```
cpb: bitrate max/min/avg: 0/0/0 buffer size: 0 vbv_delay: -1
frame= 300 fps=217 q=-1.0 Lsize= 1130kB time=00:00:29.70 bitrate=
311.6kbts/s speed=21.5x
video:1125kB audio:0kB subtitle:0kB other streams:0kB global headers:0kB muxing
overhead: 0.385254%
[libx264 @ 0x5592144fa140] frame I:2 Avg QP:20.50 size: 11730
[libx264 @ 0x5592144fa140] frame P:77 Avg QP:24.13 size: 6469
[libx264 @ 0x5592144fa140] frame B:221 Avg QP:26.31 size: 2852
[libx264 @ 0x5592144fa140] consecutive B-frames: 0.7% 2.0% 4.0% 93.3%
[libx264 @ 0x5592144fa140] mb I I16..4: 27.3% 58.7% 14.0%
[libx264 @ 0x5592144fa140] mb P I16..4: 0.4% 15.4% 1.2% P16..4: 22.4% 17.7%
6.8% 0.3% 0.1% skip:35.8%
[libx264 @ 0x5592144fa140] mb B I16..4: 0.0% 1.8% 0.1% B16..8: 22.0% 7.6%
2.6% direct: 9.0% skip:57.0% L0:46.9% L1:44.2% BI: 8.9%
[libx264 @ 0x5592144fa140] 8x8 transform intra:88.5% inter:76.6%
[libx264 @ 0x5592144fa140] direct mvs spatial:97.3% temporal:2.7%
[libx264 @ 0x5592144fa140] coded y,uvDC,uvAC intra: 84.5% 0.0% 0.0% inter: 30.1%
0.0% 0.0%
[libx264 @ 0x5592144fa140] i16 v,h,dc,p: 65% 23% 11% 1%
[libx264 @ 0x5592144fa140] i8 v,h,dc,ddl,ddr,vr,hd,vl,hu: 6% 3% 9% 7% 23%
19% 16% 8% 7%
[libx264 @ 0x5592144fa140] i4 v,h,dc,ddl,ddr,vr,hd,vl,hu: 10% 5% 5% 6% 23%
18% 15% 9% 9%
[libx264 @ 0x5592144fa140] i8c dc,h,v,p: 100% 0% 0% 0%
[libx264 @ 0x5592144fa140] Weighted P-Frames: Y:3.9% UV:0.0%
[libx264 @ 0x5592144fa140] ref P L0: 43.6% 14.3% 19.8% 5.8% 5.9% 3.5% 4.4%
2.6% 0.1%
[libx264 @ 0x5592144fa140] ref B L0: 75.5% 12.6% 5.4% 2.6% 2.0% 1.3% 0.6%
[libx264 @ 0x5592144fa140] ref B L1: 96.5% 3.5%
[libx264 @ 0x5592144fa140] kb/s:307.15
```



## 4 Figure 4

A conjunction montage. Lets take this one step at a time. First we define the ASI info and load the skymap file (to make the fictional satellite path overhead).

```
[ ]: asi_array_code = 'THEMIS'
location_code = 'RANK'
area_box_km = (20, 20)
time_range = (datetime(2017, 9, 15, 2, 32, 0), datetime(2017, 9, 15, 2, 35, 0))
```

```
[ ]: skymap_dict = asilib.load_skymap(asi_array_code, location_code, time_range[0])
```

Create the satellite path (time, latitude, longitude, altitude) at a 500 km altitude. It is a north-south satellite track oriented to the east of the imager.



```
[ ]: n = int((time_range[1] - time_range[0]).total_seconds() / 3) # 3 second
      ↪ cadence.
time = np.array([time_range[0] + timedelta(seconds=i*3) for i in range(n)])
lats = np.linspace(skymap_dict["SITE_MAP_LATITUDE"] + 2,
      ↪ skymap_dict["SITE_MAP_LATITUDE"] - 3, n)
lons = (skymap_dict["SITE_MAP_LONGITUDE"] - 0.25) * np.ones(n)
alts = 500 * np.ones(n)
time_lla_500km = np.array([time, lats, lons, alts]).T
```

Map the satellite's altitude from 500 km to the 110 km footprint. Time is necessary to correctly evaluate the magnetic field model.

**NOTE** You will need to install [IRBEM](#) for the following line to run.

```
[ ]: lla_110km = asilib.lla2footprint(time_lla_500km, 110)
```

Next, map the satellite's footprint to the imager's (Azimuth, Elevation), i.e. AzEl coordinates.

```
[ ]: sat_azel, sat_azel_pixels = asilib.lla2azel(asi_array_code, location_code,
      ↪ time_range[0], lla_110km)
```

The last step before we make the movie is to calculate what pixels are in a box\_km around the satellite, to convolve it with the images to pick out the ASI intensity in that box.

```
[ ]: area_box_mask = asilib.equal_area(
      asi_array_code, location_code, time_range[0], lla_110km, box_km=area_box_km
    )
```

Calculate the mean ASI intensity in the area\_box\_km

```
[ ]: times, images = asilib.load_image(asi_array_code, location_code,
      ↪ time_range=time_range)
asi_brightness = np.nanmean(images * area_box_mask, axis=(1, 2))
area_box_mask[np.isnan(area_box_mask)] = 0 # To play nice with plt.contour()
```

Plot preparation

```
[ ]: num_images = 4

delta_time_s = int((time_range[1]-time_range[0]).total_seconds()/num_images)
montage_times = [time_range[0]+timedelta(seconds=i*delta_time_s) for i in
      ↪ range(num_images)]
formatted_times = [t.strftime('%H:%M:%S') for t in montage_times]
subplot_labels = [f'({l}) {t}' for l, t in zip(string.ascii_uppercase[:
      ↪ num_images], formatted_times)]

downsampled_satellite_indices = np.zeros(num_images)
for i, montage_time in enumerate(montage_times):
    downsampled_satellite_indices[i] = np.where(time == montage_time)[0][0]
```

```

[ ]: fig = plt.figure(figsize=(12, 5))

gs = GridSpec(3, num_images, figure=fig)
ax = [fig.add_subplot(gs[:2, n]) for n in range(num_images)]
bx = fig.add_subplot(gs[-1, :])

for i, (montage_time, ax_i, subplot_label) in enumerate(zip(montage_times, ax,
↳ subplot_labels)):
    asilib.plot_fisheye(asi_array_code, location_code, montage_time, ax=ax_i,
↳ label=False)
    ax_i.axis('off')


    index = int(downsampled_satellite_indices[i])
    ax_i.plot(sat_azel_pixels[:, 0], sat_azel_pixels[:, 1], 'red', alpha=0.5)
    ax_i.scatter(sat_azel_pixels[index, 0], sat_azel_pixels[index, 1], c='red',
↳ marker='o', s=50)
    ax_i.contour(area_box_mask[index, :, :], levels=[0.99], colors=['yellow'])

    ## Plot the time series of the mean ASI intensity along the satellite path
    # ax[1].plot(image_data.time, asi_brightness)
    # ax[1].axvline(time, c='b')
    ax_i.text(0, 1, subplot_label, va='top', transform=ax_i.transAxes,
↳ color='white', fontsize=20)

bx.plot(time, asi_brightness/1000, c='k')
bx.text(0, 1, f'({string.ascii_lowercase[num_images]})', va='top', transform=bx.
↳ transAxes, fontsize=20)
bx.set_ylabel(r'Mean ASI counts $\times 10^3$')
bx.set_xlabel('Time')

plt.tight_layout()
plt.savefig('figures/fig4.jpg', dpi=300)

```



## 5 Movie S2

Now to make the conjunction movie.

```
[ ]: fig, ax = plt.subplots(
    2, 1, figsize=(7, 8.5), gridspec_kw={'height_ratios': [4, 1]}
)

# Initiate the movie generator function. Any errors with the data will be
↳raised here.
movie_generator = asilib.animate_fisheye_generator(
    asi_array_code, location_code, time_range, azel_contours=True,
↳overwrite=True, ax=ax[0]
)

# Use the generator to get the images and time stamps to estimate mean the ASI
# brightness along the satellite path and in a (20x20 km) box.
image_data = movie_generator.send('data')

area_box_mask_2 = asilib.equal_area(
    asi_array_code, location_code, time_range[0], lla_110km, box_km=area_box_km
)

asi_brightness_2 = np.nanmean(image_data.images * area_box_mask_2, axis=(1, 2))
area_box_mask_2[np.isnan(area_box_mask_2)] = 0 # To play nice with plt.
↳contour()

for i, (time, image, _, im) in enumerate(movie_generator):
    # Note that because we are drawing different data in each frame (a unique
↳ASI
    # image in ax[0] and the ASI time series + a guide in ax[1], we need
    # to redraw everything at every iteration.

    # ax[1].clear() # ax[0] cleared by asilib.animate_fisheye_generator()
    # Plot the entire satellite track, its current location, and a 20x20 km box
    # around its location.
    ax[0].plot(sat_azel_pixels[:, 0], sat_azel_pixels[:, 1], 'red')
    ax[0].scatter(sat_azel_pixels[i, 0], sat_azel_pixels[i, 1], c='red',
↳marker='o', s=50)
    ax[0].contour(area_box_mask_2[i, :, :], levels=[0.99], colors=['yellow'])

    # Plot the time series of the mean ASI intensity along the satellite path
    # Draw the lines once and next time only update the vertical line at time.
    if 'vline' not in locals():
        vline = ax[1].axvline(time, c='b')
```

```

        ax[1].set(xlabel='Time', ylabel=f'Mean ASI intensity\n [counts$\times_{10^{-3}}$'])
        ax[1].text(0, 1, '(b)', va='top', transform=ax[1].transAxes,
        color='black', fontsize=20)
    else:
        vline.set_xdata([time, time])

    # Annotate the location_code and satellite info in the top-left corner.
    ax[0].text(0, 1, '(a)', va='top', transform=ax[0].transAxes, color='white',
    fontsize=20)

    ax[1].plot(image_data.time, asi_brightness_2/1000, 'k')

    plt.subplots_adjust(wspace=0, hspace=0, right=0.98, left=0.12, bottom=0.05,
    top=0.99)

print(f'Movie saved in {asilib.config["ASI_DATA_DIR"]} / "movies"')

```

Created a /media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-  
data/animations/images/20170915\_023200\_themis\_rank\_fisheye directory

ffmpeg version 4.2.7-0ubuntu0.1 Copyright (c) 2000-2022 the FFmpeg developers  
built with gcc 9 (Ubuntu 9.4.0-1ubuntu1~20.04.1)

configuration: --prefix=/usr --extra-version=0ubuntu0.1 --toolchain=hardened  
--libdir=/usr/lib/x86\_64-linux-gnu --incdir=/usr/include/x86\_64-linux-gnu  
--arch=amd64 --enable-gpl --disable-stripping --enable-avresample --disable-  
filter=resample --enable-avisynth --enable-gnutls --enable-ladspa --enable-  
libaom --enable-libass --enable-libbluray --enable-libbs2b --enable-libcaca  
--enable-libcdio --enable-libcodec2 --enable-libflite --enable-libfontconfig  
--enable-libfreetype --enable-libfribidi --enable-libgme --enable-libgsm  
--enable-libjack --enable-libmp3lame --enable-libmysofa --enable-libopenjpeg  
--enable-libopenmpt --enable-libopus --enable-libpulse --enable-libsvg  
--enable-librubberband --enable-libshine --enable-libsnappy --enable-libsoxr  
--enable-libspeex --enable-libssh --enable-libtheora --enable-libtwolame  
--enable-libvidstab --enable-libvorbis --enable-libvpx --enable-libwavpack  
--enable-libwebp --enable-libx265 --enable-libxml2 --enable-libxvid --enable-  
libzmq --enable-libzvbi --enable-lv2 --enable-omx --enable-openal --enable-  
opencl --enable-opengl --enable-sdl2 --enable-libdc1394 --enable-libdrm  
--enable-libiec61883 --enable-nvenc --enable-chromaprint --enable-frei0r  
--enable-libx264 --enable-shared

WARNING: library configuration mismatch

avcodec configuration: --prefix=/usr --extra-version=0ubuntu0.1  
--toolchain=hardened --libdir=/usr/lib/x86\_64-linux-gnu  
--incdir=/usr/include/x86\_64-linux-gnu --arch=amd64 --enable-gpl --disable-  
stripping --enable-avresample --disable-filter=resample --enable-avisynth  
--enable-gnutls --enable-ladspa --enable-libaom --enable-libass --enable-  
libbluray --enable-libbs2b --enable-libcaca --enable-libcdio --enable-libcodec2

```
--enable-libflite --enable-libfontconfig --enable-libfreetype --enable-
libfribidi --enable-libgme --enable-libgsm --enable-libjack --enable-libmp3lame
--enable-libmysofa --enable-libopenjpeg --enable-libopenmpt --enable-libopus
--enable-libpulse --enable-librsvg --enable-librubberband --enable-libshine
--enable-libsnapppy --enable-libsoxr --enable-libspeex --enable-libssh --enable-
libtheora --enable-libtwolame --enable-libvidstab --enable-libvorbis --enable-
libvpx --enable-libwavpack --enable-libwebp --enable-libx265 --enable-libxml2
--enable-libxvid --enable-libzmq --enable-libzvbi --enable-lv2 --enable-omx
--enable-openal --enable-openc1 --enable-opengl --enable-sdl2 --enable-libdc1394
--enable-libdrm --enable-libiec61883 --enable-nvenc --enable-chromaprint
--enable-frei0r --enable-libx264 --enable-shared --enable-version3 --disable-doc
--disable-programs --enable-libaribb24 --enable-liblensfun --enable-
libopencore_amrnb --enable-libopencore_amrwb --enable-libtesseract --enable-
libvo_amrwbenc
```

```
libavutil      56. 31.100 / 56. 31.100
libavcodec     58. 54.100 / 58. 54.100
libavformat    58. 29.100 / 58. 29.100
libavdevice    58.  8.100 / 58.  8.100
libavfilter    7. 57.100 / 7. 57.100
libavresample  4.  0.  0 / 4.  0.  0
libswscale     5.  5.100 / 5.  5.100
libswresample  3.  5.100 / 3.  5.100
libpostproc   55.  5.100 / 55.  5.100
```

Input #0, image2, from '/media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-  
data/animations/images/20170915\_023200\_themis\_rank\_fisheye/%05d.png':

Duration: 00:00:06.00, start: 0.000000, bitrate: N/A

Stream #0:0: Video: png, rgba(pc), 504x612 [SAR 2835:2835 DAR 14:17], 10  
fps, 10 tbr, 10 tbn, 10 tbc

Stream mapping:

Stream #0:0 -> #0:0 (png (native) -> h264 (libx264))

Press [q] to stop, [?] for help

[libx264 @ 0x55eefa4a3080] using SAR=1/1

[libx264 @ 0x55eefa4a3080] using cpu capabilities: MMX2 SSE2Fast SSSE3 SSE4.2

AVX FMA3 BMI2 AVX2

[libx264 @ 0x55eefa4a3080] profile High, level 3.1

[libx264 @ 0x55eefa4a3080] 264 - core 155 r2917 0a84d98 - H.264/MPEG-4 AVC codec

- Copyleft 2003-2018 - <http://www.videolan.org/x264.html> - options: cabac=1

ref=8 deblock=1:0:0 analyse=0x3:0x133 me=umh subme=9 psy=1 psy\_rd=1.00:0.00

mixed\_ref=1 me\_range=16 chroma\_me=1 trellis=2 8x8dct=1 cqm=0 deadzone=21,11

fast\_pskip=1 chroma\_qp\_offset=-2 threads=12 lookahead\_threads=1 sliced\_threads=0

nr=0 decimate=1 interlaced=0 bluray\_compat=0 constrained\_intra=0 bframes=3

b\_pyramid=2 b\_adapt=2 b\_bias=0 direct=3 weightb=1 open\_gop=0 weightp=2

keyint=250 keyint\_min=10 scenecut=40 intra\_refresh=0 rc\_lookahead=60 rc=crf

mbtree=1 crf=25.0 qcomp=0.60 qpmin=0 qpmax=69 qpstep=4 ip\_ratio=1.40 aq=1:1.00

Output #0, mp4, to '/media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-  
data/animations/20170915\_023200\_023457\_themis\_rank\_fisheye.mp4':

Metadata:

encoder : Lavf58.29.100

```

Stream #0:0: Video: h264 (libx264) (avc1 / 0x31637661), yuv420p, 504x612
[SAR 1:1 DAR 14:17], q=-1--1, 10 fps, 10240 tbn, 10 tbc
Metadata:
  encoder           : Lavc58.54.100 libx264
Side data:
  cpb: bitrate max/min/avg: 0/0/0 buffer size: 0 vbv_delay: -1
frame= 60 fps=0.0 q=-1.0 Lsize= 174kB time=00:00:05.70 bitrate=
250.4kbits/s speed= 14x
video:173kB audio:0kB subtitle:0kB other streams:0kB global headers:0kB muxing
overhead: 0.885581%
[libx264 @ 0x55eefa4a3080] frame I:1      Avg QP:22.06  size: 25199
[libx264 @ 0x55eefa4a3080] frame P:16     Avg QP:23.81  size: 5105
[libx264 @ 0x55eefa4a3080] frame B:43     Avg QP:26.90  size: 1611
[libx264 @ 0x55eefa4a3080] consecutive B-frames: 3.3% 3.3% 0.0% 93.3%
[libx264 @ 0x55eefa4a3080] mb I I16..4: 24.8% 39.9% 35.3%
[libx264 @ 0x55eefa4a3080] mb P I16..4: 0.7% 4.5% 1.1% P16..4: 25.4% 6.9%
6.5% 0.3% 0.2% skip:54.4%
[libx264 @ 0x55eefa4a3080] mb B I16..4: 0.2% 0.8% 0.1% B16..8: 19.9% 4.3%
1.4% direct: 2.2% skip:71.0% L0:46.4% L1:47.9% BI: 5.6%
[libx264 @ 0x55eefa4a3080] 8x8 transform intra:58.5% inter:74.0%
[libx264 @ 0x55eefa4a3080] direct mvs spatial:86.0% temporal:14.0%
[libx264 @ 0x55eefa4a3080] coded y,uvDC,uvAC intra: 56.8% 18.1% 15.2% inter:
9.9% 1.3% 1.2%
[libx264 @ 0x55eefa4a3080] i16 v,h,dc,p: 69% 20% 7% 4%
[libx264 @ 0x55eefa4a3080] i8 v,h,dc,ddl,ddr,vr,hd,vl,hu: 11% 9% 14% 5% 17%
11% 23% 4% 7%
[libx264 @ 0x55eefa4a3080] i4 v,h,dc,ddl,ddr,vr,hd,vl,hu: 16% 12% 10% 8% 12%
9% 13% 8% 12%
[libx264 @ 0x55eefa4a3080] i8c dc,h,v,p: 76% 10% 13% 1%
[libx264 @ 0x55eefa4a3080] Weighted P-Frames: Y:0.0% UV:0.0%
[libx264 @ 0x55eefa4a3080] ref P L0: 45.9% 16.8% 15.1% 5.8% 6.6% 4.1% 3.6%
2.1%
[libx264 @ 0x55eefa4a3080] ref B L0: 63.8% 15.5% 9.0% 6.1% 3.4% 1.6% 0.8%
[libx264 @ 0x55eefa4a3080] ref B L1: 92.5% 7.5%
[libx264 @ 0x55eefa4a3080] kb/s:234.86

Movie saved in /media/mike/692d5b55-e101-4c9f-a338-50bfdc97761e/asilib-
data/movies

```

