# Simplify the Algebraic Expressions



A simplified algebraic expression is an expression which has been reduced to a simpler, more compact form without changing the expression's value. To a great extent, this largely involves collecting and combining 'like' terms.

# For example:

- $x^2 + 2x + 2x^2 + 2 + 4x + 6$  can be simplified to  $3x^2 + 6x + 8$ .
- 5x + 2(x-4) can be simplified to 7x 8
- ullet  $5x imes(2+3^2)+51 imesrac{(x-4)}{(5+6 imes2)}$  reduces to 5x imes11+3 imes(x-4) , which reduces to 58x-12

### **Task**

Given an algebraic expression, reduce the expression to a simplified form meeting the following criteria:

- All terms are in *descending* order of the power of variable x.
- Coefficients should be concatenated immediately to the left of your variable (e.g.:  $5 \times x$  should be printed as 5x).
- There are exactly 3 characters between any 2 consecutive terms of the expression: a space, followed by a + or - sign, followed by another space.
- In case there is no operator between expressions, assume that it implies multiplication. e.g. (5x+2) (x+2) should be treated as (5x+2)\*(x+2), 5(x+1) should be treated as 5\*(x+1).
- The simplified expression must not contain any parentheses.
- 1-coefficients and 1-powers are implied; if the coefficient or power of a certain x term is 1, do not output 1 (e.g.: 1x or  $1 \times x$  simplifies to x, and  $x^1$  simplifies to x).
- Do not print the powers of x having a coefficient of x (e.g.: output  $x^2 3$ , not  $x^2 + 6x 3$ ).

# **Input Format**

The first line contains an integer, T, denoting the number of test cases.

The T subsequent lines of test cases each contain an expression that you must reduce.

### **Constraints**

- 1 < T < 10
- Each expression will only use a single variable, x, and may contain parentheses ((,)), addition (+), subtraction (-), multiplication (\*), division (/), and exponentiation (^) symbols. The role of exponentation symbols will be limited to representing powers of x or integers. You will not encounter terms such as  $(x-5)^2$ . You may encounter terms like  $3^(1+4)$  and so on.
- There may be one or more spaces between any consecutive terms, operators, or operands (so you must account for and remove these in your code).
- ullet No divisor will contain a term involving  $oldsymbol{x}$ , and all divisors are integers.
- ullet All coefficients in the final expression are integers (e.g.:  $5x^2,4x,x$ ). You will not encounter something

like 2.5x or  $1.25x^2$ .

- There may be multiple levels of nested parentheses.
- ullet The original expression will not contain more than 100 characters (including spaces).
- The expression will not evaluate to a polynomial of an order higher than 5.
- $\bullet$  You will not encounter an integer exceding 1000 either while parsing the original expression or in the final coefficients of your simplified expressions.
- Expressions not containing a variable (x) simply require you to calculate the expression's result.

# **Output Format**

For each test case, print the simplified expression on a new line. Your reduced expression should meet the criteria set forth in the *Problem Statement* above.

# Sample Input

```
6
10x + 2x - (3x + 6)/3
18*(2x+2) - 5
((9x + 81)/3 + 27)/3 - 2x
18x + (12x + 10)*(2x+4)/2 - 5x
(2x+5)*(x*(9x + 81)/3 + 27)/(1+1+1) - 2x
(2x+5)*(x*(9x^3 + 81)/3 + 27)/(1+1+1) - 2x
```

# **Sample Output**

```
11x - 2

36x + 31

-x + 18

12x^2 + 47x + 20

2x^3 + 23x^2 + 61x + 45

2x^5 + 5x^4 + 18x^2 + 61x + 45
```

# **Explanation**

Observe that the original expressions have been expanded and their like terms collected, thus resulting in the printed simplified expressions.