

Bear and Steady Gene



A gene is represented as a string of length n (where n is divisible by 4), composed of the letters **A**, **C**, **T**, and **G**. It is considered to be *steady* if each of the four letters occurs exactly $\frac{n}{4}$ times. For example, **GACT** and **AAGTGCCT** are both steady genes.

Bear Limak is a famous biotechnology scientist who specializes in modifying bear DNA to make it steady. Right now, he is examining a gene represented as a string s . It is not necessarily steady. Fortunately, Limak can choose one (maybe empty) substring of s and replace it with any string of the same length.

Modifying a large substring of bear genes can be dangerous. Given a string s , can you help Limak find the length of the smallest possible substring that he can replace to make s a steady gene?

Note: A substring of a string S is a subsequence made up of zero or more *consecutive* characters of S .

Input Format

The first line contains an interger n divisible by 4, denoting the length of a string s .

The second line contains a string s of length n . Each character is one of the four: **A**, **C**, **T**, **G**.

Constraints

- $4 \leq n \leq 500\,000$
- n is divisible by 4

Subtask

- $4 \leq n \leq 2000$ in tests worth 30% points.

Output Format

On a new line, print the minimum length of the substring replaced to make s stable.

Sample Input

```
8
GAAATAAA
```

Sample Output

```
5
```

Explanation

One optimal solution is to replace a substring **AAATA** with **TTCCG**, resulting in **GTTCCGAA**. The replaced substring has length **5**, so we print **5** on a new line.