

# 华东师范大学数据科学与工程学院实验报告

课程名称：分布式模型与编程	年级：2017	上机实践成绩：
指导教师：徐辰	姓名：熊双宇	学号：10174102103
上机实践名称：Hadoop部署与编程		上机实践日期：2019.9.20-2019.10.17
上机实践编号：实验1	组号：11	上机实践时间：18:00-19:30

## 一. 实验目的

1. 学习Hadoop v1和Hadoop v2的部署，理解单机集中式、单机伪分布式的区别；
2. 学会通过系统日志查找部署和编程中遇到的错误；
3. 通过系统部署理解Hadoop的体系架构，以及Hadoop v1和Hadoop v2之间的差异，初步体会Yarn的作用；
4. 学习基于Hadoop v2 API的编程，包括HDFS和MapReduce；
5. 了解Hadoop Streaming编程

## 二. 实验任务

1. HDFS 1.0部署【第3周】：单机伪分布式（在个人用户下独立完成）、分布式（多位同学新建一个相同的用户，例如ecnu，协作完成）
2. MapReduce 1.0部署【第3周】：单机集中式、单机伪分布式（在个人用户下独立完成）、分布式（多位同学新建一个相同的用户，例如ecnu，协作完成）
3. HDFS 2.0部署【第4周】：单机伪分布式（在个人用户下独立完成）、分布式（多位同学新建一个相同的用户，例如ecnu，协作完成）
4. MapReduce 2.0部署【第4周】：单机集中式、单机伪分布式（在个人用户下独立完成）、分布式（多位同学新建一个相同的用户，例如ecnu，协作完成）
5. HDFS编程【第5周】
6. MapReduce编程【第6周】
7. Hadoop Streaming编程【第6周】：该内容选做

## 三. 使用环境

1. Ubuntu18.04
2. hadoop-1.2.1
3. hadoop-2.9.2

## 四. 实验过程

### 1. HDFS v1部署

1.1 启动HDFS: `~/hadoop-1.2.1/bin/start-dfs.sh`, 使用jps查看启动后的进程

```
syx@syx-OptiPlex-7050:~$ ~/hadoop-1.2.1/bin/start-dfs.sh
starting namenode, logging to /home/syx/hadoop-1.2.1/libexec/./logs/hadoop-syx-
namenode-syx-OptiPlex-7050.out
localhost: starting datanode, logging to /home/syx/hadoop-1.2.1/libexec/./logs/
hadoop-syx-datanode-syx-OptiPlex-7050.out
localhost: starting secondarynamenode, logging to /home/syx/hadoop-1.2.1/libexec
/./logs/hadoop-syx-secondarynamenode-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~$ jps
29857 Jps
29554 DataNode
9813 JobHistoryServer
29771 SecondaryNameNode
29342 NameNode
```

1.2 查看HDFS服务信息

```
syx@syx-OptiPlex-7050:~$ ls ~/hadoop-1.2.1/logs
hadoop-syx-datanode-syx-OptiPlex-7050.log
hadoop-syx-datanode-syx-OptiPlex-7050.log.2019-09-19
hadoop-syx-datanode-syx-OptiPlex-7050.log.2019-09-26
hadoop-syx-datanode-syx-OptiPlex-7050.out
hadoop-syx-datanode-syx-OptiPlex-7050.out.1
hadoop-syx-datanode-syx-OptiPlex-7050.out.2
hadoop-syx-datanode-syx-OptiPlex-7050.out.3
hadoop-syx-datanode-syx-OptiPlex-7050.out.4
hadoop-syx-datanode-syx-OptiPlex-7050.out.5
hadoop-syx-jobtracker-syx-OptiPlex-7050.log
hadoop-syx-jobtracker-syx-OptiPlex-7050.out
hadoop-syx-jobtracker-syx-OptiPlex-7050.out.1
hadoop-syx-namenode-syx-OptiPlex-7050.log
hadoop-syx-namenode-syx-OptiPlex-7050.log.2019-09-19
hadoop-syx-namenode-syx-OptiPlex-7050.log.2019-09-26
hadoop-syx-namenode-syx-OptiPlex-7050.out
hadoop-syx-namenode-syx-OptiPlex-7050.out.1
hadoop-syx-namenode-syx-OptiPlex-7050.out.2
hadoop-syx-namenode-syx-OptiPlex-7050.out.3
hadoop-syx-namenode-syx-OptiPlex-7050.out.4
hadoop-syx-namenode-syx-OptiPlex-7050.out.5
```

1.3 常用的HDFS Shell命令

1.3.1 directory

```
syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ hadoop fs -ls ./input/
Found 18 items
-rw-r--r--  1 syx supergroup      7457 2019-09-26 19:24 /user/syx/input/capacity-scheduler.xml
-rw-r--r--  1 syx supergroup     1095 2019-09-26 19:24 /user/syx/input/configuration.xml
-rw-r--r--  1 syx supergroup      447 2019-09-26 19:24 /user/syx/input/core-site.xml
-rw-r--r--  1 syx supergroup      327 2019-09-26 19:24 /user/syx/input/fair-scheduler.xml
-rw-r--r--  1 syx supergroup     2429 2019-09-26 19:24 /user/syx/input/hadoop-env.sh
-rw-r--r--  1 syx supergroup     2052 2019-09-26 19:24 /user/syx/input/hadoop-metrics2.properties
-rw-r--r--  1 syx supergroup     4644 2019-09-26 19:24 /user/syx/input/hadoop-policy.xml
-rw-r--r--  1 syx supergroup      498 2019-09-26 19:24 /user/syx/input/hdfs-site.xml
```

1.3.2 file

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ hadoop fs -ls ./input/
Found 18 items
-rw-r--r-- 1 syx supergroup 7457 2019-09-26 19:24 /user/syx/input/capacity-scheduler.xml
-rw-r--r-- 1 syx supergroup 1095 2019-09-26 19:24 /user/syx/input/configuration.xsl
-rw-r--r-- 1 syx supergroup 447 2019-09-26 19:24 /user/syx/input/core-site.xml
-rw-r--r-- 1 syx supergroup 327 2019-09-26 19:24 /user/syx/input/fair-scheduler.xml
-rw-r--r-- 1 syx supergroup 2429 2019-09-26 19:24 /user/syx/input/hadoop-env.sh
-rw-r--r-- 1 syx supergroup 2052 2019-09-26 19:24 /user/syx/input/hadoop-metrics2.properties
-rw-r--r-- 1 syx supergroup 4644 2019-09-26 19:24 /user/syx/input/hadoop-policy.xml
-rw-r--r-- 1 syx supergroup 498 2019-09-26 19:24 /user/syx/input/hdfs-site.xml
-rw-r--r-- 1 syx supergroup 5018 2019-09-26 19:24 /user/syx/input/log4j.properties
-rw-r--r-- 1 syx supergroup 2033 2019-09-26 19:24 /user/syx/input/mapred-queue-acls.xml
-rw-r--r-- 1 syx supergroup 268 2019-09-26 19:24 /user/syx/input/mapred-site.xml
-rw-r--r-- 1 syx supergroup 10 2019-09-26 19:24 /user/syx/input/masters
-rw-r--r-- 1 syx supergroup 10 2019-09-26 19:24 /user/syx/input/slaves
-rw-r--r-- 1 syx supergroup 2042 2019-09-26 19:24 /user/syx/input/ssl-client.xml.example
-rw-r--r-- 1 syx supergroup 1994 2019-09-26 19:24 /user/syx/input/ssl-server.xml.example
-rw-r--r-- 1 syx supergroup 3890 2019-09-26 19:24 /user/syx/input/task-log4j.properties
-rw-r--r-- 1 syx supergroup 382 2019-09-26 19:24 /user/syx/input/taskcontroller.cfg
-rw-r--r-- 1 syx supergroup 2868117504 2019-09-26 19:43 /user/syx/input/test2.8G.text
syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ hadoop fs -cat ./input/slaves
localhost

```

#### 1.4 停止HDFS服务

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ stop-dfs.sh
stopping namenode
localhost: stopping datanode
localhost: stopping secondarynamenode
syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ jps
9813 JobHistoryServer
30665 Jps

```

## 2. MapReduce v1部署

### 2.1 单机集中式部署

#### 2.1.1 启动MapReduce服务

- 查看进程，验证是否成功启动服务

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ ./bin/start-mapred.sh
starting jobtracker, logging to /home/syx/hadoop-1.2.1/libexec/./logs/hadoop-sy
x-jobtracker-syx-OptiPlex-7050.out
localhost: starting tasktracker, logging to /home/syx/hadoop-1.2.1/libexec/./lo
gs/hadoop-syx-tasktracker-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ jps
10784 Jps
9904 SecondaryNameNode
9476 NameNode
10697 TaskTracker
10474 JobTracker
9690 DataNode

```

#### 2.1.2 提交MapReduce应用程序

- 提交jar命令并查看运行结果, 运行grep示例:

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ ./bin/hadoop jar hadoop-examples-1.2.1.jar grep /user/syx/input/ /user/syx/output/grep
'dfs[a-z.]+!'
19/09/26 19:32:40 INFO util.NativeCodeLoader: Loaded the native-hadoop library
19/09/26 19:32:40 WARN snappy.LoadSnappy: Snappy native library not loaded
19/09/26 19:32:40 INFO mapred.FileInputFormat: Total input paths to process : 17
19/09/26 19:32:40 INFO mapred.JobClient: Running job: job_201909261834_0019
19/09/26 19:32:41 INFO mapred.JobClient: map 0% reduce 0%
19/09/26 19:32:43 INFO mapred.JobClient: map 11% reduce 0%
19/09/26 19:32:44 INFO mapred.JobClient: map 23% reduce 0%
19/09/26 19:32:45 INFO mapred.JobClient: map 35% reduce 0%
19/09/26 19:32:46 INFO mapred.JobClient: map 47% reduce 0%
19/09/26 19:32:47 INFO mapred.JobClient: map 58% reduce 0%
19/09/26 19:32:48 INFO mapred.JobClient: map 70% reduce 0%
19/09/26 19:32:49 INFO mapred.JobClient: map 82% reduce 0%
19/09/26 19:32:50 INFO mapred.JobClient: map 94% reduce 23%
19/09/26 19:32:51 INFO mapred.JobClient: map 100% reduce 23%
19/09/26 19:32:56 INFO mapred.JobClient: map 100% reduce 100%
19/09/26 19:32:56 INFO mapred.JobClient: Job complete: job_201909261834_0019
19/09/26 19:32:56 INFO mapred.JobClient: Counters: 30
19/09/26 19:32:56 INFO mapred.JobClient:   Map-Reduce Framework
19/09/26 19:32:56 INFO mapred.JobClient:     Spilled Records=10
19/09/26 19:32:56 INFO mapred.JobClient:     Map output materialized bytes=242
19/09/26 19:32:56 INFO mapred.JobClient:     Reduce input records=5
19/09/26 19:32:56 INFO mapred.JobClient:     Virtual memory (bytes) snapshot=35139354624
19/09/26 19:32:56 INFO mapred.JobClient:     Map input records=969
19/09/26 19:32:56 INFO mapred.JobClient:     SPLIT_RAW_BYTES=1817
19/09/26 19:32:56 INFO mapred.JobClient:     Map output bytes=130
19/09/26 19:32:56 INFO mapred.JobClient:     Reduce shuffle bytes=242
19/09/26 19:32:56 INFO mapred.JobClient:     Physical memory (bytes) snapshot=3662336000
19/09/26 19:32:56 INFO mapred.JobClient:     Map input bytes=34596
19/09/26 19:32:56 INFO mapred.JobClient:     Reduce input groups=5
19/09/26 19:32:56 INFO mapred.JobClient:     Combine output records=5
19/09/26 19:32:56 INFO mapred.JobClient:     Reduce output records=5
19/09/26 19:32:56 INFO mapred.JobClient:     Map output records=5
19/09/26 19:32:56 INFO mapred.JobClient:     Combine input records=5
19/09/26 19:32:56 INFO mapred.JobClient:     CPU time spent (ms)=4590
19/09/26 19:32:56 INFO mapred.JobClient:     Total committed heap usage (bytes)=3146252288
19/09/26 19:32:56 INFO mapred.JobClient: File Input Format Counters
19/09/26 19:32:56 INFO mapred.JobClient:   Bytes Read=34596
19/09/26 19:32:56 INFO mapred.JobClient: FileSystemCounters
19/09/26 19:32:56 INFO mapred.JobClient:   HDFS_BYTES_READ=36413
19/09/26 19:32:56 INFO mapred.JobClient:   FILE_BYTES_WRITTEN=1003316

```

### 2.1.3 查看运行过程中的进程

- 运行 wordcount 示例，并且查看系统执行该任务过程中启动的进程：

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ ./bin/hadoop jar hadoop-examples-1.2.1.jar wordcount /user/syx/ir
put/test2.8G.text /user/syx/output/wordcount
19/09/26 19:44:39 INFO input.FileInputFormat: Total input paths to process : 1
19/09/26 19:44:39 INFO util.NativeCodeLoader: Loaded the native-hadoop library
19/09/26 19:44:39 WARN snappy.LoadSnappy: Snappy native library not loaded
19/09/26 19:44:39 INFO mapred.JobClient: Running job: job_201909261834_0021
19/09/26 19:44:40 INFO mapred.JobClient: map 0% reduce 0%
19/09/26 19:44:46 INFO mapred.JobClient: map 4% reduce 0%
19/09/26 19:44:50 INFO mapred.JobClient: map 6% reduce 0%
19/09/26 19:44:51 INFO mapred.JobClient: map 9% reduce 0%
19/09/26 19:44:54 INFO mapred.JobClient: map 11% reduce 0%
19/09/26 19:44:55 INFO mapred.JobClient: map 13% reduce 0%
19/09/26 19:45:01 INFO mapred.JobClient: map 15% reduce 0%
19/09/26 19:45:02 INFO mapred.JobClient: map 16% reduce 0%
19/09/26 19:45:03 INFO mapred.JobClient: map 16% reduce 4%
19/09/26 19:45:05 INFO mapred.JobClient: map 17% reduce 4%
19/09/26 19:45:10 INFO mapred.JobClient: map 18% reduce 4%
19/09/26 19:45:11 INFO mapred.JobClient: map 20% reduce 4%
19/09/26 19:45:12 INFO mapred.JobClient: map 23% reduce 4%
19/09/26 19:45:13 INFO mapred.JobClient: map 25% reduce 4%
19/09/26 19:45:15 INFO mapred.JobClient: map 25% reduce 8%
19/09/26 19:45:16 INFO mapred.JobClient: map 27% reduce 8%
19/09/26 19:45:20 INFO mapred.JobClient: map 29% reduce 8%
19/09/26 19:45:22 INFO mapred.JobClient: map 30% reduce 8%
19/09/26 19:45:23 INFO mapred.JobClient: map 32% reduce 8%
19/09/26 19:45:24 INFO mapred.JobClient: map 32% reduce 9%
19/09/26 19:45:30 INFO mapred.JobClient: map 34% reduce 9%
19/09/26 19:45:31 INFO mapred.JobClient: map 34% reduce 10%
19/09/26 19:45:32 INFO mapred.JobClient: map 37% reduce 10%
19/09/26 19:45:33 INFO mapred.JobClient: map 39% reduce 10%
19/09/26 19:45:34 INFO mapred.JobClient: map 39% reduce 12%
19/09/26 19:45:38 INFO mapred.JobClient: map 41% reduce 12%
19/09/26 19:45:39 INFO mapred.JobClient: map 43% reduce 12%
19/09/26 19:45:42 INFO mapred.JobClient: map 44% reduce 13%
19/09/26 19:45:43 INFO mapred.JobClient: map 46% reduce 13%
19/09/26 19:45:46 INFO mapred.JobClient: map 48% reduce 13%
19/09/26 19:45:48 INFO mapred.JobClient: map 51% reduce 16%
19/09/26 19:45:53 INFO mapred.JobClient: map 53% reduce 16%
19/09/26 19:45:55 INFO mapred.JobClient: map 54% reduce 17%
19/09/26 19:46:01 INFO mapred.JobClient: map 55% reduce 17%
19/09/26 19:46:04 INFO mapred.JobClient: map 56% reduce 17%

```

```

syx@syx-OptiPlex-7050:~$ jps
9904 SecondaryNameNode
24963 Child
9476 NameNode
10697 TaskTracker
10474 JobTracker
27626 Jps
9690 DataNode
24574 RunJar
syx@syx-OptiPlex-7050:~$

```

## 2.2 单机伪分布式部署

### 2.2.1 启动MapReduce服务

- `~/hadoop-1.2.1/bin/start-mapred.sh`
- `~/hadoop-1.2.1/bin/start-dfs.sh`



```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ start-dfs.sh
starting namenode, logging to /home/syx/hadoop-1.2.1/libexec/../logs/hadoop-syx-namenode-syx-OptiPlex-7050.out
localhost: starting datanode, logging to /home/syx/hadoop-1.2.1/libexec/../logs/hadoop-syx-datanode-syx-OptiPlex-7050.out
localhost: starting secondarynamenode, logging to /home/syx/hadoop-1.2.1/libexec/../logs/hadoop-syx-secondarynamenode-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ jps
31745 SecondaryNameNode
31314 NameNode
31811 Jps
9813 JobHistoryServer
30951 JobTracker
31160 TaskTracker
31528 DataNode

```

## 2.3 停止MapReduce服务

### 2.3.1 停止命令

- 使用jps查看进程，不再出现NameNode、SecondaryNameNode、DataNode、JobTracker、TaskTracker等进程则服务停止

```

syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ stop-all.sh
stopping jobtracker
localhost: stopping tasktracker
stopping namenode
localhost: stopping datanode
localhost: stopping secondarynamenode
syx@syx-OptiPlex-7050:~/hadoop-1.2.1/bin$ jps
9813 JobHistoryServer
32470 Jps

```

## 3. HDFS v2部署

### 3.1 单机伪分布式部署

#### 3.1.1 HDFS 服务

- 启动, `jps` 查看 HDFS 进程. 若出现 NameNode, DataNode, SecondaryNameNode, 则表示启动成功

```

syx@syx-OptiPlex-7050:~/bigdataprogramming_exercise$ ~/hadoop-2.9.2/sbin/start-dfs.sh
Starting namenodes on [localhost]
localhost: starting namenode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-namenode-syx-OptiPlex-7050.out
localhost: starting datanode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-datanode-syx-OptiPlex-7050.out
Starting secondary namenodes [0.0.0.0]
0.0.0.0: starting secondarynamenode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-secondarynamenode-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/bigdataprogramming_exercise$ jps
6978 Jps
6356 NameNode
9813 JobHistoryServer
6567 DataNode
6830 SecondaryNameNode

```

- 停止, 使用 `jps` 查看进程, 不再出现 NameNode, DataNode, SecondaryNameNode 则表示服务停止

```

syx@syx-OptiPlex-7050:~/bigdataprogramming_exercise$ ~/hadoop-2.9.2/sbin/stop-dfs.sh
Stopping namenodes on [localhost]
localhost: stopping namenode
localhost: stopping datanode
Stopping secondary namenodes [0.0.0.0]
0.0.0.0: stopping secondarynamenode
syx@syx-OptiPlex-7050:~/bigdataprogramming_exercise$ jps
9813 JobHistoryServer
7675 Jps

```

## 4. MapReduce v2 部署

### 4.1 单机集中式部署

#### 4.1.1 启动MapReduce服务

- 启动YARN命令
- 开启历史服务器
- 启动HDFS服务
- `jps`

```

syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./sbin/start-yarn.sh      # 启动YARN
starting yarn daemons
starting resourcemanager, logging to /home/syx/hadoop-2.9.2/logs/yarn-syx-resourcemanager-syx-OptiPlex-7050.out
localhost: starting nodemanager, logging to /home/syx/hadoop-2.9.2/logs/yarn-syx-nodemanager-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./sbin/mr-jobhistory-daemon.sh start historyserver
starting historyserver, logging to /home/syx/hadoop-2.9.2/logs/mapred-syx-historyserver-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./sbin/start-dfs.sh
Starting namenodes on [localhost]
localhost: starting namenode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-namenode-syx-OptiPlex-7050.out
localhost: starting datanode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-datanode-syx-OptiPlex-7050.out
Starting secondary namenodes [0.0.0.0]
0.0.0.0: starting secondarynamenode, logging to /home/syx/hadoop-2.9.2/logs/hadoop-syx-secondarynamenode-syx-OptiPlex-7050.out
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ jps
8304 NodeManager
8932 DataNode
7942 ResourceManager
9322 Jps
8698 NameNode
8476 JobHistoryServer
9181 SecondaryNameNode
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$

```

#### 4.1.2 运行MapReduce应用程序

- 提交jar命令并查看运行结果, 运行grep示例, 结果如下:

```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/yarn jar ./share/hadoop/mapreduce/hadoop-mapreduce-examples-2.9.2.jar grep /user/syx/input/ /user/syx/output/grep 'dfs[a-z.]+'
19/09/26 20:33:38 INFO client.RMProxy: Connecting to ResourceManager at /0.0.0.0:8032
19/09/26 20:33:38 INFO input.FileInputFormat: Total input files to process : 0
19/09/26 20:33:38 INFO mapreduce.JobSubmitter: number of splits:0
19/09/26 20:33:38 INFO Configuration.deprecation: yarn.resourcemanager.system-metrics-publisher.enabled is deprecated. Instead, use yarn.system-metrics-publisher.enabled
19/09/26 20:33:38 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1569500919351_0002
19/09/26 20:33:39 INFO impl.YarnClientImpl: Submitted application application_1569500919351_0002
19/09/26 20:33:39 INFO mapreduce.Job: The url to track the job: http://syx-OptiPlex-7050:8088/proxy/application_1569500919351_0002/
19/09/26 20:33:39 INFO mapreduce.Job: Running job: job_1569500919351_0002
19/09/26 20:33:44 INFO mapreduce.Job: Job job_1569500919351_0002 running in uber mode : false
19/09/26 20:33:44 INFO mapreduce.Job:  map 0% reduce 0%
19/09/26 20:33:49 INFO mapreduce.Job:  map 0% reduce 100%
19/09/26 20:33:49 INFO mapreduce.Job: Job job_1569500919351_0002 completed successfully
19/09/26 20:33:49 INFO mapreduce.Job: Counters: 38
    File System Counters
        FILE: Number of bytes read=0
        FILE: Number of bytes written=198785
        FILE: Number of read operations=0
        FILE: Number of large read operations=0
        FILE: Number of write operations=0
        HDFS: Number of bytes read=0
        HDFS: Number of bytes written=86
        HDFS: Number of read operations=3
        HDFS: Number of large read operations=0
        HDFS: Number of write operations=2
    Job Counters
        Launched reduce tasks=1
        Total time spent by all maps in occupied slots (ms)=0
        Total time spent by all reduces in occupied slots (ms)=1459
        Total time spent by all reduce tasks (ms)=1459
        Total vcore-milliseconds taken by all reduce tasks=1459
        Total megabyte-milliseconds taken by all reduce tasks=1494016
```



```

Total time spent by all reduce tasks (ms)=1459
Total vcore-milliseconds taken by all reduce tasks=1459
Total megabyte-milliseconds taken by all reduce tasks=1494016
Map-Reduce Framework
  Combine input records=0
  Combine output records=0
  Reduce input groups=0
  Reduce shuffle bytes=0
  Reduce input records=0
  Reduce output records=0
  Spilled Records=0
  Shuffled Maps =0
  Failed Shuffles=0
  Merged Map outputs=0
  GC time elapsed (ms)=34
  CPU time spent (ms)=280
  Physical memory (bytes) snapshot=201277440
  Virtual memory (bytes) snapshot=2015866880
  Total committed heap usage (bytes)=124256256
Shuffle Errors
  BAD_ID=0
  CONNECTION=0
  IO_ERROR=0
  WRONG_LENGTH=0
  WRONG_MAP=0
  WRONG_REDUCE=0
File Output Format Counters
  Bytes Written=86
19/09/26 20:33:49 INFO client.RMProxy: Connecting to ResourceManager at /0.0.0.0:8032
19/09/26 20:33:49 INFO input.FileInputFormat: Total input files to process : 1
19/09/26 20:33:49 INFO mapreduce.JobSubmitter: number of splits:1
19/09/26 20:33:50 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1569500919351_0003
19/09/26 20:33:50 INFO impl.YarnClientImpl: Submitted application application_1569500919351_0003
19/09/26 20:33:50 INFO mapreduce.Job: The url to track the job: http://syx-OptiPlex-7050:8088/proxy/application_1569500919351_0003/
19/09/26 20:33:50 INFO mapreduce.Job: Running job: job_1569500919351_0003
19/09/26 20:33:59 INFO mapreduce.Job: Job job_1569500919351_0003 running in uber mode : false
19/09/26 20:33:59 INFO mapreduce.Job:  map 0% reduce 0%
19/09/26 20:34:03 INFO mapreduce.Job:  map 100% reduce 0%

```

- 运行 wordcount 示例

```

syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/yarn jar ./share/hadoop/mapreduce/hadoop-mapreduce-examples-2.9.2.jar wordcount /user/syx/input/test2.8G.text /user/syx/output/wordcount
19/09/26 20:40:04 INFO client.RMProxy: Connecting to ResourceManager at /0.0.0.0:8032
19/09/26 20:40:04 INFO input.FileInputFormat: Total input files to process : 1
19/09/26 20:40:04 INFO mapreduce.JobSubmitter: number of splits:22
19/09/26 20:40:05 INFO Configuration.deprecation: yarn.resourcemanager.system-metrics-publisher.enabled is deprecated. Instead, use yarn.system-metrics-publisher.enabled
19/09/26 20:40:05 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1569500919351_0005
19/09/26 20:40:05 INFO impl.YarnClientImpl: Submitted application application_1569500919351_0005
19/09/26 20:40:05 INFO mapreduce.Job: The url to track the job: http://syx-OptiPlex-7050:8088/proxy/application_1569500919351_0005/
19/09/26 20:40:05 INFO mapreduce.Job: Running job: job_1569500919351_0005
19/09/26 20:40:09 INFO mapreduce.Job: Job job_1569500919351_0005 running in uber mode : false
19/09/26 20:40:09 INFO mapreduce.Job:  map 0% reduce 0%
19/09/26 20:40:26 INFO mapreduce.Job:  map 2% reduce 0%
19/09/26 20:40:27 INFO mapreduce.Job:  map 10% reduce 0%
19/09/26 20:40:32 INFO mapreduce.Job:  map 11% reduce 0%
19/09/26 20:40:33 INFO mapreduce.Job:  map 14% reduce 0%
19/09/26 20:40:39 INFO mapreduce.Job:  map 17% reduce 0%
19/09/26 20:40:45 INFO mapreduce.Job:  map 18% reduce 0%
19/09/26 20:40:51 INFO mapreduce.Job:  map 20% reduce 0%
19/09/26 20:40:57 INFO mapreduce.Job:  map 22% reduce 0%
19/09/26 20:41:03 INFO mapreduce.Job:  map 23% reduce 0%
19/09/26 20:41:09 INFO mapreduce.Job:  map 25% reduce 0%
19/09/26 20:41:15 INFO mapreduce.Job:  map 26% reduce 0%
19/09/26 20:41:20 INFO mapreduce.Job:  map 27% reduce 0%
19/09/26 20:41:50 INFO mapreduce.Job:  map 36% reduce 0%
19/09/26 20:41:56 INFO mapreduce.Job:  map 38% reduce 0%
19/09/26 20:42:02 INFO mapreduce.Job:  map 41% reduce 0%
19/09/26 20:42:08 INFO mapreduce.Job:  map 43% reduce 0%
19/09/26 20:42:14 INFO mapreduce.Job:  map 44% reduce 0%
19/09/26 20:42:21 INFO mapreduce.Job:  map 45% reduce 0%
19/09/26 20:42:26 INFO mapreduce.Job:  map 46% reduce 0%
19/09/26 20:42:27 INFO mapreduce.Job:  map 47% reduce 0%
19/09/26 20:42:33 INFO mapreduce.Job:  map 48% reduce 2%

```

## 5.HDFS 应用编程实践

### 5.1 使用IntelliJ IDEA编写 测试HDFS中是否存在一个文件 应用程序

#### 5.1.1运行 测试HDFS中是否存在一个文件 应用程序 HDFSFileExist:

```

Run: HDFSFileExist x
  /usr/local/jdk1.8/bin/java ...
log4j:WARN No appenders could be found for logger (org.apache.hadoop.util.Shell).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
File/Directory not exists!
Process finished with exit code 0

syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hadoop jar ./myApp/HDFSFileExist.jar
hdfs://localhost:9000 ./inputcore-site.xml
File/Directory not exists!

```

#### 5.2 列出目录下所有文件 ListHDFSFile:

- ```
/usr/local/jdk1.8/bin/java ...
log4j:WARN No appenders could be found for logger (org.apache.hadoop.util.Shell).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
hdfs://localhost:9000/user/syx/input/test2.8G.text

Process finished with exit code 0
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hadoop jar ./myApp/ListHDFSFile.jar
hdfs://localhost:9000 ./input
hdfs://localhost:9000/user/syx/input/test2.8G.text
```
- 

### 5.3 写入文件 WriteHDFSFile

- ```
log4j:WARN No appenders could be found for logger (org.apache.hadoop.util.Shell).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
Create:./write-test

Process finished with exit code 0
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ cp /home/syx/IdeaProjects/stormwordcount/output/artifacts/WriteHDFSFile/WriteHDFSFile.jar /home/syx/hadoop-2.9.2/myApp
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hadoop jar ./myApp/WriteHDFSFile.jar
hdfs://localhost:9000 ./write-test Hello,hadoop
Create:./write-test
```
- 

### 5.4 读取文件 ReadHDFSFile

- ```
/usr/local/jdk1.8/bin/java ...
log4j:WARN No appenders could be found for logger (org.apache.hadoop.util.Shell).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
Hello,hadoop

Process finished with exit code 0
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hadoop jar /home/syx/hadoop-2.9.2/myApp/ReadHDFSFile.jar hdfs://localhost:9000 ./input/write-test
Hello,hadoop
```
- 

## 6. Hadoop Streaming 介绍与实践

### 6.1 使用 C++ 编写 Mapper/Reducer 源文件, 脚本测试

- ```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2/cppTest$ cat input | ./mapper | sort | ./reducer
bye 1
hello 1
world 2
```
- 

### 6.2 使用 Hadoop Streaming 运行

#### 6.2.1 伪分布式或分布式部署时

- 输出结果和脚本测试结果相同

```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hdfs dfs -cat cppTest/output/p*
bye 1
hello 1
world 2
```

## 6.3 Hadoop Streaming Shell 示例

### 6.3.1 使用 Shell 编写 Mapper/Reducer 源文件, 脚本测试

- 使用 Shell 编写 Mapper 和 Reducer, 实现 wordcount
- 编写输入文件 vi ~/hadoop-2.9.2/shellTest/input

```
hello world
```

```
bye world
```

- 使用脚本测试

```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2/shellTest$ cat input | ./mapper.sh | sort |  
./reducer.sh  
bye      1  
hello    1  
world    2
```

### 6.3.2 使用 Hadoop Streaming 运行

- 伪分布式或分布式部署时

```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hdfs dfs -cat shellTest/output/p*  
bye      1  
hello    1  
world    2
```

## 7. HDFS v2分布式部署

### 7.1 准备工作

#### 7.1.1 ssh 免密登陆多个不同节点

- 验证三台机器是否彼此之间都可以免密登录, 在每台机器上执行下面命令, 如果没有出现需要输入密码的情况, 则配置成功。
- 从节点免密登陆主节点

```
ecnu@syx-OptiPlex-7050:~$ ssh 219.228.135.71  
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 5.0.0-31-generic x86_64)  
  
 * Documentation:  https://help.ubuntu.com  
 * Management:    https://landscape.canonical.com  
 * Support:       https://ubuntu.com/advantage  
  
 * Kata Containers are now fully integrated in Charmed Kubernetes 1.16!  
   Yes, charms take the Krazy out of K8s Kata Kluster Konstruktion.  
  
   https://ubuntu.com/kubernetes/docs/release-notes  
  
 * Canonical Livepatch is available for installation.  
   - Reduce system reboots and improve kernel security. Activate at:  
     https://ubuntu.com/livepatch  
  
0 个可升级软件包。  
0 个安全更新。  
  
Your Hardware Enablement Stack (HWE) is supported until April 2023.  
Last login: Mon Oct 21 21:02:48 2019 from 219.228.135.124  
ecnu@may-lab:~$ exit  
注销  
Connection to 219.228.135.71 closed.
```

- 主节点免密登陆从节点

```
ecnu@may-lab:~$ ssh 219.228.135.124
Welcome to Ubuntu 18.04.3 LTS (GNU/Linux 5.0.0-31-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

 * Kata Containers are now fully integrated in Charmed Kubernetes 1.16!
   Yes, charms take the Krazy out of K8s Kata Kluster Konstruktion.

   https://ubuntu.com/kubernetes/docs/release-notes

 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch

36 个可升级软件包。
0 个安全更新。

Your Hardware Enablement Stack (HWE) is supported until April 2023.
Last login: Mon Oct 21 19:59:55 2019 from 219.228.135.71
ecnu@syx-OptiPlex-7050:~$ exit
注销
Connection to 219.228.135.124 closed.
```

## 7.2 部署 HDFS 服务

### 7.2.1 格式化 NameNode

- 在主节点的 ecnu 用户下执行以下命令: `~/hadoop-2.9.2/bin/hdfs namenode -format` 格式化 NameNode (不可反复执行, 重新格式化时必须删除 `/home/you/hadoop-2.9.2/tmp`)
- 通过 scp 将 hadoop-2.9.2 文件传输给从节点: `scp -r ~/hadoop-2.9.2 ecnu@219.228.135.124:/home/ecnu`

```
ecnu@may-lab:~$ scp -r ~/hadoop-2.9.2 ecnu@219.228.135.124:/home/ecnu
```

### 7.2.2 启动 HDFS 服务

在主节点的 `ecnu` 用户下执行以下命令:

```
1 | ~/hadoop-2.9.2/sbin/start-dfs.sh
```



```

ecnu@may-lab:~$ ~/hadoop-2.9.2/sbin/start-all.sh
This script is Deprecated. Instead use start-dfs.sh and start-yarn.sh
Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
19/10/21 21:32:00 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Starting namenodes on [localhost]
localhost: starting namenode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-namenode-may-lab.out
localhost: Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
localhost: It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
localhost: starting datanode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-datanode-may-lab.out
219.228.135.124: starting datanode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-datanode-syx-OptiPlex-7050.out
localhost: Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
localhost: It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
Starting secondary namenodes [0.0.0.0]
0.0.0.0: starting secondarynamenode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-secondarynamenode-may-lab.out
0.0.0.0: Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
0.0.0.0: It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
19/10/21 21:32:15 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
starting yarn daemons
resourcemanager running as process 12563. Stop it first.
localhost: nodemanager running as process 12732. Stop it first.
219.228.135.124: starting nodemanager, logging to /home/ecnu/hadoop-2.9.2/logs/yarn-ecnu-nodemanager-syx-OptiPlex-7050.out

```

## 7.3 查看 HDFS 服务信息

### 7.3.1 查看服务进程

- 主节点上执行 jps

```

ecnu@may-lab:~$ jps
25696 NameNode
26851 Jps
26152 SecondaryNameNode
26335 ResourceManager
25903 DataNode
26687 NodeManager

```

- 从节点上执行 jps

```
ecnu@syx-OptiPlex-7050:~/hadoop-2.9.2/logs$ jps
23540 DataNode
23864 Jps
23723 NodeManager
```

## 7.4 停止 HDFS 服务

### 7.4.1 关闭 HDFS

- 主节点上执行 `~/hadoop-2.9.2/sbin/stop-dfs.sh`
- 使用 jps 在主节点和从节点查看进程, 不再出现 NameNode, DataNode, SecondaryNameNode 则表示服务停止

```
ecnu@may-lab:~$ ~/hadoop-2.9.2/sbin/stop-all.sh
This script is Deprecated. Instead use stop-dfs.sh and stop-yarn.sh
Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
19/10/21 21:59:51 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Stopping namenodes on [localhost]
localhost: stopping namenode
localhost: stopping datanode
219.228.135.124: stopping datanode
Stopping secondary namenodes [0.0.0.0]
0.0.0.0: stopping secondarynamenode
Java HotSpot(TM) Server VM warning: You have loaded library /home/ecnu/hadoop-2.9.2/lib/native/libhadoop.so.1.0.0 which might have disabled stack guard. The VM will try to fix the stack guard now.
It's highly recommended that you fix the library with 'execstack -c <libfile>', or link it with '-z noexecstack'.
19/10/21 22:00:09 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
stopping yarn daemons
stopping resourcemanager
localhost: stopping nodemanager
219.228.135.124: stopping nodemanager
localhost: nodemanager did not stop gracefully after 5 seconds: killing with kill -9
no proxyserver to stop
ecnu@may-lab:~$ jps
27804 Jps
```

```
ecnu@syx-OptiPlex-7050:~/hadoop-2.9.2/logs$ jps
24769 Jps
```

## 五. 总结

1. 无法put, 报错: target /conf ./bin/hadoop fs -ls 和ls不同, 在hadoop的fs进行文件操作和在本地文件夹进行文件操作不同, 所以能看到的文件是不同的

```
syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ ./bin/hadoop fs -put ./conf /user/syx/input/
put: Target /user/syx/input/conf is a directory
```

solu:

```
syx@syx-OptiPlex-7050:~/hadoop-1.2.1$ ./bin/hadoop fs -put ./conf /user/syx/input/11
```

hadoop's FS is different from linux's FS. I have tried

```
1 | sudo rm -rf /user/syx/input
```

but this "input" is not the one in the hadoop FS.

2. Ignore the upper-case of the file name

```
syx@syx-OptiPlex-7050:~/hadoop-2.9.2$ ./bin/hadoop jar ./myApp/listHDFSFile.jar hdfs://localhost:9000 ./input
Exception in thread "main" java.lang.ClassNotFoundException: listHDFSFile
    at java.net.URLClassLoader.findClass(URLClassLoader.java:382)
    at java.lang.ClassLoader.loadClass(ClassLoader.java:424)
    at java.lang.ClassLoader.loadClass(ClassLoader.java:357)
    at java.lang.Class.forName0(Native Method)
    at java.lang.Class.forName(Class.java:348)
    at org.apache.hadoop.util.RunJar.run(RunJar.java:237)
    at org.apache.hadoop.util.RunJar.main(RunJar.java:158)
```

the correct name of class is : ListHDFSFile

3. 部署分布式时，遇到以下几个问题：

- o 环境没有配置好：

```
ecnu@syx-OptiPlex-7050:~$ ~/hadoop-2.9.2/sbin/start-all.sh
This script is Deprecated. Instead use start-dfs.sh and start-yarn.sh
/home/ecnu/hadoop-2.9.2/bin/hdfs: 行 319: /usr/local/jdk/bin/java: 没有那个文件或目录
Starting namenodes on []
219.228.135.124: starting namenode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-namenode-syx-OptiPlex-7050.out
localhost: namenode running as process 12638. Stop it first.
219.228.135.124: /home/ecnu/hadoop-2.9.2/bin/hdfs: 行 319: /usr/local/jdk/bin/java: 没有那个文件或目录
localhost: starting datanode, logging to /home/ecnu/hadoop-2.9.2/logs/hadoop-ecnu-datanode-syx-OptiPlex-7050.out
219.228.135.124: datanode running as process 12876. Stop it first.
localhost: /home/ecnu/hadoop-2.9.2/bin/hdfs: 行 319: /usr/local/jdk/bin/java: 没有那个文件或目录
/home/ecnu/hadoop-2.9.2/bin/hdfs: 行 319: /usr/local/jdk/bin/java: 没有那个文件或目录
starting yarn daemons
starting resourcemanager, logging to /home/ecnu/hadoop-2.9.2/logs/yarn-ecnu-resourcemanager-syx-OptiPlex-7050.out
/home/ecnu/hadoop-2.9.2/bin/yarn: 行 386: /usr/local/jdk/bin/java: 没有那个文件或目录
219.228.135.124: starting nodemanager, logging to /home/ecnu/hadoop-2.9.2/logs/yarn-ecnu-nodemanager-syx-OptiPlex-7050.out
localhost: starting nodemanager, logging to /home/ecnu/hadoop-2.9.2/logs/yarn-ecnu-nodemanager-syx-OptiPlex-7050.out
219.228.135.124: /home/ecnu/hadoop-2.9.2/bin/yarn: 行 386: /usr/local/jdk/bin/java: 没有那个文件或目录
localhost: /home/ecnu/hadoop-2.9.2/bin/yarn: 行 386: /usr/local/jdk/bin/java: 没有那个文件或目录
```

解决：安装好环境

- o sudo用户中的HDFS没有停止服务，导致Datanode和Nodemanager端口被占用，报错

```
java.net.BindException:Address already in use
```

```
ecnu@syx-OptiPlex-7050:~/hadoop-2.9.2/logs$ cat yarn-ecnu-nodemanager-syx-OptiPlex-7050.log
2019-10-21 21:34:58,191 INFO org.apache.hadoop.yarn.server.nodemanager.NodeManager: STARTUP_MSG:
/*****
STARTUP_MSG: Starting NodeManager
STARTUP_MSG: host = syx-OptiPlex-7050/127.0.1.1
STARTUP_MSG: args = []
STARTUP_MSG: version = 2.9.2
STARTUP_MSG: classpath = /home/ecnu/hadoop-2.9.2/etc/hadoop:/home/ecnu/hadoop-2.9.2/etc/hadoop:/home/ecnu/hadoo
```

```

Caused by: java.net.BindException: Problem binding to [0.0.0.0:8040] java.net.BindException: Address already in use; For more details see: http://wiki.apache.org/hadoop/BindException
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
    at org.apache.hadoop.net.NetUtils.wrapWithMessage(NetUtils.java:824)
    at org.apache.hadoop.net.NetUtils.wrapException(NetUtils.java:735)
    at org.apache.hadoop.ipc.Server.bind(Server.java:561)
    at org.apache.hadoop.ipc.Server$Listener.<init>(Server.java:1037)
    at org.apache.hadoop.ipc.Server.<init>(Server.java:2738)
    at org.apache.hadoop.ipc.RPC$Server.<init>(RPC.java:958)
    at org.apache.hadoop.ipc.ProtobufRpcEngine$Server.<init>(ProtobufRpcEngine.java:420)
    at org.apache.hadoop.ipc.ProtobufRpcEngine.getServer(ProtobufRpcEngine.java:341)
    at org.apache.hadoop.ipc.RPC$Builder.build(RPC.java:800)
    at org.apache.hadoop.yarn.factories.impl.pb.RpcServerFactoryPBImpl.createServer(RpcServerFactoryPBImpl.java:168)
    at org.apache.hadoop.yarn.factories.impl.pb.RpcServerFactoryPBImpl.getServer(RpcServerFactoryPBImpl.java:131)
    ... 12 more
Caused by: java.net.BindException: Address already in use
    at sun.nio.ch.Net.bind0(Native Method)
    at sun.nio.ch.Net.bind(Net.java:433)
    at sun.nio.ch.Net.bind(Net.java:425)
    at sun.nio.ch.ServerSocketChannelImpl.bind(ServerSocketChannelImpl.java:223)
    at sun.nio.ch.ServerSocketAdaptor.bind(ServerSocketAdaptor.java:74)
    at org.apache.hadoop.ipc.Server.bind(Server.java:544)
    ... 20 more
2019-10-21 21:34:58,858 INFO org.apache.hadoop.ipc.Server: Stopping server on 41539
2019-10-21 21:34:58,858 INFO org.apache.hadoop.ipc.Server: Stopping IPC Server listener on 41539
2019-10-21 21:34:58,858 INFO org.apache.hadoop.ipc.Server: Stopping IPC Server Responder

Caused by: java.net.BindException: Address already in use
    at sun.nio.ch.Net.bind0(Native Method)
    at sun.nio.ch.Net.bind(Net.java:433)
    at sun.nio.ch.Net.bind(Net.java:425)
    at sun.nio.ch.ServerSocketChannelImpl.bind(ServerSocketChannelImpl.java:223)
    at sun.nio.ch.ServerSocketAdaptor.bind(ServerSocketAdaptor.java:74)
    at org.apache.hadoop.ipc.Server.bind(Server.java:544)
    ... 20 more
2019-10-21 21:34:58,861 INFO org.apache.hadoop.yarn.server.nodemanager.NodeManager: SHUTDOWN_MSG:
/*****
SHUTDOWN_MSG: Shutting down NodeManager at syx-OptiPlex-7050/127.0.1.1
*****/

```

解决:

- 用kill停止被占用的端口正在进行的服务

```

syx@syx-OptiPlex-7050:/home/ecnu$ kill -9 23630
syx@syx-OptiPlex-7050:/home/ecnu$ ps -ef | grep 23630
syx      23146 23083  0 21:47 pts/6    00:00:00 grep --color=auto 23630

```

- 将hadoop文件从主节点拷贝至从节点，无法用U盘

解决: 使用scp, 利用 I P地址在不同电脑之间传递文件

4. 每次用input前, 都需要删除output;
5. 按照实验步骤做时, 要理解每一步的含义, 注意warn提示, 方便debug;
6. 分布式集群部署还需要时间;