

Phase 2 - Literature Survey

Jason Weeks

*Department of Computer Science
Mississippi State University
Starkville, Mississippi, USA
jcw1044@msstate.edu*

Andrew McBride

*Department of Computer Science
Mississippi State University
Starkville, Mississippi, USA
ahm228@msstate.edu*

Andrei Roskelley Garcia

*Department of Computer Science
Mississippi State University
Starkville, Mississippi, USA
ar2888@msstate.edu*

Jacquies Turner

*Department of Computer Science
Mississippi State University
Starkville, Mississippi, USA
jt2485@msstate.edu*

I. INTRODUCTION

This paper will present the relevant literature in the process of traffic signal control using machine learning techniques, along with the timeline of research developments over time.

II. TAXONOMY

Research on traffic signal methods falls into three categories. These include single agent learning models, multi agent reinforcement learning models (MARL), and large-scale multi-agent learning models, with the large-scale MARL actively having new deep learning models applied in recent research.

A. Single Agent Learning Models

Before 2010, traffic prediction models were designed using single agent reinforcement learning models. These models were used to predict the movement of traffic using a single system, meaning a single neural network predicted how traffic lights should function. While innovative, they are generally not scalable for multiple intersections and can more effectively be used to predict how traffic signals function at a single intersection. These models were rarely used in practice and traffic signals used fixed intervals (threshold signaling) [1]. As a result, we will not focus too much on these for our traffic problem.

B. Multi Agent Learning Models

From 2010-2018, research began to focus on multi-agent learning reinforcement (MARL) models, a more practical approach to traffic signal control. These use several systems, or agents, to predict traffic flow for traffic signal control more accurately, but tend to be limited to knowledge of their own environment and not nearby intersections [2].

During this research period, the majority of models used a variation of Q-Learning. While not perfect, there were indications that there were improvements in terms of moving traffic over traditional timer methods. [2] Eventually, a distributed MARL signal was designed such that each agent may learn the environment independently and communicate the signals it received to nearby agents to improve performance. This

further came with the benefit of allowing one agent to fail without taking other agents down, increasing reliability and scalability [5]. This innovation led to major improvements that have influenced the modern design of reinforcement learning techniques for traffic signal control.

C. Large Scale Multi-Agent Learning Models

Since 2019, research indicates that MARL agents have been improved for scalability, performance, real-world applications and become open-source. The field has seen enormous growth from the initial small scale solutions, and large scale implementations for real world cities continue to become more practical and powerful.

Early breakthroughs in large-scale MARL focused on a more difficult problem: urban traffic management. This initially came with a new open sourced model, CityFlow, a multi-agent reinforcement model which could handle large road networks with thousands of intersections in a simulated environment [7]. These large-scale models have shown significant improvements in performance while working at a larger scale, making them more adaptable to real situations.

In recent years, strong reinforcement learning models, such as long short-term memory (LSTM) and spatiotemporal graph convolutional neural networks (STGCN) have been applied to research, and external factors like pedestrian movements have begun being addressed. These advancements show more promise in scalability and performance, but are still in progress. There are still opportunities to test different models which may perform better in synchronization with other agents. While accounting for pedestrians marks a major step in optimizing the traffic signal problem, it opens more questions, such as how can we account for emergency vehicles, namely ambulances or police cars, or collisions that disturb the natural flow of traffic. Despite these questions, these models are very powerful in comparison to previous threshold traffic signal management systems.

D. Taxonomy Figure




Fig. 1. Research Taxonomy for Traffic Signal Control

III. CHRONOLOGICAL OVERVIEW

Based on the major research contributions, we have concluded that the papers fall into several categories. These categories tend to reflect the time period of the research contribution, with older papers using less-powerful Q-Learning simulations, and more recent papers using more powerful neural networks with account for more factors. Figure 2 highlights a chronological overview of the categorization of papers over time.




Fig. 2. Research Timeline for Traffic Signal Control

IV. RESEARCH GAPS

One current research gap is the types of models used. Early MARL models used various Q-learning techniques, with more recent studies using more advanced deep learning techniques, such as LSTM, but transformer-based models and RNN models seem to have been less tested. There are opportunities to test and benchmark different complex deep learning frameworks against each other.

Another research gap is regards real-world application. Several large cities have adapted deep learning techniques for traffic signal processing, though a large majority of cities do not yet have these technologies implemented. Therefore, they could see a change in performance depending on the size of the city and their road systems.

A third research gap appears to be the influence of various real-world distractions that can occur, ranging from road accidents, pedestrians, and emergency vehicles. Although Du et al. have begun to account for pedestrians [13], there are still several factors that go unaccounted for in the process of traffic signal prediction, which can back up traffic worse than threshold options.

WORK DISTRIBUTION

The majority of research findings were made by Jason Weeks and Andrew McBride with help from Andrei by branching out from the original CityFlow paper [7] and finding predecessors and related articles in the field.

Based on the research findings, Jason Weeks, Jacques Turner, and Andrew McBride contributed to the research taxonomy and timelines. These were made by narrowing down the most important research articles in our original findings.

This paper was primarily written by Jason Weeks, but all the members contributed.

The final distribution of the work is as follows.

- 25% - Jason Weeks
- 25% - Andrew McBride
- 25% - Jacques Turner
- 25% - Andrei Roskelley Garcia

V. SIMULATION ENVIRONMENT AND DATA PREPARATION

To effectively evaluate MARL models for traffic signal control, we will employ CityFlow, a multi-agent traffic simulation engine. CityFlow enables efficient traffic modeling by allowing pre-designed scenarios to be simulated instead of relying on real-time data. This approach provides greater flexibility in the definition and testing of traffic environments, making it ideal for research applications. CityFlow is particularly suited for large-scale urban traffic modeling. By simulating traffic flow in a controlled environment, we can test different reinforcement learning models without disrupting real-world traffic. The engine allows for scalable simulations with thousands of intersections, making it a powerful tool for evaluating various traffic control algorithms. For this study, CityFlow will be used to model the traffic network of Starkville, Mississippi, a city that currently employs traditional timer-based traffic light systems. This provides a relevant testing ground for machine learning-based traffic optimization, as improvements in traffic flow could have tangible real-world benefits.

The dataset used for traffic simulation consists of two primary components: roadnet.json and flow.json. The roadnet.json file defines the city's infrastructure, including the road layout, intersections, lane directions, traffic signals, and turning rules. This data is extracted from OpenStreetMaps (OSM) for Starkville and will be converted into a SUMO network before being integrated into CityFlow. Meanwhile, the flow.json file captures the dynamic movement of vehicles within the network, specifying entry and exit points, common routes, and characteristics such as vehicle priority and speed. Since real-world traffic flow data is not readily available, SUMO tools will be used to generate realistic traffic patterns, ensuring an accurate simulation environment to test reinforcement learning-based traffic control strategies.

Starkville presents an ideal case study due to its unique combination of urban and suburban traffic patterns. Unlike many cities that have adopted sensor-based or pressure plate-based signaling systems, Starkville still relies on traditional timer-based traffic signals, making it a prime candidate for testing reinforcement learning-based optimizations.

VI. IMPLEMENTATION

Our implementation will involve using CityFlow traffic simulation to estimate how traffic flows in Starkville and customize the minutia to our liking much more efficiently than a tool like SUMO. We can collect data from the environment such as congestion levels and states of other environments, along with a set of possible actions to implement a deep Q-learning model, which will reward or punish our model based on actions taken.

Because deep learning is computationally challenging, we will use a joint model. With this model, every action taken will result in a punishment or reward score for the model as a whole. This will allow us to train only one neural network at a time and comes with the added benefit of rewarding actions based on how they affect the state of other intersections. A model like this has historically proven to be more efficient than existing threshold signaling. Our ultimate goal is to prove that this model can provide better traffic signal decisions than existing threshold systems such as those used in Starkville.

VII. IMPORTANCE AND CHALLENGES

Because traffic light timing plays a crucial role in creating frustrated drivers and accidents, it is critical to find the most effective strategy to create smooth traffic flow through traffic signal control. As a result, our plan for the next two months is to implement a MARL model to predict traffic signals for the city of Starkville Mississippi, a city that uses threshold signaling for various times of the day to move traffic. It could be trained to predict various scenarios, including high-intensity traffic after an athletic event or lighter traffic during school breaks, with the ultimate goal of outperforming existing methodologies for traffic signal processing during all times of the day.

However, there are a variety of challenges with implementation. One challenge is the difficulty in finding optimal Q values as there is no ground truth to compare it to, the agent has to guess and learn on the experience and rewards it receives. This method is also very computationally challenging, as the agent has to constantly update the Q-value, especially with very large and complex models. There is also difficulty in balancing exploration vs exploitation, if the agent explores too much, then the Q-value may not converge to its optimal value, and if it exploits what it knows too much then the value may get stuck at a suboptimal level. Solving this would require understanding and the use of certain exploration strategies. There are also problems that could arise with the environment. The environment can slowly change overtime, so our Q-value may become irrelevant, so the agent would have to relearn its environment. There are also many unexpected situations that may arise that may require the model to quickly learn and adapt in the unknown situation, or try to reinforce the model to account for these situations.

VIII. DEVELOPMENT PLAN

Implementing a traffic simulation for Starkville, MS using CityFlow and Q-Learning over a two-month period, we will

begin with the research and environment setup in the first two weeks. This includes installing and configuring CityFlow, generating traffic flows using built-in tools, and setting up a simulation model based on the Starkville road network and intersections. If real-world traffic data is available, we will incorporate it to enhance accuracy; otherwise, default CityFlow scenarios will be used. During weeks three to six, we will develop and train the Q-Learning algorithm by optimizing hyperparameters such as learning rate and exploration rate and running simulations to evaluate its performance. The effectiveness of Q-Learning-controlled signals will be compared against traditional fixed-time signals using metrics like vehicle waiting times and overall traffic flow improvements. In the last two weeks, we will focus on optimizing and validating the model, testing it under different traffic conditions specific to Starkville, Ms. The model will be deployed in a full-scale SUMO simulation, validated against available traffic data, and adjusted accordingly. The project will conclude with documentation of the implementation details and findings, while also identifying opportunities for future improvements, such as deep reinforcement learning for more advanced control. Ultimately, this project aims to develop an intelligent traffic light control system that reduces congestion and improves traffic efficiency in Starkville, Mississippi.

IX. IMPLEMENTED APPLICATION

A. *Simulation Setup*

After beginning implementation we decided that CityFlow was not the appropriate tool for this problem, despite our research. While a powerful tool, it struggled to handle the data format provided from OSM data, resulting in slow performance and broken intersections. We then decided moving to the SUMO simulator was a more worthwhile decision, as its efficiency has improved over time and documentation is more appropriate for our specific research area.

Once SUMO was installed, we downloaded public data for the city of Starkville Mississippi's road structure using the tool open street map, and used SUMO's netedit to process the data into a useable format. Some changes were made, such as fixing traffic signal placement using junctions, and fixing non-signal based intersection interactions.

Our ultimate goal with this project is to test how neural network influenced traffic signals direct the flow of traffic, so we needed to setup various simulation environments to simulate realistic traffic scenarios within Starkville. To do this, we used SUMO's built in flow generator, with various parameters to result in light, medium, and intense traffic scenarios. This would allow us to test how each method of traffic signal control reacts to various events such as morning and afternoon rush hours, post game traffic, or light summer traffic.

Using the setup configuration file, we can use SUMO GUI, which comes bundled with the installation package of SUMO. This tools allows us to run a visualization of the simulation with regards to the currently implemented method of traffic signal control, and make observations from the point of view

of drivers without quantitative analysis, making observations about our model to make improvements.

****INSERT IMAGE OF SUMO RUNNING****

B. Benchmarking

In order to properly evaluate the performance of threshold and neural network models, a method of evaluation was needed beyond qualitative methods, such as observation or review. As a result we implemented various benchmarks to quantitatively decide the quality of a methods approach.

Our first method of benchmark involves calculating the average waiting time of a vehicle. This is the most likely representation of how frustrated one might feel.

The next is the average trip time

Finally we calculated information about queue length.

C. Neural Network Implementation

X. RESULTS OVER BASELINE

XI. ACKNOWLEDGMENT OF LLM USE

Large language models were not used in the writing or analytical process of writing this paper. However, it was used exclusively to summarize papers during the initial research process, just to ensure that the paper was suitable for our research needs as an aid to abstracts. Not every paper analyzed was used.

REFERENCE ACKNOWLEDGMENT

References [1] through [15] highlight the most significant contributions to the study of traffic signal control using machine learning techniques. They highlight how the research has progressed over time and should help guide the development of a model for traffic prediction.

The other sources provide great insight, but might have had a smaller research impact. Despite this, they are still high-quality papers and can be used to help solve our problem. These are still critical to understand the problem at hand, and have a meaningful impact on development of our traffic prediction model.

REFERENCES

- [1] Bakker, B., Whiteson, S., Kester, L., & Groen, F. C. (2010). Traffic light control by multiagent reinforcement learning systems (pp. 475-510). Springer Berlin Heidelberg.
- [2] Prabuchandran, K. J., AN, H. K., & Bhatnagar, S. (2014, October). Multi-agent reinforcement learning for traffic signal control. In 17th International IEEE Conference on Intelligent Transportation Systems (ITSC) (pp. 2529-2534). IEEE.
- [3] Srinivasan, D., Choy, M. C., & Cheu, R. L. (2006). Neural networks for real-time traffic signal control. IEEE Transactions on intelligent transportation systems, 7(3), 261-272.
- [4] Xu, M., An, K., Vu, L. H., Ye, Z., Feng, J., & Chen, E. (2019). Optimizing multi-agent based urban traffic signal control system. Journal of Intelligent Transportation Systems, 23(4), 357-369.
- [5] Liu, Y., Liu, L., & Chen, W. P. (2017, October). Intelligent traffic light control using distributed multi-agent Q learning. In 2017 IEEE 20th international conference on intelligent transportation systems (ITSC) (pp. 1-8). IEEE.
- [6] Cruz-Piris, L., Rivera, D., Fernandez, S., & Marsa-Maestre, I. (2018). Optimized sensor network and multi-agent decision support for smart traffic light management. Sensors, 18(2), 435.

- [7] Zhang, H., Feng, S., Liu, C., Ding, Y., Zhu, Y., Zhou, Z., ... & Li, Z. (2019, May). Cityflow: A multi-agent reinforcement learning environment for large scale city traffic scenario. In The world wide web conference (pp. 3620-3624).
- [8] Chu, T., Wang, J., Codecà, L., & Li, Z. (2019). Multi-agent deep reinforcement learning for large-scale traffic signal control. IEEE transactions on intelligent transportation systems, 21(3), 1086-1095.
- [9] Qadri, S. S. S. M., Gökçe, M. A., & Öner, E. (2020). State-of-art review of traffic signal control methods: challenges and opportunities. European transport research review, 12, 1-23.
- [10] Wei, H., Zheng, G., Gayah, V., & Li, Z. (2021). Recent advances in reinforcement learning for traffic signal control: A survey of models and evaluation. ACM SIGKDD Explorations Newsletter, 22(2), 12-18.
- [11] Abdoos, M., & Bazzan, A. L. (2021). Hierarchical traffic signal optimization using reinforcement learning and traffic prediction with long-short term memory. Expert systems with applications, 171, 114580.
- [12] Kolat, M., Kóvári, B., Bécsi, T., & Aradi, S. (2023). Multi-agent reinforcement learning for traffic signal control: A cooperative approach. Sustainability, 15(4), 3479.
- [13] Du, W., Ye, J., Gu, J., Li, J., Wei, H., & Wang, G. (2023, June). Safelight: A reinforcement learning method toward collision-free traffic signal control. In Proceedings of the AAAI conference on artificial intelligence (Vol. 37, No. 12, pp. 14801-14810).
- [14] Yazdani, M., Sarvi, M., Bagloee, S. A., Nassir, N., Price, J., & Parineh, H. (2023). Intelligent vehicle pedestrian light (IVPL): A deep reinforcement learning approach for traffic signal control. Transportation research part C: emerging technologies, 149, 103991.
- [15] Lin, T., & Lin, R. (2024). Smart City Traffic Flow and Signal Optimization Using STGCN-LSTM and PPO Algorithms. IEEE Access.
- [16] Haydari, A., & Yilmaz, Y. (2020). Deep reinforcement learning for intelligent transportation systems: A survey. IEEE Transactions on Intelligent Transportation Systems, 23(1), 11-32.
- [17] Wei, H., Xu, N., Zhang, H., Zheng, G., Zang, X., Chen, C., ... & Li, Z. (2019, November). Colight: Learning network-level cooperation for traffic signal control. In Proceedings of the 28th ACM international conference on information and knowledge management (pp. 1913-1922).
- [18] Chen, C., Wei, H., Xu, N., Zheng, G., Yang, M., Xiong, Y., ... & Li, Z. (2020, April). Toward a thousand lights: Decentralized deep reinforcement learning for large-scale traffic signal control. In Proceedings of the AAAI conference on artificial intelligence (Vol. 34, No. 04, pp. 3414-3421).
- [19] Zheng, G., Xiong, Y., Zang, X., Feng, J., Wei, H., Zhang, H., ... & Li, Z. (2019, November). Learning phase competition for traffic signal control. In Proceedings of the 28th ACM international conference on information and knowledge management (pp. 1963-1972).
- [20] Wei, H., Zheng, G., Gayah, V., & Li, Z. (2019). A survey on traffic signal control methods. arXiv preprint arXiv:1904.08117.
- [21] Wei, H., Zheng, G., Yao, H., & Li, Z. (2018, July). Intellilight: A reinforcement learning approach for intelligent traffic light control. In Proceedings of the 24th ACM SIGKDD international conference on knowledge discovery & data mining (pp. 2496-2505).
- [22] Yang, L., Luo, P., Change Loy, C., & Tang, X. (2015). A large-scale car dataset for fine-grained categorization and verification. In Proceedings of the IEEE conference on computer vision and pattern recognition (pp. 3973-3981).
- [23] Milan, A. (2016). MOT16: A benchmark for multi-object tracking. arXiv preprint arXiv:1603.00831.
- [24] Mao, F., Li, Z., & Li, L. (2022). A comparison of deep reinforcement learning models for isolated traffic signal control. IEEE Intelligent Transportation Systems Magazine, 15(1), 160-180.
- [25] Noaen, M., Naik, A., Goodman, L., Crebo, J., Abrar, T., Abad, Z. S. H., ... & Far, B. (2022). Reinforcement learning in urban network traffic signal control: A systematic literature review. Expert Systems with Applications, 199, 116830.
- [26] Claus, C., & Boutilier, C. (1998). The dynamics of reinforcement learning in cooperative multiagent systems. AAAI/IAAI, 1998(746-752), 2.
- [27] Arel, I., Liu, C., Urbanik, T., & Kohls, A. G. (2010). Reinforcement learning-based multi-agent system for network traffic signal control. IET Intelligent Transport Systems, 4(2), 128-135.
- [28] Jácome, L., Benavides, L., Jara, D., Riofrio, G., Alvarado, F., & Pesantez, M. (2018, October). A survey on intelligent traffic lights. In 2018 IEEE International Conference on Automation/XXIII Congress of

- the Chilean Association of Automatic Control (ICA-ACCA) (pp. 1-6). IEEE.
- [29] Mei, H., Lei, X., Da, L., Shi, B., & Wei, H. (2024). Libsignal: an open library for traffic signal control. *Machine Learning*, 113(8), 5235-5271.
 - [30] Eom, M., & Kim, B. I. (2020). The traffic signal control problem for intersections: a review. *European transport research review*, 12, 1-20.
 - [31] El-Tantawy, S., & Abdulhai, B. (2010, September). An agent-based learning towards decentralized and coordinated traffic signal control. In *13th International IEEE conference on intelligent transportation systems* (pp. 665-670). IEEE.
 - [32] Tang, Z., Naphade, M., Liu, M. Y., Yang, X., Birchfield, S., Wang, S., ... & Hwang, J. N. (2019). Cityflow: A city-scale benchmark for multi-target multi-camera vehicle tracking and re-identification. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition* (pp. 8797-8806).
 - [33] Cools, S. B., Gershenson, C., & D'Hooghe, B. (2013). Self-organizing traffic lights: A realistic simulation. *Advances in applied self-organizing systems*, 45-55.
 - [34] Bouktif, S., Cheniki, A., Ouni, A., & El-Sayed, H. (2023). Deep reinforcement learning for traffic signal control with consistent state and reward design approach. *Knowledge-Based Systems*, 267, 110440.
 - [35] Ducrocq, R., & Farhi, N. (2023). Deep reinforcement Q-learning for intelligent traffic signal control with partial detection. *International journal of intelligent transportation systems research*, 21(1), 192-206.
 - [36] Wang, X., Ke, L., Qiao, Z., & Chai, X. (2020). Large-scale traffic signal control using a novel multiagent reinforcement learning. *IEEE transactions on cybernetics*, 51(1), 174-187.
 - [37] Wei, H., Chen, C., Zheng, G., Wu, K., Gayah, V., Xu, K., & Li, Z. (2019, July). Presslight: Learning max pressure control to coordinate traffic signals in arterial network. In *Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining* (pp. 1290-1298).
 - [38] Zang, X., Yao, H., Zheng, G., Xu, N., Xu, K., & Li, Z. (2020, April). Metalight: Value-based meta-reinforcement learning for traffic signal control. In *Proceedings of the AAAI conference on artificial intelligence* (Vol. 34, No. 01, pp. 1153-1160).
 - [39] Zhang, H., Liu, C., Zhang, W., Zheng, G., & Yu, Y. (2020, October). Generalight: Improving environment generalization of traffic signal control via meta reinforcement learning. In *Proceedings of the 29th ACM international conference on information & knowledge management* (pp. 1783-1792).
 - [40] Navarro-Espinoza, A., López-Bonilla, O. R., García-Guerrero, E. E., Tlelo-Cuautle, E., López-Mancilla, D., Hernández-Mejía, C., & Inzunza-González, E. (2022). Traffic flow prediction for smart traffic lights using machine learning algorithms. *Technologies*, 10(1), 5.
 - [41] Natafqi, M. B., Osman, M., Haidar, A. S., & Hamandi, L. (2018, November). Smart traffic light system using machine learning. In *2018 IEEE International Multidisciplinary Conference on Engineering Technology (IMCET)* (pp. 1-6). IEEE.
 - [42] Behrendt, K., Novak, L., & Botros, R. (2017, May). A deep learning approach to traffic lights: Detection, tracking, and classification. In *2017 IEEE International Conference on Robotics and Automation (ICRA)* (pp. 1370-1377). IEEE.
 - [43] Ottom, M. A., & Al-Omari, A. (2023). An adaptive traffic lights system using machine learning. *Int. Arab J. Inf. Technol.*, 20(3), 407-418.
 - [44] Kumar, N., Mittal, S., Garg, V., & Kumar, N. (2021). Deep reinforcement learning-based traffic light scheduling framework for SDN-enabled smart transportation system. *IEEE Transactions on Intelligent Transportation Systems*, 23(3), 2411-2421.
 - [45] Sagioglu, S., Yavanoglu, U., & Guven, E. N. (2007, December). Web based machine learning for language identification and translation. In *Sixth International Conference on Machine Learning and Applications (ICMLA 2007)* (pp. 280-285). IEEE.
 - [46] Li, Y., Zhang, Y., Li, X., & Sun, C. (2024). Regional multi-agent cooperative reinforcement learning for city-level traffic grid signal control. *IEEE/CAA Journal of Automatica Sinica*, 11(9), 1987-1998.
 - [47] Peng, X., Gao, H., Han, G., Wang, H., & Zhang, M. (2023). Joint Optimization of Traffic Signal Control and Vehicle Routing in Signalized Road Networks using Multi-Agent Deep Reinforcement Learning. *arXiv preprint arXiv:2310.10856*.
 - [48] Zhang, Y., Yu, Z., Zhang, J., Wang, L., Luan, T. H., Guo, B., & Yuen, C. (2023). Learning Decentralized Traffic Signal Controllers with Multi-Agent Graph Reinforcement Learning. *IEEE Transactions on Mobile Computing*.
 - [49] Wang, K., Shen, Z., Lei, Z., & Zhang, T. (2024). Towards Multi-agent Reinforcement Learning based Traffic Signal Control through Spatio-temporal Hypergraphs. *arXiv preprint arXiv:2404.11014*.
 - [50] Chen, F., Chen, Z., Biswas, S., Lei, S., Ramakrishnan, N., & Lu, C. T. (2020, November). Graph convolutional networks with kalman filtering for traffic prediction. In *Proceedings of the 28th international conference on advances in geographic information systems* (pp. 135-138).
 - [51] Li, Z., Xu, C., & Zhang, G. (2021). A deep reinforcement learning approach for traffic signal control optimization. *arXiv preprint arXiv:2107.06115*.
 - [52] Zhang, Y., Zheng, G., Liu, Z., Li, Q., & Zeng, H. (2024). MARLens: understanding multi-agent reinforcement learning for traffic signal control via visual analytics. *IEEE transactions on visualization and computer graphics*.