



<http://qgis.org>

- Add three labels as per the table, right (**page label, operator label, production label**)
- Add a **map title label**



Name	Value
Grid layer symbol renderer	Inverted Polygon
Grid layer sub renderer	Rule based
Grid layer rule name	Mask
Grid layer rule	\$id = @atlas_featureid
Grid layer symbol	Simple fill, white, 50% transparent
Page label	Page [% @atlas_featurenumber %] of [% @atlas_totalfeatures %]
Operator label	Operator: [% @user_full_name %]
Production date label	Production date: [%format_date(now(), 'd/M/yyyy')%]
Map0: grid1	Rename grid1 to UTM Set CRS to UTM Grid spacing x & y: 500m Labels on left, top Left labels vertical ascending Label text and lines in blue
Map0: grid2	Rename grid2 to LatLong Set CRS to EPSG:4326 Grid spacing x & y: 0.008 degrees Labels on right, bottom Right labels vertical ascending Label text and lines in red



More about atlas production

The process of building an atlas in QGIS is fairly simple: Prepare a project in QGIS. Then create a map composition. In the map composer enable map composer and indicate which layer will be the coverage layer. A coverage layer is a polygon layer that contains areas to be included in the atlas. When generating the atlas, QGIS will sequentially zoom to each feature in the coverage layer and render a map page for that feature.

QGIS provides a number of special variables for you to use when creating your atlas:

@atlas_feature – The current feature from the coverage map. You can use this to access any attributes from the current atlas feature record.

@atlas_featureid – The ID of the current feature in the coverage map.

@atlas_featurenumber – The sequential feature number of the current coverage feature.

@atlas_filename – the name of the file that will be created when rendering the current atlas page

@atlas_geometry – the geometry of the current coverage feature in your atlas.

@atlas_pagename – the generated name (if any) for the current page.

@atlas_totalfeatures – total number of coverage features for the atlas

You can combine these elements in labels on your map so that each page has textual elements specific to that coverage area. Another thing you can do with the atlas variables is mask away the surrounding coverage areas so that only the current area is highlighted.



In the map composer, you can enable preview mode (icon in red box above). Pressing the forward and backwards arrows will update the composer layout preview to the next or previous coverage feature.

Note: When you want to print or export your atlas, you must **use the print / export button on the atlas toolbar**, not on the main map composer toolbar.

Check your knowledge:

1. An atlas is:

- a) A very well built man who holds a globe over his head
- b) A series of maps generated in sequence
- c) A way to create an animated slide show based on a QGIS map

2. What will happen if you delete one of the grid polygons from your coverage layer?

- a) QGIS will give an error message
- b) The atlas will not mask the surrounding features
- c) The atlas page for that feature will be skipped

Answers: 1c, 2c

Further reading:

http://www.qgistutorials.com/en/docs/automating_map_creation.html
https://docs.qgis.org/2.14/en/docs/training_manual/forestry/forest_maps.html