

Untitled

Stephan Huber

2022-10-13

1 chapter title

This is plain text. *This is written in bold.* *sdfiojsifj* **lsdjflsjfdli**

Here I cite Huber and Rust (2016)

Xie, Allaire, and Grolemund (2018) is book about Rmarkdown.

- bullet poin
- sdfs
- sdfsd

1. list
2. sdfsad
- 3.

1.1 section

1.1.1 substerensödfjsifjosdj

1.2 R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```


```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
```

```
## 3rd Qu.:19.0 3rd Qu.: 56.00
## Max. :25.0 Max. :120.00
```

1.3 Including Plots

You can also embed plots, for example:

```
plot(pressure)
```



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Literature

- Huber, Stephan, and Christoph Rust. 2016. “Calculate Travel Time and Distance with OpenStreetMap Data Using the Open Source Routing Machine (OSRM).” *The Stata Journal* 16 (2): 416–23.
- Xie, Yihui, Joseph J Allaire, and Garrett Grolemond. 2018. *R Markdown: The Definitive Guide*. Chapman; Hall/CRC.