


Problem 1 Score: _____. Show that this L^AT_EX template supports following functions:

- (1) Mathematical formulas;
- (2) Chemistry formulas.

Proof: (1) In three-dimensional space, the Schrödinger equation of a particle in a potential $V(\mathbf{r}, t)$ is

$$i\hbar \frac{\partial}{\partial t} |\psi(\mathbf{r}, t)\rangle = -\frac{\hbar^2}{2m} \nabla^2 |\psi(\mathbf{r}, t)\rangle + V(\mathbf{r}, t) |\psi(\mathbf{r}, t)\rangle. \quad (1)$$

- (2) Heating and using concentrated sulfuric acid as catalyst, benzene can react with nitric acid to produce nitrobenzene:



□

Problem 2 Score: _____. Conduct following operation:

- (1) Insert figures:
 - (a) single figure, setting its position mandatorily;
 - (b) two subfigures;
- (2) Insert such a table:
 - ▷ with merged multi-row and multi-column cells;
 - ▷ three-line table;
 - ▷ cross-page;
- (3) Insert code;
- (4) Cite a reference.

Solution: (1) (a) As figure 1.





Figure 1: Lenna.

- (b) As the subfigures 2(a) and 2(b) in figure 2.



(a) lenna 1.

(b) lenna 2.

Figure 2: Lenna.

- (2) As table 1.

Table 1: Exemplary table.

merged multi-row cell	merged multi-column cell		merged multi-column cell	
	Column 1	Columnn 2	Columnn a	Columnn b
If	you	shed	tears	when
you	missed	the	sun	
you	also	miss	the	stars

(3) Code are shown as following:

```
1 program main
2   implicit none
3
4   write(*,*) 'hello world '
5 end program main
```

(4) This book [1] provides a good introduction to quantum mechanics.

□

References

[1] Claude Cohen-Tannoudji, Bernard Diu, Frank Laloe, and Bernard Dui. Quantum mechanics (2 vol. set), 2006.