

Figure 4. Nilsson diagram for protons or neutrons, Z or N \leq 50 ($\epsilon_{_{\! 4}}$ = 0).




Figure 5. Nilsson diagram for neutrons, 50 \leq N \leq 82 ($\epsilon_{_{\! 4}}$ = $\epsilon_{_{\! 2}}^2/6$).




Figure 6. Nilsson diagram for neutrons, 50 \leq N \leq 82 (ϵ_4 = - $\epsilon_2^2/6).$




Figure 7. Nilsson diagram for neutrons, 82 \leq N \leq 126 (ϵ_4 = $\epsilon_2^2/6$).




Figure 8. Nilsson diagram for neutrons, 82 \leq N \leq 126 (ϵ_4 = - $\epsilon_2^2/6$).




Figure 9. Nilsson diagram for neutrons, N \geq 126 ($\varepsilon_4 = \varepsilon_2^2/6$).




Figure 10. Nilsson diagram for neutrons, N \geq 126 (ϵ_4 = - $\epsilon_2^2/6).$




Figure 11. Nilsson diagram for protons, 50 \leq Z \leq 82 ($\epsilon_{_{\! 4}}$ = $\epsilon_{_{\! 2}}^2/6$).




Figure 12. Nilsson diagram for protons, 50 \leq Z \leq 82 ($\epsilon_{_{\! 4}}$ = - $\epsilon_{_{\! 2}}^2/6).$




Figure 13. Nilsson diagram for protons, Z \geq 82 (ϵ_4 = ϵ_2^2 /6).




Figure 14. Nilsson diagram for protons, Z \geq 82 (ϵ_{4} = - $\epsilon_{2}^{2}/6).$