











Education

Nanjing University	College of Engineering and Applied Sciences	Nanjing, Jiangsu
Doctor of Philosophy	Optical Engineering	Q.E. – Top 15% 
Dissertation: “Analytic 3D vector linear non-uniform & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}, \bar{\chi}$ dielectrics”		Nonlinear Fourier Optics  – 2025.06
Master’s Studies	Quantum Electronics	Courses Score – 93.5 
		THz OAM Source  – 2022.06
Northeastern University	School of Physics, College of Science	Shenyang, Liaoning
Bachelor of Science	Applied Physics	GPA Rank – 1/400 
Thesis: “Research & design of nonlinear holography based on lithium niobate 3D nonlinear photonic crystal”		DDTank Aimbots  – 2020.06
Freshman in College	Science	Sichuan Prov. – Top 2% 
		3 e-books with C++  2016.09 –

Personal Projects






rulesmd.ini	Modified rules.ini of 「Red Alert II」’s 17 mods	– 2019.04
	● Mental Omega v3.3.6: the modified rulesmo.ini for mo-3.3.6 has now been added	
	● Mental Omega v3.3.6: the modified rulesmo.ini for mo-3.3.6 has now been added	LabView 
Hanging Assist	AFK/Bot script for game 「Duel City」 — a knock-off 「Yu-Gi-Oh」	– 2020.04
	● Automatic matching: Players (PVP), NPCs (PVE)	
	● Automatic switching: Multiple accounts supported + Anti-disconnection	
	● Display program stages: Real time understanding of current software state	
	● Stackable record: Incrementally output history for every hang-up to the log file.ini	
	→ which is also loaded as the configuration file for the next boot	
	● to restore the program state from the last exit	EPL 

- Book 1: mainly on mathematics, some intriguing chapters are:
  - Multinomial theorem:  $(\sum_{i=1}^n a_i)^m = \sum_{\prod_{i=1}^n b_i = m} \frac{m!}{\prod_{i=1}^n b_i!} \prod_{i=1}^n a_i^{b_i}$  over  $\{b_i \geq 0\}$ , where  $\sum_{i=1}^n b_i = m$
  - Strive to get the general formula for the n-th derivatives  $f(g(x))^{(n)}$  of a composite function
  - Connection between the sums of certain series and the indefinite integrals of their terms
  - Explaining Euler's formula  $a + b - c = n$  through topology
  - Retracing the birth of the determinant calculation rules
- Book 2: up to 12 programs designed to solve mathematical / physical problems
  - Multinomial theorem  $\implies$  Microstate count  $\Omega_l = \frac{(g_l + a_l - 1)!}{(g_l - 1)! a_l!}$  of Bose-Einstein systems
  - All solutions  $\{b_i\}$  that meet the condition  $\sum_{i=1}^m i \cdot b_i = m$  of the Faà di Bruno Formula
  - Deep recursion algorithms for partition number  $P(n)$  & all the aforementioned contexts
  - General solution  $\{x_i\}$  of multivariable linear Diophantine equation  $\sum_{i=1}^n a_i \cdot x_i = b$
  - Complete solution  $v_{\max}, v_{\min}$  to the Double Comb/Ruler problem

Minimum integer solution  $x, y$  of linear Diophantine equation  $a \cdot x + b \cdot y = c$

- Book 3: geometry-related mathematics & physics
  - Spherical trigonometry: from which I designed a non-Euler\_angle rotation operator for NLAST
    - which converts direction  $\theta, \phi$  of a 3D real vector  $v$  between two coordinate systems
  - Special relativity: Had it been animated (by Manim?), it would have looked stunning

C++ 

Behind NLAST <sup>1</sup>	<b>0 → 1 : Techniques crafted from scratch in my academic project : NLAST</b> 2022.02 – <ul style="list-style-type: none"> <li>Managed to realize <i>tree</i>-print feature in CMD lines without knowing <i>any tree</i>-packages             <ul style="list-style-type: none"> <li>in order to visualize run-time <i>Call Stack</i> with <i>buried checkpoints</i> &amp; display <i>crucial info</i></li> <li>to understand the <i>hierarchical structure</i> of my code from a more <i>abstract</i> perspective</li> </ul> </li> <li>Enabled <i>multi-threads</i> to accelerate <i>for loops</i> in python while preserving the <i>loops' order</i> <ul style="list-style-type: none"> <li>Implemented through utilizing the <i>producer-consumer model</i> (producer = thread pool)</li> <li>Allow users to select which parts of the codes in the <i>for loops</i> to <i>parallelize</i> in CPU</li> <li>Transform <i>multi-layer for loops</i> into <i>nested multi-threads</i>: each thread = a new thread pool</li> <li>Future model will move away from <i>python</i> as the primary language &amp; shift to GPU                 <ul style="list-style-type: none"> <li>Favoring GPU is driven by “<i>fields</i> in physics = <i>arrays/matrices</i> in math/programs”</li> <li>Haven't decided which to employ: CUDA, Jax, WebGL2, webGPU, Mojo or Bend?</li> </ul> </li> </ul> </li> <li>Developed a log file system to track &amp; record the operating status for debugging             <ul style="list-style-type: none"> <li>to output script parameters (<i>**kwargs</i>) for rapid reproducibility of data in the future</li> <li>to store data files &amp; folders, and their metadata for swift data import and reutilization</li> </ul> </li> <li>Achieved automatic skipping of functions that return repeated values stored in memory             <ul style="list-style-type: none"> <li>via <i>@decorators</i>: let precomputation assess whether to execute the decorated function</li> </ul> </li> <li>Wrap <i>matplotlib</i> into <i>plot_1d</i>(, <i>_2d</i>, <i>_3d</i>, <i>.gif</i> ...) for data visualization             <ul style="list-style-type: none"> <li>also sped up by customized multi-threading ...    Matlab   Mathematica   JavaScript   Python </li> </ul> </li> </ul>
LabView Projects	<b>BB84 QKD protocol simulation &amp; distributed optical fiber sensing</b> – 2021.06 <ul style="list-style-type: none"> <li>Verified the information security of photon_polarization_state-related BB84 protocol </li> <li>Visualized the distribution of anomalies along the fiber optic cable from user data    LabView </li> </ul>
Extended 1A2B	<b>A Code-breaking Game - Bulls and cows: Guessing 4 digits → 1-9 digits</b> – 2019.09 <ul style="list-style-type: none"> <li>Hardware - MicroController (C8051F350.h) version of Original 1A2B: Guessing 4 numbers</li> <li>Software - VC++6.0 version of Upgraded 1A2B: Guessing 1-9 numbers    Keil.C   C++  </li> </ul>
DDTank Aimbots	<b>An inverse solving toolkit for a projectile game similar to 「Angry Birds」</b> – 2017.04 <ul style="list-style-type: none"> <li>Established an aerodynamic model with air resistance <math>\mathbf{R} = -k\mathbf{v}</math> for the game DDTank             <ul style="list-style-type: none"> <li>by solving <math>\mathbf{v}' \propto \mathbf{R} + \mathbf{F}</math>, where driving force <math>\mathbf{F}</math> = gravity <math>\mathbf{G}</math> + wind force <math>\mathbf{W}</math></li> <li>which lead to the core transcendental equation <math>1 - e^{kt} + kt = k^2 M(\mathbf{F}; \Delta \mathbf{r}, \hat{\mathbf{v}}_0)</math></li> <li>that can be numerically solved by Newton's method for <math>t</math> with given <math>k, \mathbf{F}; \Delta \mathbf{r}, \hat{\mathbf{v}}_0</math></li> <li>Finally, for each <math>\Delta \mathbf{r}, \hat{\mathbf{v}}_0</math>, one can obtain corresponding initial velocity <math>v_0(k, \mathbf{F}; t, M)</math> <ul style="list-style-type: none"> <li>after <math>k, \mathbf{F}</math> are determined (by the game engine itself)</li> </ul> </li> <li><math>v_0</math> ends up the very info required to accurately hit an enemy at a distance of <math>\Delta \mathbf{r}</math> from you</li> </ul> </li> <li>Software Features: multi-OS/end, multi-hit_mode, multi-trajectory, multi-thread supported             <ul style="list-style-type: none"> <li>Multi-OS: classic Web game on Windows, Mobile game on Android &amp; Android Emulator</li> <li>Multi-hit_mode: charge-mode for value <math>v_0</math>, drag_mode (like angry birds) for extended curve</li> <li>Multi-trajectory: predicts up to <math>6 = (1+2)*2</math> trajectories for the player: split 3 + backward 3</li> <li>Multi-threading: succeeded in coordinating multiple timers to implement multi-threading</li> </ul> </li> <li>Capturing game data semi-automatically with computer vision purely             <ul style="list-style-type: none"> <li>call <i>dm.findmulticolorEX()</i> in <i>dm.dll</i> for pixel-level monitoring    VBA Excel   E4A   EPL  </li> </ul> </li> </ul>

<sup>1</sup> Non-linear Angular Spectrum Theory

- Drawing insights from [PRS.A](#). #M.V.Berry's legacy | [A.O.P.](#) | [A.P.B.](#) | [J.QSRT](#).
- The next generation of this project will come really close to the exact solution
- logging system
  - [J.O.S.A.](#) #Bloembergen's legacy1 | [J.O.](#) | [O.M.](#) | [O.M.](#) | [J.O.](#) | [L.P.R.](#)
  - [JOSA.A.](#) | [O.E.](#) #tightly focus  $\bar{\epsilon}$  anisotropy | [Light.Sci.App.](#) | [O.E.](#)

PPT [1](#) [2](#) [3](#) ... 

**Three Books Closed-form  $E_3(\mathbf{r})$  in** 
$$\left[ \nabla^2 + k_3^2 \right] E_3(\mathbf{r}) = -k_{03}^2 \chi(\mathbf{r}) E_1(\mathbf{r}) E_2(\mathbf{r})$$

2022.02 –

- Solving this multivariable/field nonlinear convolution equation on my own
- Strong alternative to Green's Function, pseudo-spectral, split-step Fourier methods
- Developed a log file system to record and output script runtime parameters\*\*kwargs,
  - [P.R.L.](#) #Green | [P.R.L.](#) #experiment #quantum | [P.R.L.](#) #experiment #scatter | [P.R.L.](#)
  - [L.P.R.](#) #SSF #quantum | Matlab #RCWA | [A.P.L.](#) #femtosecond pump
  - [O.L.](#) | [P.R.A.](#)

PPT [1](#) [2](#) [3](#) [4](#) ... 

## Scientific Activities

- |      |   |                         |
|------|---|-------------------------|
| [0]  | <b>The 4th Nanjing University Doctoral Interdisciplinary Innovation Forum</b>   | <b>Nanjing, Jiangsu</b> |
|      | "Analytic vector linear & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}$ , $\bar{\chi}$ dielectrics"   Oral [PPT] | 2024.05.29              |
| [-1] | <b>2023 CSOE-NJU<sup>2</sup> Book Club Meeting &amp; Sharing Session</b>  | <b>Nanjing, Jiangsu</b> |
|      | "A guided tour to Ray & Wave Optics Simulation"   Oral [PPT]  | 2023.12.09              |
| [-2] | <b>Academic Café Salon of the Research Group</b>  | <b>Nanjing, Jiangsu</b> |
|      | "Bi-directional notes on Nonlinear Optics in a roam-like app: RoamEdit"   Oral [PDF]  | 2021.05.21              |

## Publications

- |      |   |
|------|---|
| [0]  | P. Chen, X. Xu, T. Wang, C. Zhou, D. Wei, J. Ma, J. Guo, X. Cui, X. Cheng, <b>C. Xie</b> , S. Zhang, S. Zhu, M. Xiao, and Y. Zhang, <i>Laser nanoprinting of 3D nonlinear holograms beyond 25000 pixels-per-inch for inter-wavelength-band information processing</i> , Nature Communications <b>14</b> , 5523 (2023) |
| [-1] | J. Guo, Y. Zhang, H. Ye, L. Wang, P. Chen, D. Mao, <b>C. Xie</b> , Z. Chen, X. Wu, M. Xiao, and Y. Zhang, <i>Spatially Structured-Mode Multiplexing Holography for High-Capacity Security Encryption</i> , ACS Photonics <b>10</b> , 757–763 (2023)   |

## Academic Focus

- |   |           |
|---|-----------|
| <b>Next generation</b> high N.A. 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics   | 2024.06 – |
| !Paraxial $k_0^\omega$ <b>High N.A.</b> 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics  | 2024.03 – |
| Emphasizing $G_{xyz}^\omega$ <b>3D</b> vector non-uniform analytic linear & nonlinear Fourier crystal optics  | 2023.12 – |
| Involving $\bar{\chi}_\omega^{(2)}$ anisotropy <b>Vector</b> non-uniform analytic linear & nonlinear Fourier crystal optics                               | 2023.06 – |
| !Unitary $G_\omega^\pm \Leftarrow$ !Hermitian $\bar{\epsilon}_r^\omega \Rightarrow$ <b>Non-uniform</b> analytic linear & nonlinear Fourier crystal optics | 2023.03 – |




<sup>2</sup> The Nanjing University student branch of the Chinese Society for Optical Engineering

Solution $E_{\omega}^{\pm}$ to $(\nabla^2 + k_{\omega\pm}^2)E_{\omega}^{\pm} \propto P_{\omega\pm}^{(2)}$	<b>Analytic</b> linear & nonlinear Fourier crystal optics	2022.09 –
Solution $\mathcal{F}[E_3] = \mathcal{F}[f(\mathcal{F}^{-1}[\cdot])]$ to the Eq. below	<b>Nonlinear</b> angular spectrum theory for SFG	2022.06 –
Solution $\mathcal{F}[E_3] = \iiint \mathcal{F}[\cdot]$ to $(\nabla^2 + k_3^2)E_3(r) \propto P_3^{(2)}(r)$	<b>Nonlinear</b> convolution solution to SFG	2022.03 –
Nonlinear THz LiNbO <sub>3</sub> -based metasurface	<b>Quit THz project formally</b>   COMSOL	– 2022.01
BWOPO + THz optical parametric amplification	Mathematica   BookxNote Pro	– 2021.12
THz backward optical parametric oscillator (BWOPO)	Mathematica   VBA Excel	– 2021.11
Multi-cycle THz orbital angular momentum (OAM) source	RoamEdit   Blender	– 2021.11
Narrow-band THz OAM source via Optical Rectification (OR)	Python   Blender	– 2021.10
Electricity $\xrightarrow{\text{produce}}$ Acoustics $\xrightarrow{\text{modulate}}$ Optics	RoamEdit   VBA Excel	– 2021.07
Visible Photons $\xrightarrow{\text{SPDC}}$ THz Spectroscopy	BookxNote Pro   GeoGebra   VBA Excel	– 2021.06
Cavity Phase Matching = Sheet OPO	Paint 3D   RoamEdit   GeoGebra   VBA Excel	– 2021.05
THz Holography via Optical Rectification	Matlab   GeoGebra   VBA Excel	– 2021.01
Femtosecond laser $\xrightarrow{\text{Optical Rectification}}$ Terahertz (THz)	GeoGebra   VBA Excel	– 2020.12
Multicycle THz pulse generation by OR in LiNbO <sub>3</sub> ... crystals	VBA PowerPoinT	– 2020.10

Honors & Awards

Academia	Doctor’s Qualification Exam (Oral)	Excellent	Top 15%	Nanjing	U.	2024.01
	Bachelor Thesis  & Defense	Excellent	1/90	Northeastern	U.	2020.06
Competition	Three Provinces Achievement Expo	Exhibition	Leader	Three	Prov.	2019.10
	“Challenge Cup” Tech Competition	Grand prize	Leader	Liaoning	Prov.	2019.06
Scholarships & Fellowships	Academic Fellowship	1st class	¥40,000	Nanjing	U.	2020-24
	“Jinchuan” Scholarship	1st place	¥5,000	Northeastern	U.	2019.04
	Academic Scholarship	1st place	¥2,000	Northeastern	U.	2018.06
	Entrance Scholarship	3rd place	¥5,000	Leshan No.1 H.S.		2013.09
Honors & Titles	Graduation with Honor	Outstanding		Northeastern	U.	2020.07
	League Member	Excellent		Northeastern	U.	2019.11
	Undergraduate Student	Excellent		Northeastern	U.	2018.12
Memberships	Chinese Society for Optical Engineering	Member		Nanjing	U.	2021-25
	“Qian Sanqiang” Talent Class	Head		I.H.E.P.		2017-20

Research Projects

<b>3D Vector Nonlinear</b> Fourier Crystal Optics	<b>Solving</b> $\left[ (\nabla \times)^2 - k_0^2 \bar{\epsilon} \cdot \right] \mathbf{E}(\mathbf{r}) = k_0^2 \bar{\chi} : \mathcal{F}_\omega^{-1} \left[ \tilde{\mathbf{E}}_p \tilde{\mathbf{E}}_p \right](\mathbf{r})$ <b>analytically</b> 2023.05 – <ul style="list-style-type: none"> <li>• First &amp; fastest white box solver ever for this inhomogeneous wave equation <ul style="list-style-type: none"> <li>◦ or other similar equations, with unprecedented efficiency-accuracy product</li> </ul> </li> <li>• No competitors for the time being: other methods or software including <ul style="list-style-type: none"> <li>◦ k-space RK4, pseudo-spectral, SSF, Green's Function methods, FDTD, COMSOL...</li> </ul> </li> <li>• Reproduced well-known papers, all of which provide either zero or wrong theory: <ul style="list-style-type: none"> <li>◦ <a href="#">Nat.Photo</a>. #proven theoretically wrong by this project #femtosecond pump</li> <li>◦ <a href="#">O.E.</a>. #Bloembergen's legacy2 #experiment   <a href="#">O.M.E.</a>. #z-component</li> <li>◦ <a href="#">O.E.</a>   <a href="#">Q.E.</a>. #high N.A. #<math>\bar{\chi}</math> anisotropy</li> </ul> </li> </ul> PPT <a href="#">1</a> <a href="#">2</a> <a href="#">3</a> ... 
<b>Complex Vector Linear</b> Fourier Crystal Optics	<b>Analytic solution</b> $\mathbf{E}(\mathbf{r})$ to $\left[ (\nabla \times)^2 - k_0^2 \bar{\epsilon} \cdot \right] \mathbf{E}(\mathbf{r}) = \mathbf{0}$ <b>where</b> $\epsilon_{ij} \in \mathbb{C}$ 2023.02 – <ul style="list-style-type: none"> <li>• Drawing insights from <a href="#">PRS.A.</a> #M.V.Berry's legacy   <a href="#">A.O.P.</a>   <a href="#">A.P.B.</a>   <a href="#">J.QSRT</a>.</li> <li>• Next generation of this project will come really close to the exact solution</li> <li>• Reproduced well-known papers, some are purely experimental (too hard to model): <ul style="list-style-type: none"> <li>◦ <a href="#">J.O.S.A.</a> #Bloembergen's legacy1   <a href="#">J.O.</a>   <a href="#">O.M.</a>   <a href="#">O.M.</a>   <a href="#">J.O.</a>   <a href="#">L.P.R.</a></li> <li>◦ <a href="#">JOSA.A.</a>   <a href="#">O.E.</a> #tightly focus #<math>\bar{\epsilon}</math> anisotropy   <a href="#">Light.Sci.App.</a>   <a href="#">O.E.</a></li> </ul> </li> </ul> PPT <a href="#">1</a> <a href="#">2</a> <a href="#">3</a> ... 
<b>Real Scalar Nonlinear</b> Fourier Crystal Optics	<b>Closed-form</b> $E_3(\mathbf{r})$ in $\left[ \nabla^2 + k_3^2 \right] E_3(\mathbf{r}) = -k_{03}^2 \chi(\mathbf{r}) E_1(\mathbf{r}) E_2(\mathbf{r})$ 2022.02 – <ul style="list-style-type: none"> <li>• Solving this multivariable/field nonlinear convolution equation on my own</li> <li>• Strong alternative to Green's Function, pseudo-spectral, split-step Fourier methods</li> <li>• Reproduced well-known papers &amp; models with maximum accuracy &amp; efficiency: <ul style="list-style-type: none"> <li>◦ <a href="#">P.R.L.</a>. #Green   <a href="#">P.R.L.</a>. #experiment #quantum   <a href="#">P.R.L.</a>. #experiment #scatter   <a href="#">P.R.L.</a></li> <li>◦ <a href="#">L.P.R.</a> #SSF #quantum   Matlab #RCWA   <a href="#">A.P.L.</a> #femtosecond pump</li> <li>◦ <a href="#">O.L.</a>   <a href="#">P.R.A.</a></li> </ul> </li> </ul> PPT <a href="#">1</a> <a href="#">2</a> <a href="#">3</a> <a href="#">4</a> ... 

## Extracurricular Activities

• Member at Some Club <i>Detailed explanation of what you do at this club</i>	2017–Current
• Member at Some Club <i>Detailed explanation of what you do at this club</i>	2016–2017
• Volunteer at Some Event <i>Detailed explanation of what you do in this event</i>	Fall 2019
• Volunteer at Some Event <i>Detailed explanation of what you do in this event</i>	Winter 2015

## Skills

- **Skill Group:** List of technologies
- **Skill Group:** List of technologies
- **Skill Group:** List of technologies
- **Skill Group:** List of technologies

## Languages

- **Language:** language proficiency level
- **EXAM:** details
- **Language:** language proficiency level
- **Language:** language proficiency level