













EDUCATION

Nanjing University		College of Engineering and Applied Sciences		Nanjing, Jiangsu	
Doctor of Philosophy	Optical Engineering	Q.E. – Top 15%		Nonlinear Fourier Optics 	– 2025.06
Dissertation: “Analytic 3D vector linear non-uniform & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}$, $\bar{\chi}$ dielectrics” 					
Master's Studies	Quantum Electronics	Courses Score – 93.5		THz OAM Source 	– 2022.06
Northeastern University		School of Physics, College of Science		Shenyang, Liaoning	
Bachelor of Science	Applied Physics	GPA Rank – 1/400		DDTank Aimbots 	– 2020.06
Thesis: “Research & design of nonlinear holography based on lithium niobate 3D nonlinear photonic crystal”  					
Freshman in College	Science	Sichuan Prov. – Top 2%		3 e-books with C++ 	2016.09 –

PERSONAL PROJECTS

Behind NLAST	0 → 1 : Techniques crafted from scratch in my academic project : NLAST	2023.05 –
	<ul style="list-style-type: none"> Managed to realize <i>tree-print</i> feature in CMD lines without knowing <i>any tree-packages</i> <ul style="list-style-type: none"> in order to visualize run-time <i>Call Stack</i> with <i>buried checkpoints</i> & display <i>crucial info</i> to understand the <i>hierarchical structure</i> of my code from a more <i>abstract</i> perspective Enabled <i>multi-threads</i> to accelerate <i>for loops</i> in python while preserving the <i>loops'</i> order <ul style="list-style-type: none"> Implemented through utilizing the <i>producer-consumer model</i> (producer = thread pool) Allow users to select which parts of the codes in the <i>for loops</i> to <i>parallelize</i> in CPU Future model will move away from <i>python</i> as the primary language & shift to GPU <ul style="list-style-type: none"> Favoring GPU is driven by “<i>fields</i> in physics = <i>arrays/matrices</i> in math/programs” Haven't decided which to employ: CUDA, jax, webgl2, webGPU, mojo or bend? Developed a log file system to track & record the operating status for debugging <ul style="list-style-type: none"> to output script parameters (<i>**kwargs</i>) for rapid reproducibility of data in the future to store data files & folders, and their metadata for swift data import and reutilization Achieved automatic skipping of functions that return repeated values stored in memory <ul style="list-style-type: none"> via <i>@decorators</i>: let precomputation assess whether to execute the decorated function Wrap <i>matplotlib</i> into <i>plot_1d</i>(, <i>_2d</i>, <i>_3d</i>, <i>.gif</i> ...) for data visualization <ul style="list-style-type: none"> sped up by customized multithreading as well ... 	[repo]

DDTank Aimbots	Analytic solution $\mathbf{E}(\mathbf{r})$ to $\left[(\nabla \times)^2 - k_0^2 \bar{\epsilon} \right] \mathbf{E}(\mathbf{r}) = 0$ where $\epsilon_{ij} \in \mathbb{C}$	2023.02 –
	<ul style="list-style-type: none"> Drawing insights from PRS.A. #M.V.Berry's legacy A.O.P. A.P.B. J.QSRT. The next generation of this project will come really close to the exact solution logging system <ul style="list-style-type: none"> J.O.S.A. #Bloembergen's legacy1 J.O. O.M. O.M. J.O. L.P.R. JOSA.A. O.E. #tightly focus #$\bar{\epsilon}$ anisotropy Light.Sci.App. O.E. 	PPT <u>1</u> <u>2</u> <u>3</u> ... 

- Solving this multivariable/field nonlinear convolution equation on my own
- Strong alternative to Green's Function, pseudo-spectral, split-step Fourier methods
- Developed a log file system to record and output script runtime parameters**kwargs,
 - [P.R.L.](#) #Green | [P.R.L.](#) #experiment #quantum | [P.R.L.](#) #experiment #scatter | [P.R.L.](#)
 - [L.P.R.](#) #SSF #quantum | [Matlab](#) #RCWA | [A.P.L.](#) #femtosecond pump
 - [O.L.](#) | [P.R.A.](#)

PPT [1](#) [2](#) [3](#) [4](#) ...

SCIENTIFIC ACTIVITIES

- [0] **The 4th Nanjing University Doctoral Interdisciplinary Innovation Forum** **Nanjing, Jiangsu**
 “Analytic vector linear & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}, \bar{\chi}$ dielectrics” | Oral [PPT] 2024.05.29
- [-1] **2023 CSOE-NJU¹ Book Club Meeting & Sharing Session** **Nanjing, Jiangsu**
 “A guided tour to Ray & Wave Optics Simulation” | Oral [PPT] 2023.12.09
- [-2] **Academic Café Salon of the Research Group** **Nanjing, Jiangsu**
 “Bi-directional notes on Nonlinear Optics in a roam-like app: RoamEdit” | Oral [PDF] 2021.05.21

PUBLICATIONS

- [0] P. Chen, X. Xu, T. Wang, C. Zhou, D. Wei, J. Ma, J. Guo, X. Cui, X. Cheng, **C. Xie**, S. Zhang, S. Zhu, M. Xiao, and Y. Zhang, *Laser nanoprinting of 3D nonlinear holograms beyond 25000 pixels-per-inch for inter-wavelength-band information processing*, Nature Communications **14**, 5523 (2023)
- [-1] J. Guo, Y. Zhang, H. Ye, L. Wang, P. Chen, D. Mao, **C. Xie**, Z. Chen, X. Wu, M. Xiao, and Y. Zhang, *Spatially Structured-Mode Multiplexing Holography for High-Capacity Security Encryption*, ACS Photonics **10**, 757–763 (2023)

ACADEMIC FOCUS

- Next generation** high N.A. 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics 2024.06 –
- !Paraxial k_0^ω **High N.A.** 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics 2024.03 –
- Emphasizing G_{xyz}^ω **3D** vector non-uniform analytic linear & nonlinear Fourier crystal optics 2023.12 –
- Involving $\bar{\chi}_\omega^{(2)}$ anisotropy **Vector** non-uniform analytic linear & nonlinear Fourier crystal optics 2023.06 –
- !Unitary $G_\omega^\pm \Leftarrow$!Hermitian $\bar{\epsilon}_r^\omega \Rightarrow$ **Non-uniform** analytic linear & nonlinear Fourier crystal optics 2023.03 –
- Solution E_ω^\pm to $(\nabla^2 + k_{\omega\pm}^2)E_\omega^\pm \propto P_{\omega\pm}^{(2)}$ **Analytic** linear & nonlinear Fourier crystal optics 2022.09 –
- Solution $\mathcal{F}[E_3] = \mathcal{F}[f(\mathcal{F}^{-1}[\cdot])]$ to the Eq. below **Nonlinear** angular spectrum theory for SFG 2022.06 –
- Solution $\mathcal{F}[E_3] = \iiint \text{to } (\nabla^2 + k_3^2)E_3(\mathbf{r}) \propto P_3^{(2)}(\mathbf{r})$ **Nonlinear** convolution solution to SFG 2022.03 –
- Nonlinear THz LiNbO₃-based metasurface **Quit THz project formally** | COMSOL – 2022.01
- BWOPO + THz optical parametric amplification Mathematica | BookxNote Pro – 2021.12
- THz backward optical parametric oscillator (BWOPO) Mathematica | VBA Excel – 2021.11
- Multi-cycle THz orbital angular momentum (OAM) source RoamEdit | Blender – 2021.11

¹ The Nanjing University student branch of the Chinese Society for Optical Engineering

🌐 Narrow-band THz OAM source via Optical Rectification (OR)	Python Blender	– 2021.10
🌐 Electricity $\xrightarrow{\text{produce}}$ Acoustics $\xrightarrow{\text{modulate}}$ Optics	RoamEdit VBA Excel	– 2021.07
🌐 Visible Photons $\xrightarrow{\text{SPDC}}$ THz Spectroscopy	BookxNote Pro GeoGebra VBA Excel	– 2021.06
🌐 Cavity Phase Matching = Sheet OPO	Paint 3D RoamEdit GeoGebra VBA Excel	– 2021.05
🌐 THz Holography via Optical Rectification	Matlab GeoGebra VBA Excel	– 2021.01
🌐 Femtosecond laser $\xrightarrow{\text{Optical Rectification}}$ Terahertz (THz)	GeoGebra VBA Excel	– 2020.12
🌐 Multicycle THz pulse generation by OR in LiNbO ₃ ... crystals	VBA PowerPoinT	– 2020.10

HONORS & AWARDS

Academia	Doctor’s Qualification Exam (Oral)	Excellent	Top 15%	Nanjing	U.	2024.01
	Bachelor Thesis & Defense	Excellent	1/ 90	Northeastern	U.	2020.06
Competition	Three Provinces Achievement Expo	Exhibition	Leader	Three	Prov.	2019.10
	“Challenge Cup” Tech Competition	Grand prize	Leader	Liaoning	Prov.	2019.06
Scholarships & Fellowships	Academic Fellowship	1st class	¥40,000	Nanjing	U.	2020-24
	“Jinchuan” Scholarship	1st place	¥5,000	Northeastern	U.	2019.04
	Academic Scholarship	1st place	¥2,000	Northeastern	U.	2018.06
	Entrance Scholarship	3rd place	¥5,000	Leshan No.1 H.S.		2013.09
Honors & Titles	Graduation with Honor	Outstanding		Northeastern	U.	2020.07
	League Member	Excellent		Northeastern	U.	2019.11
	Undergraduate Student	Excellent		Northeastern	U.	2018.12
Memberships	Chinese Society for Optical Engineering	Member		Nanjing	U.	2021-25
	“Qian Sanqiang” Talent Class	Head		I.H.E.P.		2017-20


RESEARCH PROJECTS

3D Vector Nonlinear Fourier Crystal Optics	<div> <div>Solving</div> <div> $\left[(\nabla \times)^2 - k_0^2 \bar{\epsilon} \right] \mathbf{E}(\mathbf{r}) = k_0^2 \bar{\chi} : \mathcal{F}_\omega^{-1} \left[\tilde{\mathbf{E}}_p \tilde{\mathbf{E}}_p \right] (\mathbf{r})$ </div> <div>analytically</div> </div> <div> <div>2023.05 –</div> <div> <ul style="list-style-type: none"> • The first & fastest white box solver ever for this inhomogeneous wave equation <ul style="list-style-type: none"> ◦ or other similar equations, with unprecedented efficiency-accuracy product • No competitors for the time being: other methods or software including <ul style="list-style-type: none"> ◦ k-space RK4, pseudo-spectral, SSF, Green’s Function methods, FDTD, COMSOL... • Reproduced well-known papers, all of which provide either zero or wrong theory: <ul style="list-style-type: none"> ◦ Nat.Photo. #proven theoretically wrong by this project #femtosecond pump ◦ O.E. #Bloembergen’s legacy2 #experiment O.M.E. #z-component ◦ O.E. Q.E. #high N.A. #$\bar{\chi}$ anisotropy </div> <div>PPT 1 2 3 ... </div> </div>
---	---

Complex Vector Linear Fourier Crystal Optics

Analytic solution $E(\mathbf{r})$ to $\left[(\nabla \times)^2 - k_0^2 \bar{\epsilon} \cdot \right] E(\mathbf{r}) = 0$ where $\epsilon_{ij} \in \mathbb{C}$ 2023.02 –


- Drawing insights from [PRS.A.](#) #M.V.Berry's legacy | [A.O.P.](#) | [A.P.B.](#) | [J.QSRT.](#)
- The next generation of this project will come really close to the exact solution
- Reproduced well-known papers, some are purely experimental (too hard to model):
 - [J.O.S.A.](#) #Bloembergen's legacy1 | [J.O.](#) | [O.M.](#) | [O.M.](#) | [J.O.](#) | [L.P.R.](#)
 - [JOSA.A.](#) | [O.E.](#) #tightly focus # $\bar{\epsilon}$ anisotropy | [Light.Sci.App.](#) | [O.E.](#)

PPT [1](#) [2](#) [3](#) ... 

Real Scalar Nonlinear Fourier Crystal Optics

Closed-form $E_3(\mathbf{r})$ in $\left[\nabla^2 + k_3^2 \right] E_3(\mathbf{r}) = -k_{03}^2 \chi(\mathbf{r}) E_1(\mathbf{r}) E_2(\mathbf{r})$ 2022.02 –

- Solving this multivariable/field nonlinear convolution equation on my own
- Strong alternative to Green's Function, pseudo-spectral, split-step Fourier methods
- Reproduced well-known papers & models with maximum accuracy & efficiency:
 - [P.R.L.](#) #Green | [P.R.L.](#) #experiment #quantum | [P.R.L.](#) #experiment #scatter | [P.R.L.](#)
 - [L.P.R.](#) #SSF #quantum | Matlab #RCWA | [A.P.L.](#) #femtosecond pump
 - [O.L.](#) | [P.R.A.](#)

PPT [1](#) [2](#) [3](#) [4](#) ... 

EXTRACURRICULAR ACTIVITIES

- Member at Some Club 2017–Current
Detailed explanation of what you do at this club
- Member at Some Club 2016–2017
Detailed explanation of what you do at this club
- Volunteer at Some Event Fall 2019
Detailed explanation of what you do in this event
- Volunteer at Some Event Winter 2015
Detailed explanation of what you do in this event

SKILLS

- **Skill Group:** List of technologies
- **Skill Group:** List of technologies
- **Skill Group:** List of technologies
- **Skill Group:** List of technologies

LANGUAGES

- **Language:** language proficiency level
- **EXAM:** details
- **Language:** language proficiency level
- **Language:** language proficiency level