利用備份與投票技術實作雲端儲存之 即時行為違反證明技術

Implementing Real-time POV for Cloud Storage by Replication and Voting

Advicer: Gwan-Hwan Hwang Student: Wei-Chih Chien


NTNU CSIE CCLAB


2016.07

Outline


- Scenario
- 2 Introduction of Real-time POV
- A New Real-time POV
 - System Architecture
 - Flowchart
 - Download & Upload
 - Audit
- Experimental Results
 - Generate Merkle tree
 - Non POV
 - Same Network Segment
 - Not Same Network Segment
- Conclusion and Future Work

Scenario Law Office





Scenario (CON'T) What if...





Scenario (CON'T)

No Error!

No Evidence ...





Scenario (CON'T)

Cryptographic Proof









Lawyer Team

Obtaining Mutual Non-repudiation

Previous Work

Hwang, Gwan-Hwan, Wei-Sian Huang, and Jenn-Zjone Peng. "Real-time proof of violation for cloud storage." Cloud Computing Technology and Science (CloudCom), 2014 IEEE 6th International Conference on. IEEE, 2014.


POV - Proof of Violation

定義以下三個 Tuples:


- Properties
 - Data Integrity
 - Write Serializability
 - Read Freshness
- A cryptographic accountability protocol (CAP)
 - 在 User 和 Service Provider 之間交換的訊息加上簽章, 藉由此 Cryptographic Proof 讓雙方不可否認自己做過的事
- Auditing
 - 利用收集的 Cryptographic Proof 來證明是否違反 Properties

Real-time Proof of Violation for Cloud Storage

2014 IEEE 6th International Conference on Cloud Computing Technology and Science




Merkle Tree




Real-time Proof of Violation for Cloud Storage

2014 IEEE 6th International Conference on Cloud Computing Technology and Science




Worst-case

若有個 device 很久沒有使用 需要花很長的時間將 merkle tree 更新到最新 累積的 hash chain 越長,使用者等待的時間越久



System Architecture

Assumption: 同時有 k 個 server 回傳錯誤結果的機率 ≈ 0



Comparison


Pros

- ① Device 節省了儲存 Merkle tree 的空間
- ② Device 不需要計算新的 Roothash 將會節省時間
- ③ 每一次更新資料都會即時的備份
- 不會有之前的 Worst-case

Cons


- 需要傳送多份 Request, 處理多份 Response
- ② 需要使用較多的 Service Provider

Flowchart



Download & Upload

Request & Response




```
REQ = (OP, [OP]_{pri(D)})
OP = (TYPE, PATH, HASH, SN)
SN = Sequence Number
ACK = (RESULT, REQ, [RESULT, REQ]_{pri(S)})
RESULT = (roothash, filehash)
```


collect ACKs and voting

if Operation is UPLOAD

Servers Update Merkle tree



File Transmit



Audit

device request *OP_i*, 收到回傳的 *ACK_i* 發現 *Server_p* 的 ACK 有錯誤, 因此向 *Server_p* 稽核

> device 向 Server_p 索取 MT_{i-1} (MT_{i-1} 為執行 OP_i 之前的 Merkle tree)

1(2) 兩點有一個出錯就能證明 $Server_p$ 出錯

[證明 i 之前的動作都沒問題]

 $\widehat{\ \ \ }$ device 檢查 MT_{i-1} 的 roothash,應和 ACK_{i-1} 中紀錄的相同

[證明第 i 個動作沒問題]

② device 以 *OP_i* 中的 hash value 來更新 *MT_{i-1}*, 更新後的 roothash 應和 *Server_p* 現在的 roothash 相同

Outline

- Scenario
- Introduction of Real-time POV
- A New Real-time POV
 - System Architecture
 - Flowchart
 - Download & Upload
 - Audit
- Experimental Results
 - Generate Merkle tree
 - Non POV
 - Same Network Segment
 - Not Same Network Segment
- 5 Conclusion and Future Work

	Size	File	Director
Α	777 MB	48	6
В	145 MB	54198	188
C	5.95 GB	45089	1459

Table: GENERATE MERKLE TREE'S TIME (IN SEC.)

	Non Hashed	Pre Hashed	Merkle tree Size
Α	9.40653	0.00333	5.4 KB
В	55.14738	2.70313	5.08 MB
С	339.18192	0.3342	4.37 MB

Table: SERIALIZE & DESERIALIZE MERKLE TREE OBJECT'S TIME (IN SEC.)

	Serialize	Deserialize
A	0.04	0.009
В	0.756	0.299
C	0.67	0.295

Outline

- Scenario
- Introduction of Real-time POV
- A New Real-time POV
 - System Architecture
 - Flowchart
 - Download & Upload
 - Audit
- Experimental Results
 - Generate Merkle tree
 - Non POV
 - Same Network Segment
 - Not Same Network Segment
- 5 Conclusion and Future Work

Experimental Results Non POV

Table: The client device and SP are in the same network segment

	Upload (sec.)	Download (sec.)
<10 KB	0.010608	0.007845
<100 KB	0.014393	0.013691
<1 MB	0.090440	0.088570
<10 MB	0.367989	0.354916





Table: The client device and SP are not in the same network segment

	Upload (sec.)	Download (sec.)
<10 KB	0.069273	0.056629
<100 KB	0.121093	0.087351
<1 MB	0.343584	0.225566
<10 MB	1.675616	0.699524




Outline

- Scenario
- Introduction of Real-time POV
- A New Real-time POV
 - System Architecture
 - Flowchart
 - Download & Upload
 - Audit
- Experimental Results
 - Generate Merkle tree
 - Non POV
 - Same Network Segment
 - Not Same Network Segment
- 5 Conclusion and Future Work

The client device and SP are in the same network segment - My Method

Table: THE EXECUTION TIME OF UPLOAD OPERATIONS (IN SEC.) (Account C)


	3 Server	5 Server	7 Server	9 Server
<10 KB	0.046139	0.067923	0.101676	0.108696
<100 KB	0.070739	0.083563	0.112895	0.145049
<1 MB	0.153822	0.166289	0.200053	0.203870
<10 MB	0.430937	0.513879	0.684666	0.694259



The client device and SP are in the same network segment - My Method

Table: THE EXECUTION TIME OF DOWNLOAD OPERATIONS (IN SEC.) (Account C)


	3 Server	5 Server	7 Server	9 Server
<10 KB	0.042295	0.054263	0.064370	0.078872
<100 KB	0.053583	0.055442	0.083961	0.097507
<1 MB	0.146021	0.159869	0.195817	0.202213
<10 MB	0.392072	0.476251	0.622665	0.625499



The client device and SP are in the same network segment - 2014 Cloud Com

Table: THE EXECUTION TIME OF UPLOAD OPERATIONS (IN SEC.) (Account C)


	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	0.146783	0.184138	0.332988	0.409002	0.760821
<100 KB	0.194642	0.209044	0.341408	0.491967	0.932075
<1 MB	0.331595	0.385494	0.403481	0.537866	1.198097
<10 MB	0.501692	0.518835	0.576403	0.819893	1.242104




The client device and SP are in the same network segment - 2014 Cloud Com

Table: THE EXECUTION TIME OF DOWNLOAD OPERATIONS (IN SEC.) (Account C)


	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	0.121268	0.249803	0.331339	0.515956	1.675274
<100 KB	0.134563	0.258717	0.338794	0.564519	1.796222
<1 MB	0.279563	0.302230	0.440841	0.588905	1.994046
<10 MB	0.462677	0.539638	0.595140	1.171150	2.241951



The client device and SP are in the same network segment - UPLOAD operation



The client device and SP are in the same network segment - DOWNLOAD operation



The client device and SP are in the same network segment - UPLOAD Overhead

Table: My Method / Non POV (IN SEC.) (Account C)

3 Server	5 Server	7 Server	9 Server
4.349552	6.403042	9.584967	10.246768
4.914887	5.805870	7.843824	10.077857
1.700816	1.838656	2.211983	2.254196
1.171060	1.396453	1.860562	1.886630
	4.349552 4.914887 1.700816	4.349552 6.403042 4.914887 5.805870 1.700816 1.838656	4.349552 6.403042 9.584967 4.914887 5.805870 7.843824 1.700816 1.838656 2.211983

Table: 2014 Cloud Com / Non POV (IN SEC.) (Account C)

	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	13.837201	17.358624	31.390677	38.5566	71.7224
<100 KB	13.523544	14.524231	23.720780	34.1815	64.7598
<1 MB	3.666447	4.262410	4.461293	5.9472	13.2474
<10 MB	1.363336	1.409920	1.566359	2.2280	3.3754

Avg: 3.97 times, Max: 6.99 times

The client device and SP are in the same network segment - DOWNLOAD Overhead

Table: My Method / Non POV (IN SEC.) (Account C)

	3 Server	5 Server	7 Server	9 Server
<10 KB	5.391663	6.917309	8.205786	10.054378
<100 KB	3.913722	4.049482	6.132484	7.121880
<1 MB	1.648657	1.805003	2.210875	2.283095
<10 MB	1.104689	1.341869	1.754401	1.762387

Table: 2014 Cloud Com / Non POV (IN SEC.) (Account C)

	sync 2	sync 10	sync 50	sync 250	sync 1250
<10 KB	15.459033	31.844389	42.238325	119.489570	532.253193
<100 KB	9.828453	18.896670	24.745459	70.345135	307.573438
<1 MB	3.156419	3.412343	4.977329	13.265056	48.482022
<10 MB	1.303623	1.520467	1.676847	3.514280	12.286111

Avg: 7.91 times, Max: 21.24 times


Outline

- Scenario
- Introduction of Real-time POV
- A New Real-time POV
 - System Architecture
 - Flowchart
 - Download & Upload
 - Audit
- Experimental Results
 - Generate Merkle tree
 - Non POV
 - Same Network Segment
 - Not Same Network Segment
- 5 Conclusion and Future Work

The client device and SP are not in the same network segment - My Method

Table: THE EXECUTION TIME OF UPLOAD OPERATIONS (IN SEC.) (Account C)


	3 Server	5 Server	7 Server	9 Server
<10 KB	0.217563	0.331341	0.466655	0.570460
<100 KB	0.245769	0.410174	0.479227	0.660178
<1 MB	0.433338	0.594532	0.640597	0.786688
<10 MB	1.636473	1.972134	2.011500	2.163858



The client device and SP are not in the same network segment - My Method

Table: THE EXECUTION TIME OF DOWNLOAD OPERATIONS (IN SEC.) (Account C)


	3 Server	5 Server	7 Server	9 Server
<10 KB	0.263332	0.358435	0.490343	0.556110
<100 KB	0.270404	0.396497	0.567059	0.597088
<1 MB	0.382264	0.590987	0.694622	0.846141
<10 MB	0.823476	1.086515	1.208293	1.278169



The client device and SP are not in the same network segment - 2014 Cloud Com

Table: THE EXECUTION TIME OF UPLOAD OPERATIONS (IN SEC.) (Account C)


	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	0.362766	0.411929	0.486570	0.500776	1.227709
<100 KB	0.377788	0.416367	0.508769	0.563544	1.375298
<1 MB	0.556890	0.619318	0.698361	0.812837	1.630702
<10 MB	1.525459	1.882746	1.929606	1.962343	2.753549




The client device and SP are not in the same network segment - 2014 Cloud Com

Table: THE EXECUTION TIME OF DOWNLOAD OPERATIONS (IN SEC.) (Account C)


	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	0.388520	0.374224	0.524074	0.646150	2.269309
<100 KB	0.427226	0.440348	0.584122	0.735439	2.302957
<1 MB	0.574539	0.687956	0.772134	0.914938	2.519163
<10 MB	0.933868	1.024385	1.145598	1.414567	2.884841



The client device and SP are not in the same network segment - UPLOAD operation



The client device and SP are not in the same network segment - DOWNLOAD operation



The client device and SP are not in the same network segment - UPLOAD Overhead

Table: My Method / Non POV (IN SEC.) (Account C)

	3 Server	5 Server	7 Server	9 Server
<10 KB	3.140669	4.783127	6.736478	8.234973
<100 KB	(B 2.029588	3.387261	3.957507	5.451819
<1 MB	1.261228	1.730382	1.864455	2.289650
<10 MB	B 1.189629	1.433637	1.462254	1.573011
<10 MB	B 1.189629	1.433637	1.462254	1.573

Table: 2014 Cloud Com / Non POV (IN SEC.) (Account C)

	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	5.236767	5.946479	7.023971	7.2290	17.7228
<100 KB	3.119815	3.438406	4.201470	4.6538	11.3574
<1 MB	1.620825	1.802520	2.032574	2.3658	4.7461
<10 MB	1.108928	1.368657	1.402722	1.4265	2.0017

Avg: 1.42 times, Max: 2.15 times

The client device and SP are not in the same network segment - DOWNLOAD Overhead

Table: My Method / Non POV (IN SEC.) (Account C)

3 Server	5 Server	7 Server	9 Server
4.650108	6.329503	8.658827	9.820191
3.095611	4.539142	6.491742	6.835527
1.694689	2.620022	3.079470	3.751199
1.177195	1.553220	1.727308	1.827199
	4.650108 3.095611 1.694689	4.650108 6.329503 3.095611 4.539142 1.694689 2.620022	4.650108 6.329503 8.658827 3.095611 4.539142 6.491742 1.694689 2.620022 3.079470

Table: 2014 Cloud Com / Non POV (IN SEC.) (Account C)

	sync 2	sync 10	sync 50	sync 100	sync 500
<10 KB	6.860769	6.608313	9.254478	11.4102	40.0731
<100 KB	4.890921	5.041151	6.687090	8.4194	26.3645
<1 MB	2.547104	3.049914	3.423100	4.0562	11.1682
<10 MB	1.335005	1.464403	1.637682	2.0222	4.1240

Avg: 1.88 times, Max: 4.08 times

Conclusion

我們提出了一個應用於雲端儲存的 Real-time POV 技術,利用投票的方式快速檢查 Data Integrity,也即時的將資料備份到多個 Server 上

實驗結果顯示,相較於之前的 Real-time POV 技術,平均能夠節省 8 倍的時間,Worst-case 時更能夠節省超過 20 倍的時間。

雲端儲存系統可以使用本論文提出的方法,提供雙方不可否認的保證於他們的服務層級協議 (SLA) 中

Future Work

- 我們希望能將 FBH 樹套用到本論文的方法中,藉由實驗觀察能否增快 Merkle tree 在更新檔案時的速度。
- ② 在本論文中使用同步伺服器來維護 Write Serializability,若有新的演算法能夠不需依賴同步伺服器又能維護 Write Serializability,將能讓我們的架構更加彈性且使用更少的硬體。

Thanks for Your Listening

