








CIVITAS indicators

Electric freight vehicle use for B2B deliveries (TRA_FR_ADB2)

DOMAIN

| | | | | |
|--|---|--|--|---|
|  <p>Transport</p> |  <p>Environment</p> |  <p>Energy</p> |  <p>Society</p> |  <p>Economy</p> |
|--|---|--|--|---|

TOPIC

Freight

IMPACT

Alternative urban freight transport

Increasing the use of electric freight vehicles for B2B deliveries

TRA_FR

Category

| | | |
|---------------|-------------------------|------------------------|
| Key indicator | Supplementary indicator | State indicator |
|---------------|-------------------------|------------------------|

CONTEXT AND RELEVANCE

Motorised freight transport refers to the movement of goods using motor vehicles such as trucks and vans. This mode of transport is widely used to deliver goods to businesses in urban areas, but it contributes significantly to energy consumption, emissions, noise, and space occupancy. These factors negatively impact environmental sustainability and quality of life in cities.

Alternative freight solutions, such as cargo bikes, electric freight vehicles, and the use of public transport for goods movement, can help reduce the reliance on conventional motorized freight transport. These alternatives contribute to lower emissions, reduced noise pollution, and improved space efficiency in urban areas.

This indicator provides a measure of the number of electric freight vehicles used for B2B deliveries in the experiment area. **It is a relevant indicator when the policy action aims to increase alternatives to motorized road freight vehicles for transporting urban goods. A successful action is reflected in a HIGHER value of the indicator.**


DESCRIPTION

The indicator is the ratio between the **number of electric freight vehicles used for B2B deliveries in the experiment area** and the number of inhabitants.

The unit of measurement of the indicator is **electric freight vehicles per inhabitant**.

METHOD OF CALCULATION AND INPUTS

The indicator should be computed exogenously, by applying the method described and then coded in the supporting tool.

| Method 1 | |
|--|--|
| Estimation based on direct observation | Significance: 0.15  |
| <p>The following information is needed to compute the indicator:</p> <ul style="list-style-type: none">a) The number of electric freight vehicles used by logistics providers for B2B deliveries in the experiment areab) The number of inhabitants in the experiment area. <p>The experiment would result in a modification of the number of electric freight vehicles used for B2B deliveries.</p> | |
| METHOD OF CALCULATION | |

The indicator should be computed **exogenously** according to the following steps:

- **Retrieval of the number of electric freight vehicles used for B2B deliveries in the experiment area.** If in the 'before' scenario no electric freight vehicles are used for B2B deliveries in the experiment area, this value equals zero.
- **Retrieval of the number of inhabitants within the experiment area.** This value can be obtained from census data.
- **Estimation of the index** by computing the ratio between the number of electric freight vehicles calculated in the first step and the number of inhabitants obtained in the second step.

EQUATIONS

The equation computing the index (last step of the method of calculation) is the following:

$$AltB2BFreightIndex = \frac{FreightEV}{Pop}$$

Where:

FreightEV = Number of electric freight vehicles used for B2B deliveries in the experiment area

Pop = Population in the experiment area

ALTERNATIVE INDICATORS

This indicator is a measure of the number of electric vehicles used for B2B deliveries in the experiment area. Other indicators to assess the availability of alternative B2B urban freight distribution modes are TRA_FR_ADB1 and TRA_FR_ADB3. **TRA_FR_ADB1** assesses the use of cargo-bikes, while **TRA_FR_ADB3** measures the number of public transport vehicles used to transport goods in the experiment area. The choice of indicator depends on the scope of the experiment to evaluate.

If the experiment targets B2C deliveries, the relevant indicators are **TRA_FR_ADC1**, **TRA_FR_ADC2**, **TRA_FR_ADC3**, **TRA_FR_ADC4** and **TRA_FR_ADC5**.