Relational Algebra Exercises - Week 3

Schema

Note: "breadth" is a boolean indicating whether or not a course satisfies the breadth requirement for degrees in the Faculty of Arts and Science.

Student(<u>sID</u>, surName, firstName, campus, email, cgpa)

Course(<u>dept, cNum</u>, name, breadth)

Offering(<u>oID</u>, dept, cNum, term, instructor)

Took(<u>sID, oID</u>, grade)

Offering[dept, cNum] $\subseteq$ Course[dept, cNum]

Took[sID] $\subseteq$ Student[sID]

Took[oID] $\subseteq$ Offering[oID]

Queries

Write a query for each of the following:

1. Student number of all students who have taken csc343.

2. Student number of all students who have taken csc343 and earned an A+ in it.

3. The names of all such students.

4. The names of all students who have passed a breadth course with Professor Picky.

5. sID of all students who have earned some grade over 80 and some grade below 50.

6. Terms when Cook and Pitassi were both teaching something.

7. Terms when either of them was teaching csc463.

8. sID of students who have earned a grade of 85 or more, or who have passed a course taught by Atwood.

9. Terms when csc369 was not offered.

10. Department and course number of courses that have never been offered.

11. SIDs and surnames of all pairs of students who've taken a course together.

12. sID of student(s) with the highest grade in csc343, in term 20099.

13. sID of students who have a grade of 100 at least twice.

14. sID of students who have a grade of 100 exactly twice.

15. sID of students who have a grade of 100 at most twice.

16. Department and cNum of all courses that have been taught in every term when csc448 was taught.

Integrity Constraints

Use the notation
      <relational algebra expression> = ∅
to write an integrity constraint for each of the following.

1. Courses at the 400-level cannot count for breadth.

2. CSC490 can only be offered at the same time as CSC454.