


ENGLISH

Type	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10
SS	The horse	that	e kicked	the wolf	on Tuesday	that	e patted	the lion	just now	went home.
OS	The horse	that	the wolf	kicked e	on Tuesday	that	e patted	the lion	just now	went home.
SO	The horse	that	e kicked	the wolf	on Tuesday	that	the lion	patted e	just now	went home.
OO	The horse	that	the wolf	kicked e	on Tuesday	that	the lion	patted e	just now	went home.



- All stats are done with lmer4.0 package in R.  
Model:  $m\_RegionX = \text{lmer}(\log\_RX \sim \log\_R4 * RC1fac * RC2fac + (1 * \log\_R4 * dprimeT | Participant) + (1 * \log\_R4 * dprimeT | Item), \text{dataset})$
- In RC 1, there is a robust **SRC advantage**.
- In RC 2: (notation: \*>> means significantly faster; \*<< means significantly slower)


	Main Effects		Interactions		Rank main effects	Parallelism as a factor
Region 7	RC1S	t = 2.228, p < .05			OS, OO *>> SO, SS	Not sig.
Region 8	RC2S	t = 4.831, p < .001	RC1S:RC2S t = -2.048, p < .05	OO=SO?>>SS?>>OS	SO, OO *>> OS, SS	t = -2.048, p < .05
Region 9	RC2S	t = -4.489, p < .001	RC1S:RC2S t = -2.143, p < .05	SS=OS?>>OO?>>SO	SO, OO *<< OS, SS	t = -2.143, p < .05
Region 10	RC1S	T = 2.164, p < .05			OS, OO *>> SO, SS	Not sig.

- Detailed comparisons:

Regions	Rankings	Significance	Possible explanations
R7	<b>OS</b> *>> SS	Not sig. (Since RC2S is not sig. as a main effect)	Processing O in RC1 was longer, which encoded the structure better, so the S after O (OS) is processed significantly faster than the S after S (SS).
	OO, SO		
R8	OS *<< <b>SS</b>	*	Parallelism. R8 is the region to show effects due to spillover for S as RC2.
	OO, SO		
R9	OS, SS	*	Parallelism. R9 is the region to show effects due to spillover for O as RC2.
	<b>OO</b> *>> SO		
R10	OS, SS	Not sig. (Since RC2S is not sig. as a main fr)	
	OO, SO		

# CHINESE

Type	R1	R2	R3	R4	R5	R6	R7	R8	R9	R10	R11	R12
SS	Dem	on Tuesday	<i>e</i> kicked	the wolf	many times	de	just now	<i>e</i> patted	the lion	de	horse	went home.
SO	Dem	on Tuesday	<i>e</i> kicked	the wolf	many times	de	just now	the lion	patted <i>e</i>	de	horse	went home.
OS	Dem	on Tuesday	the wolf	<i>e</i> kicked	many times	de	just now	<i>e</i> patted	the lion	de	horse	went home.
OO	Dem	on Tuesday	the wolf	<i>e</i> kicked	many times	de	just now	the lion	patted <i>e</i>	de	horse	went home.



- Same stats as the English dataset.
- In RC 1, there is a robust **ORC advantage**. This is to the opposite of English.
- In RC 2: (notation: \*>> means significantly faster; \*<< means significantly slower)

	Main Effects		Interactions		Rank main effects	Parallelism as a factor
Region 3	RC1S	t = 3.607, p < .001			S * >> O	
Region 4	RC1S	t = -8.961, p < .001			O * >> S	
Region 5	RC1S	t = -2.863, p < .01			O * >> S	
Region 7	RC1S	t = 2.289, p < .05			SS, SO * >> OS, OO	
Region 8	RC1S	t = 2.557, p < .05			SS, SO * >> OS, OO	
	RC2S	t = 7.876, p < .001			SS, OS * >> SO, OO	
Region 9	RC2S	t = -4.397, p < .001	RC1S:RC2S t = -4.103, p < .001	OO ? >> SO = SS ? >> OS	SS, OS * << SO, OO	t = -4.103, p < .001
Region 10	RC2S	t = 3.134, p < .01			SS, OS * >> SO, OO	
Region 11	Almost RC2S	t = -1.856, p = 0.0675	RC1S:RC2S t = -5.121, p < .001	SS ? >> OO ? >> OS ? >> SO	SS, OS * << SO, OO	t = -5.121, p < .001
Region 12	RC2S	t = 2.836, p < .01	RC1S:RC2S t = -2.361, p < .05	SS ? >> OO = OS ? >> SO	SS, OS * >> SO, OO	t = -2.361, p < .05

➤ Detailed comparisons:

Regions	Rankings	Significance	Possible explanations
R7	OS, SS	Not sig.	t = -1.1971, p < .05
	OO * << <b>SO</b>		
R8	OS * << <b>SS</b>	*	1. Processing S in RC1 was longer, which encoded the structure better, so the S after S (SS) is processed significantly faster than the S after O (OS). 2. Parallelism
	OO, SO		
R9	OS * << <b>SS</b>	*	Parallelism is stronger than structure encoding.
	<b>OO</b> * >> SO		
R10	OS * << <b>SS</b>	*	
	OO, SO		
R11	OS * << <b>SS</b>	Almost *	Parallelism
	OO, SO		
R12	OS * << <b>SS</b>	*	Parallelism
	OO, SO		