Q) 2100030414

```
using System;
using System. Drawing;
using System.Windows.Forms;
namespace ShapeAndFontPreview
{
 public partial class MainForm: Form
 {
   public MainForm()
   {
     InitializeComponent();
     // Populate the ComboBox with shape options
     comboBoxShapes.Items.AddRange(new string[] { "Circle", "Ellipse",
"Triangle" });
     // Populate the ListBox with font names
     foreach (FontFamily fontFamily in FontFamily.Families)
     {
       listBoxFonts.Items.Add(fontFamily.Name);
     }
   }
```

```
private void comboBoxShapes_SelectedIndexChanged(object sender,
EventArgs e)
   {
     // Change the shape of the form based on user selection in the ComboBox
     string selectedShape = comboBoxShapes.SelectedItem.ToString();
     switch (selectedShape)
     {
       case "Circle":
         this.Width = this.Height = 300;
         this.Region = new Region(new Ellipse(0, 0, this.Width, this.Height));
         break;
       case "Ellipse":
         this.Width = 300;
         this.Height = 200;
         this.Region = new Region(new Rectangle(0, 0, this.Width, this.Height));
         break;
       case "Triangle":
         Point[] points = { new Point(150, 20), new Point(20, 280), new Point(280,
280) };
         this.Region = new Region(new GraphicsPath());
((GraphicsPath)this.Region.GetRegionData().Clone()).AddPolygon(points);
         break;
     }
   }
   private void listBoxFonts_SelectedIndexChanged(object sender, EventArgs e)
     // Display font preview in a label when font is selected in the ListBox
```

```
string selectedFont = listBoxFonts.SelectedItem.ToString();
    labelFontPreview.Font = new Font(selectedFont, 12);
    labelFontPreview.Text = "Preview Text";
}
}
```

Output:

