



Exor Corporation Limited



Document Manager User Guide v4.4



***The Global Leader in
Infrastructure Asset Management***



This page intentionally blank

Quality Assurance Statement

Document Details	
File: Document Manager User v4.4.doc	Prepared by: T.C. Stewart & Ian Skinner
Manual Name: Document Manager User Guide	Reviewed by: Ian Skinner
Version: 3	Approved for issue by: T.C. Stewart
Date of Issue: May 2011	Product Manager: T.C. Stewart
File Name: Document Centre/Exor/Product Manuals/4.4.0.0 Product Manuals/4.4.0.0 completed documentation/Document Manager User v4.4.docx	

Document Version Control				
Revision	Date	By	Chapter / Page	Description
2	Nov 2010	IS	All	Updated for 4.3 release
3	May 2011	IS	None	No changes for 4.4

CONTENTS

Quality Assurance Statement	1
Document Associations - DOC0120	4
Document Associations	5
Document Additional Details	6
Create from Template Button	6
Create from New Button	7
Edit File Button	8
Document Details	9
Create association via Keyword Search	10
Displaying Documents	11
Displaying Documents via a URL	11
Displaying Documents via a Client Viewer	12
General Information	14
Prerequisites	14
Creating a Word Template	15
Creating a MS Word Template	16
Defining a new template	17
Example Templates - Enquiry Manager	18
Example Templates - Works Order	20
Integer Value for WO Line	23
Maintain Templates - DOC0120	25
Template Columns	27
Resequence	28
Copy Template	28
Check Template SQL	29
Template Users - DOC0202	31
Template Type	31
Templates	32
Exor Functions	33
Exor Functions available for use with 'DOCS' (Public Enquiry)Templates	33
Exor Functions available for use with 'WORK ORDERS' Templates	34

CHAPTER

1

Using Document Manager Interface

This chapter describes how to use the document management interface from within an **Exor** form.

Many of the forms within **Exor** have access to the Document Manager interface which allows the user to associate documents with any information in the database. Once defined, documents may be associated with multiple database objects. The following option is available and should only be called from within a **Exor** form.

- Document Associations - DOC0120

The form description provides you with detailed information about the Document Manager form in **Exor**, including:

- an overall description of the form.
- a detailed explanation of each field, including available features (such as List of Values), default values and other characteristics.
- Helpful information for using the form.

Figure 1 Document Associations

[illegible]

This form may be called from within any form that has access to **Document Manager** by pressing the **[Document]** button on the Exor toolbar. It is used to associate new documents or images etc. with the current object or to display or manipulate already associated documents.



If the current database object does not have any documents associated with it the **[Document]** button on the menu toolbar will have a diagonal line through it. If it has documents associated with it the button will have a tick mark overlaid on the button.

Document associations may be made with the selected record by either predefining the document using the **Documents - DOC0100** form, or by using the **[Create from New]** button on the Document Associations window. This allows you to associate a file with an object and automatically creates the Document record in **Documents - DOC0100**.

Document Associations

When you enter this window any previously associated documents will be displayed. To associate a new document press **[Create Record]** or press **[F6]**.

To associate a Predefined Document enter the following details:

Type	(Required)	(List)
------	------------	--------

Enter the document type. These will have been previously set up using **Document Types /Classes - DOC0110** (see Document Manager System Admin Guide).

Doc Id	(Required)	(List)
--------	------------	--------

Enter the document id that is to be associated with the selected record. The document type selected in the previous field will determine the List of Values. These will have been previously set up using **Documents - DOC0100** (see Document Manager System Admin Guide).

Reference	(Display Only)
-----------	----------------

The document Reference No. will be displayed.

Title	(Display Only)
-------	----------------

The document Title will be displayed.

Category	(Optional)	(List)
----------	------------	--------

Enter the category of the document. These will have been previously setup and can be added to using **Domains – HIG 9120** and updating the DOC_CATEGORIES option

If the [Edit File] button has been selected the following fields will be populated:

Locked By	(Display Only)
-----------	----------------

The user id that is editing the document will be displayed.

Date Locked	(Display Only)
-------------	----------------

The date the document was locked will be displayed

Terminal	(Display Only)
----------	----------------

The terminal or server id of the user that locked the record will be displayed.

Figure 2
Additional Details

Date Assoc.	02-NOV-2010 14:14:05	Expiry Date	
Media	IMAGES	All Highways Related Photos	
Location	IMAGES	Database Server	D:\databases\WOLVSEV\reports\
File Name	256094_casterbridge.jpg		
Description	Document automatically created by new file association		

Display / Open

Document Additional Details

The following additional details for the currently selected document will be displayed:

- Date Associated
- Expiry Date
- Media Type with associated description
- Location type with associated description and location
- File name
- File Description

The [Display / Open] button will display the document or open it with the appropriate tool for the selected document.

Figure 3
Create from Template

Select Template - DOC0200 - DORSET@wolvse

Template
ESTIMATE_STRUCT_WORK_ORDER

Filename
DOC_256112

Document Title
Estimate Structural Works Order Template - BENTLEY.

OK Cancel

Create from Template Button

The [**Create from Template**] button will display the dialogue window above allowing the user to select a template for use with the data in the associated module.

The content of the picklist is context sensitive and will only display those templates that are appropriate for the module the user is using when **Document Associations - DOC0120** was called.

When the [OK] button is selected the template will be displayed and the fields will be populated.

The file created will be generated on the Application Server and transferred to the Document Location.

If the 'Print Immediate' checkbox was ticked in **Template Users - DOC0202** the document will be printed directly to the default printer for that Client PC. If it was not ticked, Exor will load MS-Word and open the document. This allows the user to modify the document and printer properties.

Figure 4

Associate to New Document

Location: PHOTOGRAPHS
Media: JPEO_IMAGES
File name:
Doc Type:
Title:

Save and Exit Cancel

Choose file for upload to server

Look In: Pictures

Name	Date modified	Type
IMAG0097.jpg	1 MB	27/07/10 20:47
IMAG0096.jpg	1 MB	27/07/10 20:47
IMAG0095.jpg	1 MB	27/07/10 20:07
IMAG0094.jpg	1 MB	27/07/10 20:01

Associate to New Document

Create from New Button

The **[Create from New]** button on the Document Associations window allows users to associate a document that has **not** yet been defined in **Documents - DOC0100**. This is a very quick and easy method of associating documents with database objects as a 'Find File' facility is also available, enabling users to browse their system to locate the required document.

To associate a New Document using the **[Create from New]** button enter the following details:

Location	(Required)	(List)
Enter the operating system location name of the document file. This will have been previously set up using Media Types - DOC0118 (see Document Manager System Admin Guide).		

Media	(Required, Default)	(List)
Enter the format that the file exists in on the system. The default is the media type set up using Media Types - DOC0118 (see Document Manager System Admin Guide), but this value may be changed if required.		

Filename	(Required)	(List)
The user has to choose the required Document Location and Media Type before selecting the filename. The file picker is filtered using the Extension data from the Media Type. The file will be uploaded with a progress bar displaying the status.		

Note that you should include the DOS extension if the filename includes one.

Doc Type	(Required)	(List)
Select an appropriate document type for the selected document.		

Title	(Required)
Enter a title for the selected document.	


Edit File Button

The **[Edit File]** button allows users to 'lock' a file for editing. The button text will change to **[Unlock File]** while the file is being edited. This is only appropriate when using a Database Table Document Location.

To lock a file, you select the **[Edit File]** button, this will download a copy of the file onto your PC. The document is then 'soft locked' and prevents other edits from the application. However, other users are still allowed to Display the file.

Once the file has been locked the display in Associated Documents – DOC0120 is changed as follows:

Figure 5
Lock File




The screenshot shows a window titled 'Associated Documents - DOC v4.3.0.0'. It contains a table with the following data:

Template	Type	Doc Id	Reference	Category	Locked By	Date Locked	Terminal
<input type="checkbox"/>	CLAM	300617	300617_IMAG0093.jpg		WORCS	28-OCT-2010 14:28:43	EDWA0498WAR
<input type="checkbox"/>	CLAM	300616	300616_Jupiter.jpg				

The file can then be edited and uploaded back with **[Update File]**, this will upload the file from your Work folder back into the Oracle Table, keeping it locked for further edit.

Or the lock can be released with the **[Unlock File]** button which will return the document to the Oracle Table.

Figure 6
Document Details



Type	Picture
Document Id	19
Reference	FOYLE BRIDGE 001
Title	foyle001
Description	Photo of foyle bridge
Recorded By	
Date Issued	24-AUG-1999
Issue Number	
Date Expires	
File Name	FOYLE_BRIDGE.BMP
Location	STRUCTURES
Media	SCANNED PHOTOS
Class	
Category	

Document Details

To view more details of a document you can press the **[EXPAND]** button.

1. Use the **[UP]** and **[DOWN]** arrows to move the cursor to the required document.
2. Press the **[EXPAND]** button or press **[SHIFT] + [F3]**.

The following information will be displayed for the document:

- Type
- Document ID
- Reference
- Title
- Description
- Recorded By
- Date Issued
- Issue Number
- Date expires
- File Name
- Location
- Media
- Class
- Category

Figure 7
Document
Association:
Keyword Search

Document Reference	Title	Keyword/Synonym
BMP_001	test bitmap image 1	PHOTO
MH001	Men hole 001	PHOTO
FOYLE BRIDGE 001	foyle001	PHOTO

Create association via Keyword Search

This form is used to search for documents by looking for the keyword that was associated with the document using Documents Keywords function in **Documents - DOC0100** (see Document Manager System Admin Guide).

Keyword (Required) (List)

Enter the keyword you wish to search for.

To view list of documents the search has queried back click in the document window. The cursor sits in the Document Reference field. To associate a document with the currently selected object do the following:

1. Use the [UP] and [DOWN] arrows to move the cursor to the required document.
2. Press the [SELECT RECORD] Button

This will associate the chosen document the currently selected object and close the Keyword Search window. Before closing the Document Association window you must [SAVE] the changes to the database.


Displaying Documents

When a document is displayed, there are two methods of doing so. These methods are constant across both **Documents - DOC0100** and **Document Associations - DOC0120** modules.

Displaying Documents via a URL

When a Document Location has a URL defined, the document will be opened via a URL in the internet browser. An example of this is shown below: Depending on how your browser is configured to accept new links, it will open in a new window or a new tab. This will require navigating to.

Figure 8
Display
Via a URL




Displaying Documents via a Client Viewer

When displaying a document from a Document Location without a URL set, the application will download a copy of the file to your work folder, and display it on the client PC in its native application. So, for example, if your PC is configured to open JPGs in a specified Viewer, it will use that application. An example of this is shown below:

This is configurable from your Windows Control Panel.

Figure 9
Display via
Client Viewer



CHAPTER

2

Templates

Figure 10
Templates Menu



This chapter describes the forms that are used for creating and managing templates and associating them with objects (Works Orders, Public Enquiries etc.) held within the **Exor** database. They are the following forms:

- Maintain Templates - DOC0201
- Templates Users - DOC0202
- Document Associations - DOC0120

This chapter also describes how to create a Template using Microsoft Word.

The form description provides you with detailed information about the Document Manager forms in **Exor**, including:

- an overall description of the form.
- a detailed explanation of each field, including available features (such as List of Values), default values and other characteristics.
- Helpful information for using the form.


General Information

Document Manager enables users to create and define their own report templates, using Microsoft Word. These templates can be used to print data relating to any object in the **Exor** database in a user-defined format. The resulting Word document is automatically linked, as a new document, to the database object for future reference. This facility also allows the user to define a number of different templates against the same database object to cater for varying report styles and operational outputs. Typical uses are the production of standard responses to letters of complaint or enquiry from the public and the production of user-defined works order forms.

A set of sample templates is supplied with Exor, and can be found in the exor\cor\template directory.

Prerequisites

The flow diagram below indicates the information that needs to be set up prior to printing your report templates.



Creating a Word Template

A template is a file containing the information that gives a document its design. It can contain many elements, such as text, pictures, formatting and styles. Every Word document has a template attached to it. When a Word document is created it inherits all the components of the template.

Before creating your new template document you should design the template on paper and determine which 'exor data fields' you want to include on your template. To view a data field's name (this will be needed to relate the template bookmark with the associated exor data field follow this procedure:

1. Navigate to the required form e.g. Public Enquiries.
2. Press the [**Enter Query**] button on the toolbar or press [**F6**]. This will allow you to access more of the form fields.
3. Click in the required form field.
4. Press [**F1**]. The field name will be displayed on the Status Line e.g. DOC_COMPL_NAME.

Some of the information you require to be displayed on your template may not be held in the database table that you have selected to link to your MS Word template using **Maintain Templates - DOC0201**. For example, if you are creating a template for use with **public enquiry manager**, you will select the table DOCS, as this is where the data is stored. If however you wanted to display the full name of the person responsible for a public enquiry, this would not be possible using exor data field names as only the person's User Id code is stored in the DOCS table.

To allow 'lookups' to other tables *exor functions* can be utilized to 'bring in' data from other tables. The above example would use the following function:


COMPLAINTUSER(DOC_COMPL_USER_ID)

Where 'COMPLAINTUSER' is the function name and DOC_COMPL_USER_ID is the lookup parameter.

A full list of exor functions currently available can be found on page 34.

Once you have designed your template you can start to define it in Microsoft Word.

Figure 11
Create a new
template in MS-
Word



Creating a MS Word Template

A Microsoft Word 'template' is a special type of Word document, identified by the filename extension '.dot' rather than '.doc'. It looks like a standard Word document but it contains embedded 'fields' that allow data from an external source (in this case, the **Exor** database) to be dropped in to the document.

- Within Microsoft Word, design your template using a combination of standard text, drawing and table elements. There are several points to bear in mind when creating templates in Word.
- It is suggested that Microsoft Word version 7.0 or higher should be used as earlier versions appear to manage fields in a different manner.
- When drawing boxes in Microsoft Word, do not use the Frames tool. Instead use the drawing tools available on the Drawing Toolbar. This can be found under the 'View' 'Toolbars' menu.
- Remember to leave sufficient room for the data that will be 'dropped in' to your template from the **Exor** system.
- Remember that if you have more than one field on a line, the exor data will cause the text, which follows it on the line to be shifted along accordingly. It is suggested that the Table Tool be used if this is the case, as text will 'wrap' within a cell and not cause any subsequent text to be shifted. Take this into consideration when designing your templates.

Defining a new template

To define a new MS-Word template carry out the following steps:


1. Start Microsoft Word
2. Select the **File** menu.
3. Select the **New** command. Ensure that the 'Blank Document' icon is selected.
4. Under **Create New**, select the **Template** option
5. Select **OK**.

This will create a new blank template ready for you to enter the required text and data fields. Before beginning to define your template, ensure that the 'Forms' toolbar is visible (Figure 12). This can be accessed through the **'View' → Toolbars → Forms'** menu.

Figure 12
Forms Toolbar



Entering text in a template is the same as entering text in a document. You can use styles, formatting, drawing tools, etc. to achieve the look you require for your template. Company Logo's etc may also be added in the 'header' or 'footer' to give your template and resulting documents a corporate appearance. When you want to insert an exor data field into your Word Template carry out the following steps:

1. Ensure the cursor is at the start of the space into which you want to insert your exor data.
2. Click the 'Text Form Field' button  on the 'Forms' toolbar. This will place a short gray box in the template to represent the field.
3. 'Right Click' on the gray box and select the 'Properties' option (if using Word v 7.x select 'Form Field Options'). This will display the 'Text Form Field Options' window.
4. In the 'Default Text' field, type a short description of the contents of the field. This will appear on your template to show you where the data will be inserted and also the format of the text (font, size, etc.). It is suggested that this description is the same name that is used in the 'Bookmark' field. This will make assigning the 'Word Field Name' to the exor data field name much easier.
5. In the 'Bookmark' field, give the field a short name to uniquely identify it (e.g. ACK_NAME). This will be used to link the field to the **Exor** system using **Maintain Templates - DOC0201**
6. Press **[OK]**.

When you have completed your template design, save it in the appropriate Windows directory as a Word Template (.dot). The template must be saved in a location already defined using **Media Types - DOC0118** (see Document Manager System Admin Guide).

Example Templates - Enquiry Manager

This example is a template for an Acknowledgement letter for enquiries recorded using enquiry manager. To display the required information *exor Functions* will be used for certain form fields.

Example County Council Department Of Engineering Civic Centre Main Street Anytown	
25-Jul-11	
ack_name ack_add1 ack_add2 ack_add3 ack_add4 ack_add5 ack_post_code	Our Ref : ack_ref
Dear Sir/Madam	
I refer to your communication by ack_source received on ack_received concerning; ack_text, ack_loc, ack_road_desc.	
This is being dealt with by ack_resp. I will keep you informed as to the progress of your enquiry.	
Yours Faithfully	
Section Engineer	

The following exor data is brought into this template and is setup in **Maintain Templates - DOC0201** fields.

Form Field Name	Table Column/Field Name	Function Name and Parameters used	Details Returned
Ack_ref	DOC_ID		Enquiry ID
Ack_name	DOC_COMPL_NAME		Complainant Name
Ack_add1	DOC_COMPL_ADDRESS1		Address Line 1
Ack_add2	DOC_COMPL_ADDRESS2		Address Line 2
Ack_add3	DOC_COMPL_ADDRESS3		Address Line 3
Ack_add4	DOC_COMPL_ADDRESS4		Address Line 4
Ack_add5	DOC_COMPL_ADDRESS5		Address Line 5
Ack_post_code	DOC_POST_CODE		Postcode
Ack_source		COMPL_SOURCE(DOC_ID)	Description of Source
Ack_received	DOC_DATE_ISSUED		Date Recorded

Ack_text	DOC_DESCR		Enquiry Text
Ack_loc	DOC_COMPL_LOCATION		Enquiry Location
Ack_road_desc		COMPL_ROAD_DESCR(DOC_ID)	Road Description
Ack_resp		COMPLAINTUSER(DOC_COMPL_USER_ID)	Name of Responsible person

Note that the Date was entered using the 'Insert' → 'Date and Time' option within MS-Word.

The resulting document created using this template would be displayed with the appropriate Exor data like this:

		Example County Council Department Of Engineering Civic Centre Main Street Anytown
		25-Jul-11
ack_name ack_add1 ack_add2 ack_add3 ack_add4 ack_add5 ack_post_code	Our Ref : ack_ref	
<p>Dear Sir/Madam</p> <p>I refer to your communication by ack_source received on ack_received concerning; ack_text, ack_loc, ack_road_desc.</p> <p>This is being dealt with by ack_resp. I will keep you informed as to the progress of your enquiry.</p> <p>Yours Faithfully</p> <p style="text-align: center;">Section Engineer</p>		

Example Templates - Works Order

This example is a template for a Works Order. To display the required information *exor Functions* will be used for certain form fields

Dtp/Local NETWORK_INDIC ATOR	Agency	Road Group ROAD_GROUP	Job Number JOB_NUMBER		Contract CONTRACT	Works Order No ORDER_NO			
Commence by: Complete by: Def. Corr. Period: Commenced On: Quality Acc.: Ext of Time:	COMMEN_BY COMPLETE_BY DEF_CORRECTION COMMENCED_ON QUALITY_ACC EXTEN_TIME	Rev Compl by: Completed On: Interim Pay: CI 14 Prog.: Risk Assessment: Method Statement: Special CDM:	COMPLT_BY COMPLETED_ON INTERIM PROG_FLAG RISK_ASS METHOD SPECIAL_CDM		Raised by: Authorised by: Completed by _____	RAISED_BY AUTHORISED_BY	Date: Date :	DATE_RAISED _____	
Description of Work: WOR_DESCR Std_Text					Sub Total : Balancing Sum: Works order Total:				
Defect	Road Section	Defect Location Details			SOR Item	Unit	Rate	Qty	Amount
WOL_ DEFEC T_ID_1	WOL_ROAD_SECTI ON_1	DEF_LOC_1			WOL1_BOQ_LINE1WOL1_BOQ_LINE2WOL1_BOQ_LINE3WOL1_BOQ_LINE4WOL1_BOQ_LINE5 BOQ_LINE_TOTAL_1				
WOL_ DEFEC T_ID_2	WOL_ROAD_SECTI ON_2	DEF_LOC_2			WOL2_BOQ_LINE1WOL2_BOQ_LINE2WOL2_BOQ_LINE3WOL2_BOQ_LINE4WOL2_BOQ_LINE5 BOQ_LINE_TOTAL_2				
WOL_ DEFEC T_ID_3	WOL_ROAD_SECTI ON_3	DEF_LOC_3			WOL3_BOQ_LINE1WOL3_BOQ_LINE2WOL3_BOQ_LINE3WOL3_BOQ_LINE4WOL3_BOQ_LINE5 BOQ_LINE_TOTAL_3				

The following exor data is brought into this template and is setup in **Maintain Templates - DOC0201**.



Form Field Name	Table Column/Field Name	Function Name and Parameters used	Details Returned
NETWORK_INDICATOR		WWO.GET_NETWORK_IND(WOR_WORKS_ORDER_NO)	D for Dtp or L for Local
ROAD_GROUP		WWO.GET_ROAD_GROUP(WOR_WORKS_ORDER_NO)	Road Group on Works Order e.g. 2900A69 1
JOB_NUMBER	WOR_JOB_NUMBER		Job Number
CONTRACT		WWO.GET_CONTRACT(WOR_WORKS_ORDER_NO)	Contract Name
ORDER_NO	WOR_WORKS_ORDER_NO		Works Order Number
COMMEN_BY	WOR_COMMENCE_BY		Commence by Date
COMPLETE_BY	WOR_EST_COMPLETE		Complete by Date
DEF_CORRECTION	WOR_DEF_CORRECTION_PERIOD		Defect Correction Period
COMMENCED_ON	WOR_ACT_COMMENCE_BY		Commenced On Date
QUALITY_ACC	WOR_DEF_CORRECTION_ACCEPTA B		Quality Acceptable Flag
COMPLT_BY	WOR_REVISD_COMP_DATE		Revised Complete By Date
COMPLETED_ON	WOR_DATE_CLOSED		Completed On Date
INTERIM	WOR_INTERIM_PAYMENT_FLAG		Interim Payment Flag
PROG_FLAG	WOR_WORKS_PROGRAMME_FLAG		Works Programme Flag
METHOD	WOR_METHOD_STATEMENT_FLAG		Method Statement Issued Flag
SPECIAL_CDM	WOR_ADDITIONAL_SAFETY_FLAG		Additional Safety Flag
RAISED_BY		WWO.RAISED_BY(WOR_WORKS_ORDER_NO)	Name of User who raised the Works Order
DATE_RAISED	WOR_DATE_RAISED		Date Works Order Raised
AUTHORISED_BY		WWO.AUTHORISED_BY(WOR_WORKS_ORDER_NO)	Name of the User who Authorised the WO
WOR_DESCR	WOR_DESCR		Works Order Description
SUB_TOTAL		WWO.GET_ORDER_SUB_TOTAL(WOR_WORKS_ORDER_N O)	Works Order Sub-Total
BAL_SUM		WWO.GET_ORDER_BAL_SUM(WOR_WORKS_ORDER_NO)	Works Order Balancing Sum
ORDER_TOTAL		WWO.GET_ORDER_TOTAL(WOR_WORKS_ORDER_NO)	Total Works Order Cost

WOL_DEFECT_ID1		WWO.GET_DEFECT_ID(WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	Defect Id of Works Order Line 1
WOL_ROAD_SECTION_1		WWO.GET_WOL_ROAD_SECTION(WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	Link Id and Section Num. for the defect on the WO line 1 e.g. 2900A69 1/06
DEF_LOC_1		WWO.GET_DEFECT_LOC(WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	Road Description, Defect Location, Defect Type and Description for defect on WO line1
WOL1_BOQ_LINE1		WWO.GET_BOQ_LINE(1,WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	BOQ Item Code and Description for BOQ Line 1 of WO Line 1
WOL1_BOQ_LINE2		WWO.GET_BOQ_LINE(2,WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	Unit of measurement of BOQ line 1 of WO Line 1
BOQ_LINE_TOTAL_1		WWO.GET_BOQ_LINE_TOTAL(WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))	Total Cost for WO Line 1

Some functions require an integer value to define, for example, the Works Order Line that data is to be selected from. This is demonstrated in the function used to 'drop in' the Defect Id from a Works Order Line.

WWO.GET_DEFECT_ID(WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))



Integer Value for WO Line

The number '1' in this example tells the function to get the Defect ID from Works Order Line 1 of the selected Works Order. If the Defect Id from Works Order Line 2 was also required, the function would be duplicated, but the '1' would be replaced with '2'. This procedure may be repeated many times to meet your requirements.

Another example of integer values being used is the function that 'drops in' the BOQ Item Code and Description.

WWO.GET_BOQ_LINE(1,WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))



Integer value for BOQ
Line



Integer value for Works
Order Line

This function uses two integer values. The first tell the function which BOQ line to use and the second tells the function which Works Order Line to use from the selected Works Order. To select the second BOQ line of Works Order Line 1 the function would be as follows:

WWO.GET_BOQ_LINE(2,WWO.GET_WOL_ID(1,WOR_WORKS_ORDER_NO))


A sample list of available functions is displayed on page 34.

The resulting document created using this template would be displayed with the appropriate exor data like this:

Dtp/Local NETWORK_INDICATOR	Agency	Road Group ROAD_GROUP	Job Number JOB_NUMBER	Contract CONTRACT	Works Order No ORDER_NO
Commence by: Complete by: Def. Corr. Period: Commenced On: Quality Acc.: Ext of Time:	COMMEN_BY COMPLETE_BY DEF_CORRECTION COMMENCED_ON QUALITY_ACC EXTEN_TIME	Rev Compl by: Completed On: Interim Pay: CI 14 Prog.: Risk Assessment: Method Statement: Special CDM:	COMPLT_BY COMPLETED_ON INTERIM PROG_FLAG RISK_ASS METHOD SPECIAL_CDM	Raised by: Authorised by: Completed by _____	RAISED_BY AUTHORISED_BY Date: DATE_RAISED Date : _____
Description of Work: WOR_DESCR Std_Text				Sub Total : Balancing Sum: Works order Total:	
				SUB_TOTAL BAL_SUM ORDER_TOTAL	
Defect	Road Section	Defect Location Details		SOR Item	Unit Rate Qty Amount
WOL_DEFECT_ID_1	WOL_ROAD_SECTION_1	DEF_LOC_1		WOL1_BOQ_LINE1 WOL1_BOQ_LINE5 BOQ_LINE_TOTAL_1	WOL1_BOQ_LINE2 WOL1_BOQ_LINE3 WOL1_BOQ_LINE4
WOL_DEFECT_ID_2	WOL_ROAD_SECTION_2	DEF_LOC_2		WOL2_BOQ_LINE1 WOL2_BOQ_LINE5 BOQ_LINE_TOTAL_2	WOL2_BOQ_LINE2 WOL2_BOQ_LINE3 WOL2_BOQ_LINE4
WOL_DEFECT_ID_3	WOL_ROAD_SECTION_3	DEF_LOC_3		WOL3_BOQ_LINE1 WOL3_BOQ_LINE5 BOQ_LINE_TOTAL_3	WOL3_BOQ_LINE2 WOL3_BOQ_LINE3 WOL3_BOQ_LINE4
WOL_DEFECT_ID_4	WOL_ROAD_SECTION_4	DEF_LOC_4		WOL4_BOQ_LINE1 WOL4_BOQ_LINE5 BOQ_LINE_TOTAL_4	WOL4_BOQ_LINE2 WOL4_BOQ_LINE3 WOL4_BOQ_LINE4


Maintain Templates - DOC0120

Figure 13
Maintain Templates
Menu Option



This form is used to define the location of your templates and specify which **Exor** table and subsequent fields should be 'dropped in' to the template to form your final printed document.

Figure 14
Templates



When you enter this form the cursor sits in the Template Name field waiting for you to enter the name of the template you wish to maintain. To display existing data press **[Enter Query]** or press **[F7]**, enter your selection criteria, then press **[Execute Query]** or press **[F8]** (a list of previously defined templates is available).

Template Name (Required)

Enter the name of the Template. This must be the same as the filename you called your Microsoft Word .dot file. You do not need to enter the '.dot' file extension. A description of the Template can be entered in the adjacent field.

Table Name (Required) (List)

Enter the table name to containing the required data e.g. for a public enquiry this will be 'DOCS', for Works Orders this will be 'WORK ORDERS'. The table description will be displayed in the adjacent field.

Media	(Required)	(List)
Enter the media type for this template. These will have been set up previously using Document Locations and Media Types - DOC0118 (see Document Manager System Admin Guide). The media name will be displayed in the adjacent field.		


Location	(Required)	(List)
Enter the Location where the Microsoft Word '.dot' file can be found. These will have been set up previously using Document Locations and Media Types - DOC0118 . The Location name will be displayed in the adjacent field.		

OLE Type	(Required)
Enter the following text 'WORD'	

Run After Report	(Optional)	(List)
This field is used, if required, to select a procedure to run after the template document has been produced. An example of this is the procedure CREATE_COMPLAINT_HISTORY, which creates an Enquiry History record (<input type="checkbox"/> Public Enquiry Manager Manual) for the selected public enquiry when a template report is created for it.		

Note that this field must be used in conjunction with the 'Used in Procedure' check box in Template Columns.

Figure 15
Template
Columns



Column Name	Type	Word Field Name	Seq	Image ?	Used in Procedure
DOC_COMPL_NAME	VARCHAR2	ACK_NAME	1	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_ADDRESS1	VARCHAR2	ACK_ADD1	2	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_ADDRESS2	VARCHAR2	ACK_ADD2	3	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_ADDRESS3	VARCHAR2	ACK_ADD3	4	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_ADDRESS4	VARCHAR2	ACK_ADD4	5	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_ADDRESS5	VARCHAR2	ACK_ADD5	6	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_POSTCODE	VARCHAR2	ACK_POST_CODE	7	<input type="checkbox"/>	<input type="checkbox"/>
DOC_DATE_ISSUED	DATE	ACK_RECEIVED	8	<input type="checkbox"/>	<input type="checkbox"/>
DOC_DESCR	VARCHAR2	ACK_TEXT	9	<input type="checkbox"/>	<input type="checkbox"/>
DOC_COMPL_LOCATION	VARCHAR2	ACK_LOC	10	<input type="checkbox"/>	<input type="checkbox"/>
COMPL_SOURCE(DOC_ID)	VARCHAR2	ACK_SOURCE	11	<input type="checkbox"/>	<input type="checkbox"/>

Resequence

Template Columns

This window is used to associate the Column (field) Names in the **Exor** data table selected in the 'Table Name' field on the Maintain Templates form, with the MS Word Field Name in the selected template. This will allow the appropriate data to be dropped into the MS Word Template to produce the document report.

When you enter this window any previously entered Column details will be displayed and the cursor sits in the 'Column Name' field. To add further Column Details Click on the next available blank line.

Column Name (Required) (List)

Enter the Column (Field) Name to be inserted into your template. The contents of the pick list will be determined by the 'Table Name' selected in the Maintain Templates window.

Type (Display Only)

The type of column selected will be displayed e.g. Date or VARCHAR2

Word Field Name (Required)

Enter the 'Bookmark' field name assigned to this field whilst creating the template e.g. ack_ref

Sequence (Required)

Enter the sequence number for this field. This is the order in which the fields on the chosen template will be populated. It is suggested that these are incremented in steps of 5 or 10 (i.e. 5,10,15,20... or 10,20,30,40...) to allow further Column details to be added easily later.

Used in Procedure (Check box)


Click this check box if this field is to be used in a procedure that has been defined in the 'Run After Report' field in the Maintain Templates form. For example, if the Procedure CREATE_COMPLAINT_HISTORY is used to run after a report in a public enquiry template, the Column Name DOC_ID would

be checked to allow the procedure to associate the History Record with the correct public enquiry record.

Resequence

The resequence button will reassign sequence numbers for all of the Column Names entered on the form. This is useful if you have added or removed any Column Names from your template. Column Names will be sequenced in the order they appear on the form and incremented by steps of 1, i.e. 1,2,3,4,5,6,etc.

Figure 16
Copy Template



Copy Template

The COPY TEMPLATE button allows you to copy the currently selected template details along with all of its properties (Table Name, Media, Template Columns, etc). When you copy a template within Exor you must also copy the actual Microsoft Word template file (.dot) using the same filename as is used in the 'Copy to Template' field on the Exor form. You can then modify the template file and maintain its details to suit your requirements. Before the new template report may be produced, it must be assigned to the relevant user using **Template Users - DOC0202**.

The selected Templates name you wish to duplicate is displayed on the windows title bar e.g. [ACKNOWLEDGEMENT].

Copy to Template (Required)


Enter the name for the new template. You do not need to enter the '.dot' file extension.

Press [OK] to copy the template.

Check Template SQL


The [**Check Template SQL**] button validates the entries that have been made in the Columns for Templates window to ensure that the syntax used is correct i.e. no missing commas, brackets, etc.

If the entries are syntactically correct the following message will be displayed.



No corrective action needs to be taken.

If an error is encountered a message stating what the error is will be displayed e.g.



This error was caused because the right parenthesis was missing from an exor function used in the template. The function was entered as follows :


COMPL_SOURCE(DOC_ID

The correct syntax for this exor function should have been

COMPL_SOURCE(DOC_ID)

To find out where the error has occurred select [**Yes**] to the question 'Do you want to see the SQL ?' This will display an SQL error text window, displaying the checked SQL. You should look for the word '**Error** →' as this should indicate where the problem occurred.

Figure 17
SQL Error Text




Once the error has been located, click **[OK]** and edit the offending entry.

The most common problems arise through the miss typing of the 'Word Field Name' from that stored within the template. The **[Check Template SQL]** will not report any errors, but when the data is merged and the document is produced the field will be blank.


Template Users - DOC0202

Figure 18
Template Users
Menu Option



Before a template can be used to create a document from within **Exor** it must first be associated with the users who are allowed to use the template. This allows you to restrict access to particular templates to certain users.

Figure 19
Template Users



Template Name	User	Print Immediate	Def Template
ACKNOWLEDGEMENT	IMT	Information Management Tea	<input type="checkbox"/>
COMPLAIN	IMT	Information Management Tea	<input type="checkbox"/>
TEST	IMT	Information Management Tea	<input type="checkbox"/>
TESTCOPY	IMT	Information Management Tea	<input type="checkbox"/>
ACKNOWLEDGEMENT	KDR	Kevin Ridpath	<input checked="" type="checkbox"/>
ACKNOWLEDGEMENT	BG	Bernie Gillis	<input checked="" type="checkbox"/>
COMPLAIN	RMC	Rob McArtney	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Template Type

When you enter this form the cursor sits in the 'Template Type' field. Press the **[Enter Query]** button on the toolbar to retrieve the Template Type you require.

Template Type (Required)

Enter the name of the Template Type e.g. for public enquiry templates enter 'DOCS', for Works Order Templates enter 'Works Orders'. Press the **[Execute Query]** button on the toolbar to retrieve the Template Type.

The Template Type Description will be displayed in the adjacent field along with details of any already logged templates.

Templates

This area of the form is used to set up access privileges for users who need to use particular templates. A user can only create documents using the templates that are assigned to them using this form.

Template Name (Required) (List)

Enter the Template Name you wish to give a user access to. The list of values will only display templates of the type selected in the 'Template Type' field.

User (Required) (List)


Enter the Users Initials of the user who can access this template. The users Name will be displayed in the adjacent field.

Print Immediate (Optional, Checkbox)

If this box is ticked, when the User creates a new document using this template, **Exor** will open MS Word and automatically print the document to the Users default printer. This means that the user will not be able to edit the document or the print properties.

Note that if this option is to be used the 'Background Printing' option within MS-Word must be unchecked as shown in Figure 20.

Figure 20



Def Template (Optional, Checkbox)

If this box is ticked, it will make this template the default template for the User. When the user creates a new document from a template, this will automatically be the template name displayed in the 'Template Name' selection field. The user may also use any other templates they have been given access to. A user may only have one default template.

Exor Functions

Exor Functions available for use with 'DOCS' (Public Enquiry)Templates

Function Name and Parameters	Details Returned
COMPLAINTUSER(USER_ID)	Name of the User who logged the Complaint
COMPLAINTUSER(DOC_COMPL_USER_ID)	Name of the User responsible for the Complaint.
COMPL_ROAD_DESCR(DOC_ID)	The Section Description
COMPL_ROAD_UNIQUE(DOC_ID)	The Section ID of the current Complaint
COMPL_PRIORITY(DOC_ID)	The decode text for the Priority Code
COMPL_SOURCE(DOC_ID)	The decode text for the Source Code
COMPL_TYPE(DOC_ID)	The decode text for the Complaint Type Code
COMPL_FLAG(DOC_ID)	The decode text for the Complaint Flag Code
COMPL_STATUS(DOC_ID)	The decode text for the Complaint Status Code
COMPL_ADMIN_CODE(DOC_ID)	The Admin Unit code
COMPL_ADMIN_NAME(DOC_ID)	The Admin Unit description

Exor Functions available for use with 'WORK ORDERS' Templates

Function Name and Parameters		Details Returned
***** Works Order Top Level Functions *****		
WWO.GET_STD_TEXT		
	The Standard Text for the Work Description. This is set up in <i>Product Options - HIG9130</i> (WORSTDTEXT)	
WWO.GET_WORK_ORDER(WOR_WORKS_ORDER_NO)		
	The Works Order Number e.g. 2/00006	
WWO.GET_NETWORK_IND(WOR_WORKS_ORDER_NO)		
	Network Type Indicator i.e. D for Dtp Roads or L for Local roads	
WWO.GET_ROAD_GROUP(WOR_WORKS_ORDER_NO)		
	Road Group on Works Order From e.g. 2900A69 1	
WWO.GET_ORDER_TOTAL(WOR_WORKS_ORDER_NO)		
	Total Works Order Cost	
WWO.GET_ORDER_SUB_TOTAL(WOR_WORKS_ORDER_NO)		
	Sub Total Cost for Works Order	
WWO.GET_ORDER_BAL(WOR_WORKS_ORDER_NO)		
	Balancing Sum for Works Order	
WWO.GET_CONTRACT(WOR_WORKS_ORDER_NO)		
	Contract Name	
WWO.AUTHORISED_BY(WOR_WORKS_ORDER_NO)		
	Name of the User who authorised the Works Order.	
WWO.RASIED_BY(WOR_WORKS_ORDER_NO)		
	Name of User who raised the Works Order	
WWO.SCHEME_TYPE(WOR_WORKS_ORDER_NO)		
	Scheme Type of the Works Order	
***** Works Order Line Functions *****		
WWO.GET_WORKS_ORDER_LINE(XX,WOR_WORKS_ORDER_NO)		
WWO.GET_DEFECT_LOC_FULL(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Road Description, Defect Location, Defect Type and Defect Type Description, XSP, Chainage	
WWO.GET_DEFECT_LOC(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Road Description, Defect Location, Defect Type and Defect Type Description	
WWO.GET_DEFECT_UNIT(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
WWO.GET_DEFECT_QTY(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Quantity for Selected Works Order Line	
WWO.GET_DEFECT_RATE(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Rate for Selected Works Order Line	
WWO.GET_DEFECT_EST_VALUE(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Estimated Cost of Selected Works Order Line	
WWO.GET_REPAIR_TREAT(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Defect Treatment Description for selected Works Order Line	
WWO.GET_REPAIR_DESC(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		
	Activity Code, Treatment Type and Description, Repair Description, Defect ID for selected Works Order Line	
WWO.GET_DEFECT_ID(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))		

Defect ID of selected Works Order Line
WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO)
WWO.GET_WOL_LINK(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Link Id (including Agency code) of the selected Road Section
WWO.GET_WOL_SECTNO(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Road Section Number of the Selected Works Order Line
WWO.GET_WOL_ROAD_SECTION(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Link Id (Including Agency Code) and Road Section Number for the selected Works Order Line
WWO.GET_WOL_ITEM_NO(XX,WOR_WORKS_ORDER_NO)
WWO.GET_WORK_CATEGORY(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
WWO.GET_DEFECT_ACTIVITY(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The Defect activity of the defect on the selected Works Order Line.
WWO.GET_DEFECT_CODE_DESCR(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
WWO.GET_TREATMENT_DESC(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
WWO.GET_DEFECT_LINE(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
***** BOQ Line Functions derived from work order line *****
WWO.GET_BOQ_QTY(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Total Quantity for selected BOQ Line of Selected Works Order Line
WWO.GET_BOQ_UNIT(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Unit of Measurement for selected BOQ Line of Selected Works Order Line.
WWO.GET_BOQ_TOTAL(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Total Cost of selected BOQ line of selected Works Order Line
WWO.GET_BOQ_LINE_TOTAL(WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Total Cost of selected BOQ line of selected Works Order Line and the word 'Total :'
WWO.GET_BOQ_RATE(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Rate for selected BOQ line of selected Works Order Line.
WWO.GET_BOQ_ITEM(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Item Code for selected BOQ Line of selected Works Order Line
WWO.GET_BOQ_DESC(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Full Description of Item Code for selected BOQ Line of selected Works Order Line
WWO.GET_BOQ_LINE(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
Item Code, Item Code Description, Unit of measurement, rate, Total Quantity, Total Cost for BOQ line
WWO.GET_BOQ_EST_COST(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The total Estimated Cost for selected BOQ Line of selected Works Order Line
WWO.GET_BOQ_EST_QUANTITY(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The Total estimated Quantity for selected BOQ line of selected Works Order Line
WWO.GET_BOQ_EST_RATE(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The estimated Rate for selected BOQ line of selected Works Order Line
WWO.GET_BOQ_ACT_COST(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The Actual Cost for the selected BOQ Line of the selected Works Order Line
WWO.GET_BOQ_ACT_QUANTITY(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The Actual Quantity for the Selected BOQ Line of the selected Works Order Line
WWO.GET_BOQ_ACT_RATE(XX,WWO.GET_WOL_ID(XX,WOR_WORKS_ORDER_NO))
The Actual Rate for the selected BOQ line of the selected Works Order Line.

Note XX is the Integer value of the WO/ BOQ

C

Check Template SQL	29, 30
Copy Template	28
Create from New	4, 7, 8
Creating a MS Word Template	16
Creating a Word Template	15

D

Display	5, 27
DOC_CATEGORIES	5
Document Associations	3, 4, 5, 6, 7, 13
Document Details	1, 9
<i>Document Types</i>	5
<i>Documents - DOC0100</i>	4, 5, 7, 10

E

Exor Functions	33, 34
----------------	--------

P

Prerequisites	14
---------------	----

T

Template Columns	26, 27, 28
Template Users	6, 28, 31
Templates	13, 15, 17, 18, 20, 25, 27, 28, 29, 31, 32, 33, 34