Network Manager Release Notes v4.2.0.0 Fix 55

Introduction

This document defines the changes made to the Network Manager product for fix release v4.2.0.0 Fix 55 and is specifically targeted at end users.

After reading through this document, should you have any further training or consultancy requirements then please contact your *Bentley* account manager.

Fix Details

Baseline Release	4.2.0.0
Fix Description	Network Manager 4.2.0.0 Fix 55 Patchset.
	Prevent use of sequence to generate iit_primary_key value when configured as a user-enterable attribute
Prerequisites	attribute
Implementation Instructions	Unzip nm 4200 fix55.zip to a staging folder.
implementation instructions	onely init_ izoo_initosizip to a staging rolaci.
	Go to the relevant exor\bin directory on the Oracle Application Server and rename the following files:-
	nm0510.fmx to nm0510 old.fmx
	nm0590.fmx to nm0590 old.fmx
	_
	Then copy in the new version of these file from the staging folder.
	Log onto SQL*PLUS as the Highways Owner with the staging folder as the working directory.
	At the prompt type "START nm_4200_fix55.sql" and press return.
	Exit SQL*PLUS.
Limitations	None known
Configuration Information	None
How To Test	Recommend full regression test
Rollback Strategy	Initially implement on a test environment

List of Amended Files

Filename	Version
log_nm_4200_fix55.sql	3.0
nm0510.fmb	4.0.1.3
nm0590.fmb	4.2.1.5
nm3inv.pkb	2.27.1.0
nm_4200_fix55.sql	3.0
nm_inv_items.trg	2.6

Log No. Summary

This chapter summarises all software changes that have been made in this release.

These changes are derived from the following sources,

- Issues raised by Customers via Bentley Support
- Issues raised internally by Bentley

Issues

Internal Task ID	Issue	Support Log(s)
0111485	Ensure the IIT_PRIMARY_KEY column is validated based on the Mandatory flag if defined as a flexible inventory attribute.	8001187536