

GAP 4 Package ExamplesForHomalg

ExamplesForHomalg — An Abstract Package for Homological Algebra

Version 2008.05.24

May 2008

Mohamed Barakat

Mohamed Barakat — Email: mohamed.barakat@rwth-aachen.de
— Homepage: <http://www.math.rwth-aachen.de/~barakat>
— Address: Lehrstuhl B für Mathematik, RWTH Aachen, Templer-
graben 64, 52056 Aachen, Germany

Copyright

© 2008 by Mohamed Barakat, Simon Goertzen, Markus Lange-Hegermann

This package may be distributed under the terms and conditions of the GNU Public License Version 2.

Contents

1	Introduction	4
1.1	Philosophy	4
1.2	Overview over this manual	4
2	Installation of the ExamplesForHomalg-Package	5
3	Examples	6

Chapter 1

Introduction

1.1 Philosophy

This package is about how to implement rings for the GAP package homalg. To be written further.

1.2 Overview over this manual

Chapter 2 describes the installation of this package. *More text on other chapters to be written.*

Finally, Chapter 3 shows instructive examples for the usage of this package. The main reference for the Maple implementation is [BR].

Chapter 2

Installation of the ExamplesForHomalg-Package

To install this package just extract the package's archive file to the GAP `pkg` directory.

By default the ExamplesForHomalg package is not automatically loaded by GAP when it is installed. You must load the package with `LoadPackage("ExamplesForHomalg");` before its functions become available.

Please, send us an e-mail if you have any questions, remarks, suggestions, etc. concerning this package. Also, I would like to hear about applications of this package.

Mohamed Barakat and Simon Görtzen

Chapter 3

Examples

Here comes text.

References

- [BR] Mohamed Barakat and Daniel Robertz. homalg – A meta-package for homological algebra. accepted for publication in Journal of Algebra and its Applications. ([arXiv:math.AC/0701146](#) and [http://wwwb.math.rwth-aachen.de/homalg](#)). ⁴

Index

ExamplesForHomalg, [5](#)