

Home › Design Patterns › Creational patterns

Singleton Design Pattern

Intent

- 01 Ensure a class has only one instance, and provide a global point of access to it.
- Encapsulated “just-in-time initialization” or “initialization on first use”.

Problem

- 02 Application needs one, and only one, instance of an object. Additionally, lazy initialization and global access are necessary.

Discussion

- 03 Make the class of the single instance object responsible for creation, initialization, access, and enforcement. Declare the instance as a private static data member. Provide a public static member function that encapsulates all initialization code, and provides access to the instance.
- 04 The client calls the accessor function (using the class name and scope resolution

[+] Feedback

BOOKMARK

Search

×

contents

Design Patterns

§ Creational patterns

- Creational patterns
- Abstract Factory Design Pattern
- Builder Design Pattern
- Factory Method Design Pattern
- Object Pool Design Pattern
- Prototype Design Pattern
- Singleton Design Pattern

§ Structural patterns

§ Behavioral patterns

operator) whenever a reference to the single instance is required.

05 Singleton should be considered only if all three of the following criteria are satisfied:

- 06
 - Ownership of the single instance cannot be reasonably assigned
 - Lazy initialization is desirable
 - Global access is not otherwise provided for


07 If ownership of the single instance, when and how initialization occurs, and global access are not issues, Singleton is not sufficiently interesting.

08 The Singleton pattern can be extended to support access to an application-specific number of instances.

09 The “static member function accessor” approach will not support subclassing of the Singleton class. If subclassing is desired, refer to the discussion in the book.


10 Deleting a Singleton class/instance is a non-trivial design problem. See “[To Kill A Singleton](#)” by John Vlissides for a discussion.

Structure



11 Make the class of the single instance responsible for access and “initialization on first


use”. The single instance is a private static attribute. The accessor function is a public static method.



Example

12

The Singleton pattern ensures that a class has only one instance and provides a global point of access to that instance. It is named after the singleton set, which is defined to be a set containing one element. The office of the President of the United States is a Singleton. The United States Constitution specifies the means by which a president is elected, limits the term of office, and defines the order of succession. As a result, there can be at most one active president at any given time. Regardless of the personal identity of the active president, the title, “The President of the United States” is a global point of access that identifies the person in the office.



Check list

13

1. Define a private `static` attribute in the “single instance” class.
2. Define a public `static` accessor function in the class.
3. Do “lazy initialization” (creation on first use) in the accessor function.
4. Define all constructors to be `protected` or `private`.
5. Clients may only use the accessor function to manipulate the Singleton.

Rules of thumb


14

- Abstract Factory, Builder, and Prototype can use Singleton in their implementation.
- Facade objects are often Singletons because only one Facade object is required.
- State objects are often Singletons.
- The advantage of Singleton over global variables is that you are absolutely sure of the number of instances when you use Singleton, and, you can change your mind and manage any number of instances.
- The Singleton design pattern is one of the most inappropriately used patterns. Singletons are intended to be used when a class must have exactly one instance, no more, no less. Designers frequently use Singletons in a misguided attempt to replace global variables. A Singleton is, for intents and purposes, a global variable. The Singleton does not do away with the global; it merely renames it.
- When is Singleton unnecessary? Short answer: most of the time. Long answer: when it's simpler to pass an object resource as a reference to the objects that need it, rather than letting objects access the resource globally. The real problem with

Singletons is that they give you such a good excuse not to think carefully about the appropriate visibility of an object. Finding the right balance of exposure and protection for an object is critical for maintaining flexibility.

- Our group had a bad habit of using global data, so I did a study group on Singleton. The next thing I know Singletons appeared everywhere and none of the problems related to global data went away. The answer to the global data question is not, “Make it a Singleton.” The answer is, “Why in the hell are you using global data?” Changing the name doesn’t change the problem. In fact, it may make it worse because it gives you the opportunity to say, “Well I’m not doing that, I’m doing this” – even though this and that are the same thing.

Read next



This article is taken from the book **Design Patterns - Simply**.

ALL design patterns are compiled there. The book is written in a clear and simple language that makes it easy to read and understand (just like this article).

It is a part of our Design Patterns Course. We distribute it in PDF format, so it will be available for downloading in 10 seconds!

[Learn more...](#)

C# examples

- [Singleton in C#](#)

C++ examples

- [Singleton in C++: Before and after](#)
- [Singleton in C++](#)

Delphi examples

- [Singleton in Delphi](#)

Java examples

- [Singleton in Java](#)

PHP examples

- [Singleton in PHP](#)

◀ Prototype Design Pattern

Structural patterns ▶



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 3.0 Unported License](#)