



Native Visualization of Mobile Activity Patterns

Bachelor Thesis in Computer Science

Christian Janßen
302530



Advisor:: Prof. Ulrik Schroeder, RWTH Aachen
Second Advisor:: Prof. Jan Borchers, RWTH Aachen

Supervisor: Dipl.-Inform. Hendrik Thüs

Christian Janßen
“Computer-Supported Learning” Research Group
LuFG Informatik 9
RWTH Aachen University
September 1st, 2013



Erklärung

Hiermit versichere ich, dass ich diese Bachelorarbeit selbstständig verfasst und keine anderen als die angegebenen Quellen und Hilfsmittel benutzt habe.

I hereby declare that I have created this work completely on my own and used no other sources or tools than the ones listed.

Aachen, September 1st, 2013

Christian Janßen

Contents

I	1
1. Introduction	3
1.1. Objectives	4
2. Background	7
2.1. Self reflection	7
2.2. Provided Data	8
2.3. Native Visualization	10
2.4. Hardware and Software	11
II	13
3. Implementation	15
3.1. Paper Prototype	16
3.2. Time Schedule	17
3.3. Basic Layout	18
3.4. Data Management	19
3.5. Mapview	20
3.6. Chartview	21
3.7. Timeline	22
4. Evaluation	23
III	25
5. Conclusion	27
5.1. Review	27
Appendices	28
A. Bibliography	29



Part I

Chapter 1 Introduction

Since the introduction of the smartphone and its ongoing boom in sales, those devices getting more and more important for their users. Nearly 30% of the German population own a smartphone and 50% of them use it on a daily basis [6]. Googling a question, making a phone call, sharing your location and status with your friends via facebook or just taking a snapshot of your lunch - smartphones are used in nearly every location and situation. With all these possibilities and potential in usage for everyday situations, it is getting harder and harder to keep track of when one has used its smarthphone, where it was used and most important, for what was it used. Knowing this may have a positive influence in productivity. While on the topic of productivity, another interesting fact is, that 72% of owners state that they use their smartphones at work [6]. The obvious question is, did one use its smartphone for relevant research or emailing, or was it used to chat on whatsapp or checking facebook. It would be desirable with focus on efficiency and productivity if by the end of the day one could check his or her smartphone activity and would see that one may have to improve his or her working or learning behavior, because the smartphone was used in a distracting way or, the more preferable case, that the smartphone was mostly used to get work done.

Smartphones and
their daily usages

Another situation in which nine out of ten users utilize their device is while they are on the move [6]. Again, it would be desirable if one had information how he or she got from place A to place B, how much time it took and what has been done in this time.

Need of a
structured
overview

Not only has the computation power of smartphones significantly improved, their integrated cameras are also quite satisfying and are comparable to low-end digital cameras. Since most people tend to take pictures with their smartphone nowadays, it



would be helpful to get a simple overview in which one can easily see the exact position of the picture's location without taking any further investigation.

The lacking of the possibility to check what has been done with the smartphone may unconsciously lead to a distracting use of it. That is, because, as already mentioned, keeping track of all activities is extremely difficult and thus the total time of the daily usages is normally unknown. There exists a need of a structured overview which provides informations about time, location and applications to get a self reflecting impression about one's daily mobile activities.

1.1. Objectives

Requirements for the application

Due to the stated need of an application which provides information about one's daily activities the main goal of this Bachelor thesis is to create such an application. Requirements for applications are normally high and the developer has the task to find optimal solutions for them. This application is no exception and thus has its own requirements. On the one hand it should display enough information to grant the ability to draw conclusions about one's daily activities but on the other hand it should also display the data in a visual appealing and intuitive way such that the visual appearance is not too crowded with unnecessary information.

The application should also offer the possibility to take minor adjustments to fit in one's individual needs and thus making the experience with the application feel. In contrast to that those adjustments should not be too detailed and low in number to keep the options structured and understandable.

Applications for partial solutions

As mentioned, the main objective of this thesis is to create an application which provides feedback and a self reflecting view for one's daily activities. There are some existent applications that partially fit in the described situation and offer solutions. For example one can use Google Latitude to see where he or she has been traveled respectively which routes were taken to reach a specific place. But it will not show which applications have been used at a specific place. Also while this thesis was written the support for Google Latitude was discontinued [5]. Another partial solution is facebook. One can share his or her location and photos on facebook but this will not show a route on a map nor does every one want to public his or her whole life on facebook. To see the most used applications of the day one could take a



look at the operating systems utilization chart which displays the percentage of used battery life and shows the cpu usages in total time. Not only does it not take into account the visited location this is also a very impractical and non intuitive way of gathering information about one's daily activities.

Another objective was to create an application which provides manifold views of the user's daily activities. It should not be limited to a map displaying pins or a list of application names with the total time of usages. Instead the application should show what is possible to develop with the help of already existent graphical views and, what is even more interesting, with creation of new views. All views should differ from each other and show different possibilities in visualizing informations of one's daily activities while each one could be used as a stand alone self reflecting view.

Testing of graphical possibilities

The application of this Bachelor thesis should perform as a central information provider which combines the listed objectives and displays the daily activities of the smartphone. Those information will be presented in various ways and can be filtered by different criteria within a clear, intuitive graphical user interface.



Chapter 2 Background

This chapter provides background information about the main topic of this bachelor thesis. First, the ongoing trend of using a smartphone in nearly every situation and therefore the need of keeping track of one's own mobile activities is discussed. To grant an application the possibility to give self reflecting impressions the application itself needs to be provided with personal data of the user. The second section is about this provided data, its origin and how it is gathered. Once the origin of the information is discussed the next section talks about the representation of this it. In this context the meaning of native visualization is explained and an alternative is presented which involves a short introduction of a currently written master thesis. The last section lists and explains which hardware and software was used during the implementation.

2.1. Self reflection

ADD REFERENCE TO SELF REFLECTION PAPER!

A Smartphone has many usabilities. It can be used as a camera, newspaper, music player or as a portable gaming device and those are just a few examples. There are a lot more ways to use a smartphone and as mentioned in the introduction, they are used in nearly every situation. It is a modern multitool which was used by more than 23 million people in Germany in 2012 [6].

As advantageous as it may be in everyday situations, the downside is that most people do not know how much time they spend on their phone and thus do not know how distracting it may be. For example, checking new mails may lead the user to also check the newest facebook messages and stay within this application a few minutes longer than expected. At least 50% of smartphone owners access the Internet with their device [6], thus most people are always available through instant messaging services like whatsapp. The result is that people write and receive messages

Smartphones as
modern multitools



more often. And because smartphones are capable of running diverting games, one may use its device to beat the last achieved high-score.

Distraction

But a smartphone can be a great helper too. It is an easy to use digital calendar which reminds the user of all upcoming events, it can be used as a travel guide or a navigation system, it allows to quickly respond to an important email and has many more useful advantages. But the previous short examples demonstrate that a smartphone can also have a distracting influence to its owner.

At this point the idea of self reflection is needed. The concept of self reflection is the critical reflection on one's own actions and positions and coming to a conclusion. This can be used to assess the distracting influence of smartphones to its owner. But for an accurate assessment one needs to keep track of his or hers own daily activities, which is nearly impossible to do for a smartphone without the help of tools that provide background information.

Provide a self reflecting view

As mentioned, the help of a tool is needed which provides information about the owner's mobile day in a self reflecting manner. This tool in form of a smartphone application should display the information such that the user is able to instantly see where, when and for what the device was used. If one is provided with this data, he or she is able to say, that they used their smartphone in a productive manner or if they used it for entertainment. Furthermore, one could tell if he or she used the smartphone to divert themselves from working or studying. Although the application can display the needed information, the conclusion must be drawn by the user.

Possible improvements in productivity

With this application and the provided information a user may be willing to rethink his or her work respectively study behavior. This then could lead to less frequent use in distracting applications, thus improving efficiency and productivity in daily tasks.

As described, there is a possible application area for such a smartphone application. It would visualize data and information about the owner's daily activities in such a way that the application could be used as a tool for self reflection.



2.2. Provided Data

In the last section the idea of an application which displays information in a way such that one can use it for self reflection was described. What has not been described is from what source this data arises and how it is gathered.

The application itself will not gather the data it uses, instead the data is downloaded from a server and stored internally. The reason that the information will be collected externally, is the limitation of this thesis to the visualization.

The mentioned data arises from an external application called “Big Brother”. This application is based on the master thesis of Torsten Kammer and was reimplemented and developed by diploma computer scientist Hendrik Thüs in 2013 [2]. ...

Big Brother gathers data

IMPROVE REFERENCES

The data Big Brother gathers, is send to a server where it can later be downloaded and used by the application developed for this bachelor thesis. The data contains amongst others information about the user’s visited locations, the name of the currently used application, start and end time of used applications. This data is uploaded and stored to a web server, which is then accessed by this thesis’ application.

With the revelations published by Edward Snowden in June 2013 about the U.S. American spy program PRISM one might be concerned about privacy violation by third parties. It should just be said, that this project is still an experimental phase. If it should be published for a larger audience than the developers much work would be put into encryption and ensuring the prevention of unauthorized access by third parties.

Privacy issues

One of the reasons why the data of daily activities is stored online is the limited storage of mobile devices. This way the used size of storage can be minimized and only needed information can be downloaded. The possibility to merge data from other devices the user owns like PCs, laptops and tablets is another reason to upload the data. Being able to access the data from multiple devices like tablets is also an important point.

Reasons for online stored data

The idea of a data set which also contains information about other used devices has great potential in granting an even better overview of one’s daily activities and thus this would make the self reflecting view provided by the application even more meaningful.



2.3. Native Visualization

Now that the origin of the provided data has been explained, the idea of a native visualization will be brought closer.

What does
visualization
mean?

The term of visualization means representing of abstract data or information, like a text, in a visual ascertainable form. Its meaning is not limited to computer science. It can be found in various situations and places, technically anywhere where someone tries to convey information in a visual way. This may be a picture of an artist or a even a movie. The concept is not even limited to modern time. Since the beginning of mankind, caveman try express their life with pictures in form of cave painting.

Speaking of computer science, visualization means, as mentioned, to represent data in a illustrative way. For example, creating a pie chart for results of a survey or draw a graph representing the daily temperatures for a week. For this thesis the visualization has to fulfills the task of displaying one's daily activities in an appealing and easily to understand way, such that one can directly draw conclusion from the information.

Native visualization

Native visualization describes creating of visual ascertainable objects only by means of resources that a specific system provides without any addition.

In this thesis, the application will be implemented for the mobile operating system Android 4.0.3 and higher. Native visualization under Android means the use of Java and the access to the standard Android application programming interface. The application will not use JavaScript or anything else as this would infringe the terms of native visualization.

A non native
visualization of
daily activities

An alternative to native visualization of activities can be found in Thomas Honné's Master thesis "Interactive Visualizations of Activity Patterns in Learning Environments" [7]. The thesis describes, among other topics, the visualization of daily activities in a web browser environment. For comparison an interesting fact is, that the data arises from the same application.

An advantage over the non native method is that data can easily be stored locally, thus making the application available for offline usage assuming that the needed data has been downloaded at some point in the past.

With a native application the user has tool for self reflection which is not permanently bound to an Internet connection and does not require any additional non native resources.



2.4. Hardware and Software

As mentioned in the previous section the thesis' application will be developed for Android 4.0.3 and higher. To get an impression of the used tools in the development process this section describes the used software, the development environment and Android, as well as the used hardware, the development device.

The application was developed for Android 4.0.3 "Ice Cream Sandwich" with the application programming interface level 15. The application may be able to support lower versions of android but this has not been tested nor was it a goal of development. To minimize overhead due to compatibility adjustments the support is only guaranteed for Android 4.0.3 and newer versions, which account for 63% of all Android devices [4].

The operating
system of choice

Android was the operating system of choice because it has a free developer license, great supportive community and with a share of 76.7% in quart 2 of 2013 [1], Android is the largest market share holder of mobile operating systems.

The testing device was the Motorola tablet Xoom with Android 4.0.3. The tablet with a screen size of 10.1 inches and resolution of 1280 times 800 pixel gave great advantage in the testing process of the application. Its screen is large enough to display all relevant data without minimizing their visual appearance. In addition the screen size allows precise testing of multi-touch gestures. The alternative to the real development device would have been an Android emulator provided by Google. With the emulator the development of this application would have been nearly impossible due to the fact that it does not support the ability to simulate multi-touch input with a normal mouse and the nonexistent support for GoogleMaps.

The test device

Google's recommended software development kit Eclipse with Android Development Tools served as development environment. Working and developing with Eclipse was simple and comfortable due to Google's numerous tutorials [3]. Neither installing the software development kit on a Windows 7 computer nor setting up new projects was a problem. The test device connected to the computer was directly recognized by eclipse and executing and testing written code on the it proceeded without problems. Eclipse's debug mode was also very helpful at many points in the development process and helped to track down hidden bugs.

The development
environment



Working with Eclipse and Android was comfortable, a lot easier than expected and straightforward, even for a first time developer. Eclipse's improvement proposals and performance advices and Google's tutorials with helpful examples and background informations made this project a great educational experience.



Part II

Chapter 3 Implementation

"It's done, when it's done"

—An English Phrase



3.1. Paper Prototype



3.2. Time Schedule



3.3. Basic Layout



3.4. Data Management



3.5. Mapview



3.6. Chartview



3.7. Timeline



Chapter 4 Evaluation



Part III

Chapter 5 Conclusion

5.1. Review



Appendix A Bibliography

Printed References

- [7] Thomas Honné. “Interactive Visualizations of Activity Patterns in Learning Environments”. MA thesis. RWTH Aachen University, 2013.

Online References

- [1] Stefan Beiersmann. *Android erreicht 70 Prozent Marktanteil in Europa*. URL: <http://www.zdnet.de/88160639/android-erreicht-70-prozent-marktanteil-in-europa/> (visited on 14/08/2013).
- [2] *Big Brother Application*. URL: <http://learning-context.de/text/3/Collectors> (visited on 13/08/2013).
- [3] Google. *Development Tutorials*. URL: <http://developer.android.com/training/index.html> (visited on 15/08/2013).
- [4] Google. *Distribution of Android Versions*. URL: <http://developer.android.com/about/dashboards/index.html> (visited on 14/08/2013).
- [5] Google. *Latitude discontinued*. URL: <https://support.google.com/gmm/answer/3001634> (visited on 12/08/2013).
- [6] Google. *Unser mobiler Planet: Deutschland. Der mobile Nutzer*. May 2012. URL: http://services.google.com/fh/files/blogs/our_mobile_planet_germany_de.pdf (visited on 06/05/2013).



