Pathway	Gene ranks	NES	pval	padj
ASM		0.96	7.4e-01	9.8e-01
FHP		1.77	1.1e-04	4.1e-04
FHP14	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-1.37	1.3e-03	3.8e-03
Pancardiac		-1.49	1.1e-01	1.9e-01
SHP	III mamarana and an	1.50	3.8e-03	9.4e-03
STVC		1.09	2.2e-01	3.5e-01
TVCP		1.44	1.0e-04	4.1e-04
ebfActivated		1.43	1.0e-04	4.1e-04
ebfInhibited		0.84	1.0e+00	1.0e+00
ATM		2.16	1.0e-04	4.1e-04
mesenchyme		A I A I	1.0e+00	1.0e+00
Cardiac		-1 22	5.0e-01	7.0e-01
primedCardiac		-1.52	2.0e-02	3.8e-02
primedASM		-1.30	7.6e-03	1.7e-02
denovoCardiac		1.05	2.8e-01	4.3e-01
denovoASM		1.18	1.8e-02	3.6e-02
MAPK18activated		0.92	8.9e-01	1.0e+00
MAPK18inhibited		1.01	4.6e-01	6.6e-01
FoxFactivated		-1.56	2.0e-03	5.3e-03
FoxFinhibited		1.51	4.6e-04	1.5e-03
MAPK10activated		NaN	1.0e+00	1.0e+00
MAPK10inhibited		1.32	1.0e-04	4.1e-04
upreg6hpf		1.37	1.0e-04	4.1e-04
downreg6hpf		A I A I	1.0e+00	1.0e+00
tvcAcc		_2 21	6.2e-02	1.1e-01
atmAcc		$\sim -\sim$	3.3e-02	6.1e-01
asmAcc	THE RESERVE OF THE PROPERTY OF THE PARTY OF	_0.02	6.9e-01	9.4e-01
heartAcc		1.19	2.0e-01	3.4e-01
open6		4.41	1.0e-04	4.1e-04
closed6		-4.89	6.0e-03	1.4e-02
open15		-2.44	8.1e-03	1.7e-02
closed15		3.75	1.0e-04	4.1e-02
open18		1.41	1.0e-04 1.0e-04	4.1e-04 4.1e-04
closed18		1. 4 1	1.0e-04 1.0e-04	4.1e-04 4.1e-04
closedFoxf		-3.65	1.7e-04	4.1e-04 4.6e-03
		1.68		4.0e-03 4.1e-04
openFoxf b75Acc		NaN	1.2e-04 1.0e+00	4.1e-04 1.0e+00
		NaN	1.0e+00 1.0e+00	1.0e+00 1.0e+00
mesenchymeAcc		3.17		
timeDep			1.0e-04	4.1e-04
mespDep	MILITER 11 10 10 10 10 10 10 10 10 10 10 10 10	NaN	1.0e+00	1.0e+00
handrDep		0.72	9.8e-01	1.0e+00
tissueDep	0 10000 20000 30000 40000	NaN	1.0e+00	1.0e+00
	0 10000 20000 30000 40000			