

# CATHOLIC UNIVERSITY OF BUKAVU



B.P.285 BUKAVU

FACULTY OF SCIENCES

Department of Computer Science

---

## Development of a messaging application for communication and detection of spam on a mobile operator, case study of on Airtel, Vodacom and Orange.

---

Presented by : **MURHULA BYABUSHI Christian**  
*Dissertation presented and defended in order to obtain the  
degree of Bachelor in Computer Science.*

Option: Network and Telecommunications  
Degree: Final year of Bachelor

Supervised by: ***Hw.* MUGISHO MUSHEGERHA Youen**  
Directed by : ***Ph.D.* Elie ZIHINDULA**

**Academic year: 2022-2023**

# Contents

<b>Introduction</b>	<b>4</b>
0.1 Context and generalities . . . . .	4
0.2 Problematic . . . . .	4
0.3 Hypotheses . . . . .	5
0.4 Delimitation and objectives . . . . .	5
0.4.1 Delimitation . . . . .	5
0.4.2 Objectives . . . . .	6
0.5 Interest . . . . .	6
0.6 Research Methodology . . . . .	6
0.7 Work Plan (or Work Subdivision) . . . . .	7
<b>1 Situation analysis and assessment on mobile phones</b>	<b>8</b>
1.1 Introduction . . . . .	8
1.2 Presentation of the working framework and definition of key concepts . . .	8
1.2.1 Definition of key concepts . . . . .	8
1.2.2 Presentation of the working framework . . . . .	9
1.2.3 Network coverage and infrastructure . . . . .	10
1.2.4 Mobile Phone Models . . . . .	12
1.2.5 Mobile usage and prevalence . . . . .	12
1.3 Purposes of spammers in mobile messages . . . . .	14
1.4 Solutions . . . . .	14
1.5 Conclusion . . . . .	14
<b>2 REVIEW OF THE LITERATURE AND DESCRIPTION OF THE AP- PROACH</b>	<b>15</b>

# List of Figures

1.1	Market share of mobile device vendors in the Democratic Republic of the Congo from January 2018 to March 2022 . . . . .	12
1.2	SMS Gateway Provider Architecture . . . . .	13

# List of Tables

# Introduction

## 0.1 Context and generalities

With the increasing of use of mobile devices in mobile telecommunication, the number of text messages sent every day has grown exponentially. According to *Statista*, a company that provides market and consumer data on a wide range of topics, including digital media and technology; the number of mobile messages sent worldwide in 2020 reached 3.5 trillion [22]. In the same case, with the raise of web pages and social media messaging applications like Whatshap, Teelgra, Snapchat Facebook, Instagram and many others, phone users can now send messages that are only based on text as in former time but also on video, audios which are more chestful comparatively [10].

For sure, for interacting with his partner more professionally, email message is the most mean used, but not in all cases since in some countries a given SIM Card of a telecommunication provider is used as a bank more than being an communication mean, so the importance to secure the communication lines of a mobile users in these countries. Along with the functions and interests that the mobiles messages encompasses in terms of conversing, money sending and receiving, there has been an increase in the number of spam messages that aim to deceive people into providing personal information, sending unwillingly money, menacing to death or taking other actions that benefit the scammer.

To address this problem, the development of a messaging application with advanced spam detection capabilities is crucial to set, filter messages and prevent the users. This dissertation focuses specifically on the development of such application for phone users and in general for mobile networks telecommunications technologies.

## 0.2 Problematic

In telecommunication domain, we use mobile devices or phones for sharing *SMS*, Email, chats by using some specific apps. Among all we use specifically *SMS* for personal and professional information sharing [17]. The SMS stands for Short Message Service, which is a text messaging service for mobile phones and other mobile devices. It allows users to send and receive short messages of up to 160 characters [18]. It is also possible to send or receive automatic SMS which are not sent by human, whereas by using web interface or API [15].

Time to time, more persons are receiving messages such as : "You won x amount of money send another amount to withdraw it", "Join me at x area to take your money but pay me the transport ...", "I'm *Sirene* Madam I have money for you", "I have a job for you" and many others fake messages. More of them are reported in this spams examples

link.

Furthermore, scammers go the point where they can introduce vulnerabilities in messages which exploit a weakness in the SMS messaging system to remotely install spyware on mobile devices commonly called *Simjacker* [6]. However, in marketing almost similar messages are used to sensitize people to by products and services which confuse users wether it is or not a spam message by leading users to ignore important messages or being more hesitant to engage with mobile marketing campaigns [5],[20].

Considering all above issues caused by spam, what are key technical challenges that could be addressed in messaging system which can effectively facilitate the communication as well as detecting and filtering spam messages ?

## 0.3 Hypotheses

According to the Oxford dictionary, hypotheses stands for a statement of the expected relationship between things being studied, which is intended to explain certain facts or observations [23]. An idea to be tested. Hence, using the content-based filtering techniques, which involves analyzing the content of messages and determining wether it is a spam or not would be considered as solution.

Firstly this would be done by utilizing the Machine learning algorithms which are : **Naive Bayes, Logistic Regression, and Supper vector Machines**. All these would be combined by the ensemble methods for making a more predictive model [24] including the preparation and classification techniques which avoid biased model [16].

Secondly, during the production steps, we should integrate the model inside of the system able to add technically in a blacklist or whitelist suspect users based on the specific probability of being a potential attack.

Overall, we will jump from Machine Learning as model (*MLaaM*) which is the output of writing ML algorithms run on data and represent what was learned by the algorithm on training data; to ML Model Software Deployment which encompasses all the activities that make a software system worthy to be used [12].

## 0.4 Delimitation and objectives

### 0.4.1 Delimitation

The present work aims to develop a messaging application for communication and detection of spam on a mobile network.

Geographically it focuses on all provinces of Democratic Republic Of Congo(DRC) where mobile phones are used and require techniques for implementation.

Besides, it does not function effectively across all languages unless the solution model has been specifically trained on those languages. As a result, it is challenging to claim its effectiveness in languages such as Swahili, Lingala, French, or even English. Moreover, achieving optimal performance often necessitates the involvement of a large population.

Indeed, the current work in terms of planning and execution has spanned a duration of nine months : From January to November 2023.

## 0.4.2 Objectives

This system present 2 types of objectives such as: functional and non functional.

As functional objectives, this system consist of developing a messaging application that can facilitate efficient communication between users; implementing the machine learning models which has the capacity of classifying the messages and preventing spam messages under a certain probability; designing and integrating a user-friendly interface for messaging application;

For non-functional objectives, it allows the user whose messaging application complies with relevant privacy laws and regulation to protect data information, reducing the attacks and frauds; Increasing the trustfulness of users and mobile services compaignie provider, optimizing the power resources of the user against threats posed by scammers.

## 0.5 Interest

Personally, this paper has allowed the author to gain knowledge and more experience in the field of mobile networks and messaging applications.

Socially, the developed system contributes to facilitating communication and reducing the impact of spam messages, which can be annoying and stressful for citizens.

Economically, this system of detection helps to save business server time and resources by filtering out spam messages allowing for more targeted marketing efforts.

Scientifically, the research achieved contributes to the advancement of the science in the domain of Mobile Networks, SMS messaging, and Machine Learning data processing and classification.

## 0.6 Research Methodology

Throughout this paper, the research methodology will be used to guide the study towards achieving its objectives. The research will adopt a descriptive research design to describe the development of a messaging application for communication and detection of spam on a mobile network. The study will focus on both qualitative and quantitative research methods [7]. The qualitative method will involve a literature review, interviews and analysis of collected messages. while quantitative method will focus on the development and testing of the messaging application.

The research will be conducted in two phases. The first phase will involve data collection through a survey questionnaire that can be completed on website, or can be directly provided to the web interface (API) by the mobile phone users for collecting their experience with messages and especially spams. Thus, the data collected will be analyzed using descriptive statistics [3] to identify the common types of spam messages and the frequency of occurrence, languages inside, and other attributes.

The second phase will involve the development of the messaging application using the data collected from the survey and the analysis of existing messaging applications. The development of the application will be guided by the principles of agile software development by using Python (Django framework) for *Back-end* and HTML,CSS and JavaScript for *front-end*. Then,the application will integrate the use of machine learning models, including Naive Bayes, Logistic regression, and Support Vector Machine.

The evaluation of the messaging application will be conducted using both quantitative and qualitative methods. The qualitative evaluation will involve the measurement of the

application's accuracy and efficiency in detecting and filtering spam messages, on the other hand the qualitative evaluation will involve a user study to determine the usability and user experience of the application.

## **0.7 Work Plan (or Work Subdivision)**

The work plan of this dissertation is divided into four parts. The first is the introduction, which provides a background information on the research problem. The second part consist of a situation analysis and assessment while the third part focuses on literature review and explanations on the methodology. Then the fourth part presents the practical result of this work. Finally the conclusion part summarizes the key findings and contributions of the study and presents limitations and provide recommendations for future research.



# Chapter 1

## Situation analysis and assessment on mobile phones

### 1.1 Introduction

In this chapter, we will focus on various aspects that enhance the comprehensiveness and practicality of this dissertation. It includes explanations of mobile messaging architecture, machine learning models, and spam messages in mobile world. Additionally, it provides an analysis of the architecture used by network operators, highlighting both positive and negative aspects of their approach to message handling.

### 1.2 Presentation of the working framework and definition of key concepts

#### 1.2.1 Definition of key concepts

a) SMS(Short Message Service) :

The Short Message Service is a basic service allowing the exchange of short text messages between subscribers [19]. For supporting virtually all mobile devices, SMS is considered as a universal means of communication that enables users to communicate and function even though all users are not active simultaneously (asynchronous communication).

b) Enhanced Messaging Service (EMS) :

EMS has been created to allow the transmission of richer and more advanced messages. Unlike traditional SMS, EMS accepts not only text messages but also audios, melodies, and animations [18].

c) MMS (Multimedia Messaging Service):

MMS has been developed to facilitate the transmission of rich multimedia content in mobile messaging. Unlike SMS and EMS, MMS enables users to send not only text messages but also various types of multimedia files such as images, videos, audio recordings and even slideshows [18].

- d) Spam message:  
A spam message is understood as an unsolicited or undesired messages received on mobile phones which constitutes veritable nuisance to the mobile subscribers [25]. Clearly, this message can be sent with the intention of gaining financial benefits, collecting personal or organizational information such as security numbers, credit card details, or login credentials, and soliciting money by making false promises of future benefits or rewards that do not materialize.
- e) Networks operators: The networks operators refers to companies or organizations that provide and manage telecommunication networks. These operators own and operate the infrastructure, such as mobile networks, fixed-line networks, or internet service provider (ISP) networks, that enable the transmission of user's information to another user of the network [11]
- f) Artificial Intelligence (AI) : AI refers to the field of computer science that focuses on creating intelligent machines or systems that can perform tasks that would typically require human intelligence. For being practical, it encompasses algorithms, models and technologies that enable computers and machines to simulate human like cognitive processes such as learning, reasoning, problem-solving, perception and language understanding.
- g) ML (Machine Learning) : Machine learning is a subfield of Artificial Intelligence that focus on the development of algorithms and models that enable computers to learn from data and make decisions or predictions without being explicitly programmed[26]. Clearly, when data is labeled during the training, we refer to it as supervised model. If contrast, we the data is unlabeled and the model must discover patterns and relationships itself, it is an unsupervised model.
- h) NLP (Natural Language Process): NLP is a subfield of Machine Learning that studies the human language and combing techniques from statistics, linguistics, life-hoods for making sentiment analysis, text classification, machine translation, question answering and text generation in a way that it can be understood computationally [4].

## 1.2.2 Presentation of the working framework

In the eastern party of DRC (South Kivu- and North Kivu) the usage of mobile phones has become more common, transforming communication and connectivity in the region. The DRC itself is large country, covering over 2,345,000 square kilometers with the eastern provinces of North and South Kivu spanning approximately 59,483 and 65,070 square kilometers respectively [28]. According to recent statistics from *GlobalEdge* <sup>1</sup>, an American company, around 95 million people were living in the DRC in 2022 [9], of which approximately 46.9% had active mobile phones based on *GSM* <sup>2</sup> research.

---

<sup>1</sup>GlobalEdge : Created in 1994 by the International Business Center and the Eli Broad College of Business at Michigan State University (IBC), globalEDGE™ is a knowledge web-portal that connects international business professionals worldwide to a wealth of information, insights, and learning resources on global business activities

<sup>2</sup>GSMA (Global System Communications Association) : An industry Organization which represents the interests of mobile network operators worldwide created in 1982 to ease cooperation between countries deploying *GSM* (Global System fo Mobile) technology.

In this context, it is observed that more people in cities use mobile phones compared to those in villages, primarily due to limited accessibility. A research study conducted by *Target Canibet* <sup>3</sup> in 2015 focused on mobile connections in DRC cities including Bukavu, Goma, Kinshasa, Lubumbashi, and Matadi, found that among 1,000 people surveyed in each city, 9 out of 10 individuals were subscribed to a network operator. However, it was noted that approximately half of them subscribed to two operators, while a quarter subscribed to four operators, and 18% used the services of a single operator.

Furthermore, the recent statistics made by *DataReportal* <sup>4</sup> in DRC shows that the mobiles users continues to increase exponentially merely because of new services provided by internet and Telecoms Operators, at the point that since 2021 to 2022, it is has been reported 3.6 million of new users between 2021 to 2022, a report that proves how much mobile phones is inevitable in this last decades.

### 1.2.3 Network coverage and infrastructure

In fact, two telecoms services exist in DRC such as : Fixed services (26%) and Mobile services (74%). The first one known as landline or wired services, involve the use of physical infrastructure; the second one which is popular is the mobiles services refer to telecommunications services provided through mobile networks. According to the Congolese Regulatory Agency (ARPTC), the DRC has four mobile operators - Vodacom RDC, Airtel Congo, Orange DRC and Africell DRC. Vodacom is the leader in the voice segment, with 35.2% of the market, followed by Orange (30%), Airtel (23.9%) and Africell (10.9%). In the mobile internet market, Vodacom has 37.44%, Airtel 31.25%, Orange 28.14% and Africell 3.17% [2].

Additionally, since the 190s, when the DRC witnessed the first installation of operator systems such as Celtel(now Airtel) and Vodacom, followed by Orange and Africell, the telecommunications sector has shown significant market growth, reaching 1 Billion in 2022\$ and expanding at a rate of 21% per year according to *GlobalData* <sup>5</sup>. However, this growth necessitates the updating of the infrastructure, which includes various generations of technologies, namely the second generation, third, fourth, and fifth(under development).

In fact, the second generation have been deployed in various territories to enable more efficient **voice calls, data networks services, and introduce SMS for text messaging**. The infrastructure required for 2G networks includes the following equipments: 1) BTS(Base Transceiver Station) : Transmit and receives signals between mobile devices. 2) MSC(Mobile Switch Controller) : serves as the switching entity that connects calls between mobile devices. 3) BSC (Base Station Controller) : manages multiples BTSs and controlling radio resources, managing handovers between cells and optimizing network performance, 4) AuC (Authentication Center) responsible for managing subscriber authentication and encryption keys to ensure communication between mobile devices and the network, 5) Home Location Register (HLR) the database that stores subscriber information such as phone numbers, authentication details, and service profiles, 6) Visitor Location Register (VLR) : The VIR is a temporary database that stores information about

---

<sup>3</sup>Target Canibet: Reseach & Consulting Group working in DRC. <https://www.target-sarl.cd/fr/content/etude-sur-la-telephonie-mobile-en-rdc>

<sup>4</sup>DataReportal: A online Company designed to help people and organizations all over the world to find the data, insights, and trends they need to make better informed decisions produced by Simon Kemp, <https://datareportal.com/reports/digital-2023-global-overview-report>


<sup>5</sup>GlobalData: Expert Company of Analysis, innovatove Solutions

roaming subscribers within a specific area 7) MS (Mobile Station), including all the technologies used by the users's handset and has two parts : **Firstly, the mobile equipment which contains the radio equipment, the user interface, the processing capability and memory requirements for call signaling, encryption, SMS and the id of the mobile phone(equipment IMEI number).** **Secondly the Subscriber Identity module (SIM Card),** used in encryption of codes needed to identify the subscriber, storing subscriber's information, locate the user [8] as (+243 for each congolese number).

Indeed, all the 2G technologies covers a large distance varying between 1880MHz - 2700 MHz.

Besides, the third generation appears as revolution, **allowing multimedia messages, voice calls data, faster data speed;** however it requires a significant upgrade from the previous generation. Thus, the equipment involved in 3G technology includes : 1) BTS (Base station Transceiver) : Which plays the same role as for 2G; 2) Node B: Responsible for handling the radio interface and connecting mobile devices to the core network; 3) Radio Network Controller (RNC) : Controlling the Node B and managing the radio resources 4) Mobile Switching Center (MSC): The MSC is the central switching entity in the network that **connects calls between mobile devices;** 5) Serving GPRS Support Node (SGSN) : Responsible for managing packet-switched data services services and handling mobility for mobile internet access; 6) Gateway GPRS Support Node (GGSN): It serves as interface between the mobile network and external networks like internet; 7) The Home Location Register (HLR) and Authentication Center(AuC): plays the same role as in 2G; 8) Operations Support System (OSS) : It provides and functionalities for monitoring and managing the 3G network. Indeed, the 3G is appreciated for enabling higher- speed services and covers different frequency bands depending on countries, ranging between 850Mhz - 1700 Mhz [21].

Additionally, the fourth generation, commonly referred to as LTE(Long-Term Evolution) represents a significant advancement over previous generations in terms of infrastructure and services. This generation introduces higher data speeds, improved capacity, and better performance for mobile communication and data services. The upgrades in infrastructure include: 1) BTS and MSCs : These components remain unchanged from the previous generation 2) Evolved Packet Core (EPC) The EPC is a critical component of the 4G core network architecture which provides the packet-switched backbone that handles data traffic and ensures efficient data delivery between mobile devices and the internet or other networks; 3) Radio Access Network (RAN): The Ran is responsible for the radio interface between mobile devices and base stations; 4) LTE (Long-Term Evolution) : is the primary air interface enabling the high data speeds, low latency; 5) Back-haul Network : It connects base stations to the core network and internet infrastructure; 6) Spectrum Allocation: Hands over the mobile operator access to specific radio frequency bands; 7) Network Management System: These systems monitor and manage the 4G network, ensuring its smooth operation, performance optimization, and troubleshooting. However, it's spanning or coverage of 4G networks on frequency bands allowed in each country based on their preferences, ranging from 700MHz to 2600 Mhz. The higher frequency bands generally offer faster data speeds but may have a shorter range, while the lower frequency bands can provide broader coverage but with slightly lower data speeds [21].



**Figure 1.1:** Market share of mobile device vendors in the Democratic Republic of the Congo from January 2018 to March 2022

### 1.2.4 Mobile Phone Models

Since the mobiles phones are essential tools for communication, there is a wide range of popular mobile widely used by citizens of the DRC. The popular models come from various brands and offer a range of features to cater to different user preferences and needs. Some of the popular mobile phone models in DRC include *Techno*, *Itel*, *Infinix*, *Samsung*, *Apple*, *Huawei*, *Itel*, *HTC*, *Motorola*. As it can be seen on the figure 1.1, according to the recent statistics conducted by *Statistica*, Samsung was the market leader in terms of share from January 2018 to November 2020, but in 2022, Tecno has emerged as the market leader.

Furthermore, all these models provided above sell the telephone following different types which include mobile phones, offering the features such as touchscreen displays, cameras, internet, connectivity, and access to mobile apps; features phones, which are basic mobile phones used for calling and texting; smartphones used by the majority (around 35% in DRC ), providing access to mobile internet, mobile apps, multimedia messaging, and various productivity tools; Tablets, used for reading and for the same functionalities as smartphones.

### 1.2.5 Mobile usage and prevalence

In fact, each phone has its own unique set of characteristics that define its capacity and performance compared to others. Some phones come with specific applications that can be used independently, even without being connected to an operator, such as a camera,




Figure 1.2: SMS Gateway Provider Architecture

calculator, games app, and many others. However, other phones may not have such features.

To access the services provided by the operator, the phone's sim-card must be functioning, recognized by the operator, and capable of sending and receiving communication signals. **Of course, all these services work only if the phone's battery has sufficient power.**

Moreover, the services that citizen's subscribers benefit from are as follows :

Firstly, the Internet Access: The Internet services are used to connect people from different nodes. In fact, In accordance with the *WorldBank* <sup>6</sup> been used by 23% of the DRC's population in 2020. Nonetheless, it requires payment which proportionally gives mobile data usually expressed in Megabytes.

Secondly, the Text Messaging (SMS): Even though the internet is the most used for texting, the SMS remains a widely used form of communication, especially in regions with **limited internet connectivity or among users who prefer simple text messaging or do not have the internet connection.** Furthermore, with the architecture of GSM(Global System for Mobile Communications) invented in the second generation, sending messages became possible. Nowadays, the web environment has developed application interfaces (API) that connect external systems to operators for sending messages [14]. One of the platforms that offer these services connects its SMS gateway to the GSM operator, as seen in the case of *Octopush* <sup>7</sup> architecture shown in Figure 1.2

Thirdly, the Mobile Banking and Payments : With this services subscriber can make **financial transactions**; paying bills, transferring money conveniently.

Fourthly, the Mobile Entertainment: Mobile phones offer a range of entertainment options, from streaming videos and music to mobile gaming.

And finally, the others Mobiles apps: This party includes the health services, education, social medias applications.

<sup>6</sup>WorldBank : International Telecommunication Union ( ITU ) World Telecommunication/ICT Indicators Database <https://data.worldbank.org/indicator>

<sup>7</sup>Octopush : SMS platform for businesses connected with their audience

### 1.3 Purposes of spammers in mobile messages

Most of the time, spammers prefer to promise recipients prizes and then ask for money to claim the offer. They also attack SMS gateways with DoS (Denial of Service) messages [1] whose goal is to overwhelm the system with unnecessary messages. Spammers send advertising and promotional messages based on company objectives, as well as SMS containing fake links or impersonating organizations to deceive recipients into taking certain actions or providing sensitive information [27]. Additionally, they may send SMS disguised as surveys to gather personal information for various fraudulent purposes.

### 1.4 Solutions

To address these problems, it is necessary to involve various stakeholders, including network operators, app developers, regulatory bodies, and users. Firstly, it is recommended to implement mechanisms at the network level [13] to filter messages and block users involved in spamming. Secondly, users (subscribers) should be educated on how to analyze messages and report any one that is causing disturbances. Thirdly, regulatory measures should be enforced to establish stringent regulations and penalties for spammers and those engaged in fraudulent mobile activities. Fourthly, the development of apps that enable filtering, classification, and reporting in the subscriber side would be beneficial. Fifthly, a website can be set to collect messages whether spam or ham reported by users who have doubts about their legitimacy, and then Machine Learning models can be used for detection purposes. For this, supervised or unsupervised methods can be employed to classify and predicting whether a message is spam or ham.

### 1.5 Conclusion

Overall, with the growth of mobile technologies, subscribers benefit from diversified services including : text messaging, voice calls, mobile banking, entertainment apps, and many others. However, These advancements also bring new challenges, such as the development of spam messages that aim to disturb network subscribers with unwanted or threatening messages.

In DRC, especially in the eastern party, users face similar issues. This chapter emphasizes methods or techniques that can be used to address this problem and relatively reduce spam. One of the prominent techniques suggested is based on Artificial Intelligence, particularly Machine Learning algorithms.

## Chapter 2

### Review of the Literature and description of the approach



# Bibliography

- [1] Iosif Androulidakis, Vasileios Vlachos, and Alexandros Papanikolaou. Fimess: filtering mobile external sms spam. In *Proceedings of the 6th Balkan Conference in Informatics*, pages 221–227, 2013.
- [2] Paul Kimumwe Lillian Nalwoga Juliet Nanfuka Edrine Wanyama Wairagala Wakabi PhD Ashnah Kalemera, Victor Kapiyo. State of internet freedom democratic republic of the congo 2019. *Mapping Trends in Government Internet Controls, 1999-2019*, 2020.
- [3] Allan Bluman. *Elementary statistics: A step by step approach*. McGraw-Hill Education, 2017.
- [4] Erik Cambria and Bebo White. Jumping nlp curves: A review of natural language processing research. *IEEE Computational intelligence magazine*, 9(2):48–57, 2014.
- [5] Guangquan Chen, Weijun Wang, and Xuan Zhou. A survey on sms spam filtering techniques. *Journal of Network and Computer Applications*, 80:149–159, 2017.
- [6] Catalin Cimpanu. Simjacker vulnerability exploited for surveillance by at least one nation-state. *ZDNet*, 2019.
- [7] John W Creswell. *Research design: Qualitative, quantitative, and mixed methods approaches*. Sage publications, 2014.
- [8] Prof. Dantu’s CSE. Cellular network basics. In *ADV. REAL-WORLD NETWORKS*, volume 14-760. University of North Texas, 2018.
- [9] MONUSCO DRC. Protect, stabilize, consolidate peace, monusco’s report. *United Nations Organisation Stabilization Mission in the Democratic Republic of Congo*, pages 1–4, 2015.
- [10] Cori Faklaris and Sara Anne Hook. Oh, snap! the state of electronic discovery amid the rise of snapchat, whatsapp, kik, and other mobile messaging apps. 2016.
- [11] Antonio Ghezzi, Marcelo Nogueira Cortimiglia, and Alejandro Germán Frank. Strategy and business model design in dynamic telecommunications industries: A study on italian mobile network operators. *Technological Forecasting and Social Change*, 90:346–354, 2015.
- [12] Kennedy Ochilo Hadullo and DM Getuno. Machine learning software architecture and model workflow. a case of django rest framework. *American Journal of Applied Sciences*, 18(1):152–164, 2021.

- [13] Shuang Hao, Nadeem Ahmed Syed, Nick Feamster, Alexander G Gray, and Sven Krasser. Detecting spammers with snare: Spatio-temporal network-level automatic reputation engine. In *USENIX security symposium*, volume 9, 2009.
- [14] Marko Hassinen and Smile Markovski. Secure sms messaging using quasigroup encryption and java sms api. *SPLST*, 3:187, 2003.
- [15] Sunil Kumar Jangir, Manoj Kumar Sharma, and Pawan Kumar Gupta. Design and implementation of sms gateway api for mobile communication networks. *International Journal of Computer Applications*, 151(9):1–5, 2016.
- [16] Thomas R Karl, Claude N Williams Jr, Pamela J Young, and Wayne M Wendland. A model to estimate the time of observation bias associated with monthly mean maximum, minimum and mean temperatures for the united states. *Journal of Applied Meteorology and Climatology*, 25(2):145–160, 1986.
- [17] M Lavanya and KR Aruna. Sms spam detection using deep learning. *Journal homepage: www.ijrpr.com ISSN*, 2582:7421.
- [18] Gwenaél Le Bodic. *Mobile messaging technologies and services: SMS, EMS and MMS*. John Wiley & Sons, 2005.
- [19] Gwenaél Le Bodic and Hatim Zaghoul. *Mobile Messaging Technologies and Services: SMS, EMS, and MMS*. ABC Publishing, 2022.
- [20] Matti Leppäniemi and Heikki Karjaluo. Mobile marketing: From marketing strategy to mobile marketing campaign implementation. *International Journal of Mobile Marketing*, 3(1), 2008.
- [21] Ajay R Mishra. *Advanced cellular network planning and optimisation: 2G/2.5 G/3G... evolution to 4G*. John Wiley & Sons, 2007.
- [22] Statista’s own team of researchers and analysts. *Number of mobile messages worldwide from 2019 to 2023 (in trillions)*. <https://fr.statista.com/>, 2020.
- [23] Chris Park. *A Dictionary of Environment and Conservation*. Oxford University Press, 1 edition, 2012. Online Publication.
- [24] Sebastian Raschka and Vahid Mirjalili. Python machine learning: Machine learning and deep learning with python. *Scikit-Learn, and TensorFlow. Second edition ed*, 3, 2017.
- [25] Muhammad Abdulhamid Shafi’I, Muhammad Shafie Abd Latiff, Haruna Chiroma, Oluwafemi Osho, Gaddafi Abdul-Salaam, Adamu I Abubakar, and Tutut Herawan. A review on mobile sms spam filtering techniques. *IEEE Access*, 5:15650–15666, 2017.
- [26] Alex Smola and S.V.N. Vishwanathan. *Introduction to Machine Learning*. Cambridge University Press, Cambridge, UK, 2010.
- [27] Siyuan Tang, Xianghang Mi, Ying Li, XiaoFeng Wang, and Kai Chen. Clues in tweets: Twitter-guided discovery and analysis of sms spam. In *Proceedings of the 2022 ACM SIGSAC Conference on Computer and Communications Security*, pages 2751–2764, 2022.

- [28] Pacifique Zikomangane. A free wireless network in the drc: An answer to internet shutdowns and exorbitant access costs. 2018.