FOG time to events analysis

Christophe Mpaga

Contents

Executive summary				
Data analysis : 1D EDA	1			
events	1			
subjects	4			
tasks	6			

Executive summary

In this project, we will be using data from kaggle. We aim to analysis time to freezing of gait (FOG). FOG is a pattern occurring in patient with Parkinson diseases. It indicates kinetic inability and impairment during gait for instance. Some indicative events like walking hesitation, turning body could be observed and help to detect FOG occurrence.

We have 3 tables to analyse:

- events
- subjects
- tasks

Data analysis: 1D EDA

events

data structure


```
## # A tibble: 3 x 5
##
     Ιd
                 Init Completion Type Kinetic
##
     <chr>>
                <dbl>
                           <dbl> <chr>
                                          <dbl>
## 1 003f117e14 8.61
                            14.8 Turn
                                              1
## 2 009ee11563 11.4
                            41.2 Turn
                                              1
## 3 009ee11563 54.7
                            58.8 Turn
                                              1
## # A tibble: 3 x 5
##
                 Init Completion Type Kinetic
     Ιd
##
     <chr>
                <dbl>
                           <dbl> <chr>
                                          <dbl>
## 1 f9fc61ce85 924.
                            926. Turn
                                              1
## 2 f9fc61ce85 983.
                            984. Turn
                                              0
                           1173. Turn
## 3 f9fc61ce85 1173.
```

summary stats

##	Id	Init	Completion	Type
##	Length:3544	Min. : -30.67	Min. : -29.72	Length:3544
##	Class :character	1st Qu.: 39.52	1st Qu.: 48.61	Class :character
##	Mode :character	Median : 768.66	Median : 774.26	Mode :character
##		Mean : 956.30	Mean : 964.49	
##		3rd Qu.:1570.30	3rd Qu.:1576.70	
##		Max. :4381.22	Max. :4392.74	
##				
##	Kinetic			
##	Min. :0.0000			
##	1st Qu.:1.0000			
##	Median :1.0000			
##	Mean :0.8177			
##	3rd Qu.:1.0000			
##	Max. :1.0000			
##	NA's :1042			

Kinetic has 1042 NA.

Kinetic graphical summary




Most kinetic event status is "1", i.e. many events occurs instaed of beeing censored. Kinetic numerical summary

##

0 1 ## 0.18 0.82

82~% of events has been observed during this experiment. events type graphical summary



events type numerical summary

StartHesitation Turn Walking ## 0.04 0.80 0.16


The most frequent events is Turn. (80% of the observed events).

Adding duration column: Completion - Init

A tibble: 3 x 6 ## Ιd Init Completion Type Kinetic eventsDuration ## <chr> <dbl> <dbl> <chr> <dbl> <dbl> ## 1 003f117e14 8.61 14.8 Turn 6.16 1 ## 2 009ee11563 11.4 29.8 41.2 Turn 1 ## 3 009ee11563 54.7 58.8 Turn 1 4.12

events Duration graphical summary.

Histogram of eventsDuration



Events duration is assymetric.

EventsDuration Numerical summary

```
## Min. 1st Qu. Median Mean 3rd Qu. Max.
## 0.119 1.210 2.680 8.191 6.920 581.980
```

 ${\tt EventsDuration}$ has median 2.7 seconds , and has range 0 .11 to 581 seconds.

subjects

data structure

```
## # A tibble: 3 x 8
##
                                 YearsSinceDx UPDRSIII_On UPDRSIII_Off NFOGQ
     Subject Visit
                      Age Sex
     <chr>
              <dbl> <dbl> <chr>
                                         <dbl>
                                                      <dbl>
                                                                    <dbl> <dbl>
## 1 00f674
                                                                       49
                  2
                       63 M
                                            27
                                                         43
                                                                             24
## 2 00f674
                  1
                       63 M
                                            27
                                                         31
                                                                       30
                                                                             26
## 3 02bc69
                 NA
                       69 M
                                                         21
                                                                       NA
                                                                             22
```


[1] 173 8

subjects has 173 rows and 8 columns.

[1] 173 8


There are 173 unique subjects. Age graphical summary.





Age numerical summary.

There are 94 NA in Age. Age has median of 68 years old and presents some outliers. sex graphical summary.



sex numerical summary

```
## Sex
## F M
## 0.3 0.7
```

There is almost 70% of men in this cohort.

tasks

data structure

```
## spc_tbl_ [2,817 x 4] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
## $ Id : chr [1:2817] "02ab235146" "02ab235146" "02ab235146" "02ab235146" ...
## $ Begin: num [1:2817] 10 211 506 578 701 ...
   $ End : num [1:2817] 190 272 522 595 715 ...
    $ Task : chr [1:2817] "Rest1" "Rest2" "4MW" "4MW-C" ...
##
   - attr(*, "spec")=
##
##
     .. cols(
          Id = col_character(),
         Begin = col_double(),
##
##
         End = col_double(),
##
         Task = col_character()
    ..)
## - attr(*, "problems")=<externalptr>
```

REPRISE