

McMASTER UNIVERSITY

SMARTSERVE

SOFTWARE & MECHATRONICS CAPSTONE

---

## Project Goals

---

*Authors:*

Christopher McDonald  
Harit Patel  
Janak Patel  
Jared Rayner  
Nisarg Patel  
Sam Hamel  
Sharon Platkin

*Professor:*

Dr. Alan Wassyng

*Teaching Assistants:*

Bennett Mackenzie  
Nicholas Annable  
Stephen Wynn-Williams  
Viktor Smirnov



Last compiled on October 6, 2017

## Contents

<b>1</b>	<b>Mission Statement</b>	<b>2</b>
<b>2</b>	<b>Project Summary</b>	<b>2</b>
<b>3</b>	<b>Success Criteria</b>	<b>2</b>
<b>4</b>	<b>Low-Level Goals</b>	<b>2</b>
<b>5</b>	<b>Mid-Level Goals</b>	<b>3</b>
<b>6</b>	<b>High-Level Goals</b>	<b>3</b>

## List of Figures

1	Revision History . . . . .	1
---	----------------------------	---

Date	Revision	Comments	Author(s)
10/05/17	0	First revision of document completed	Christopher McDonald & Sharon Platkin

Figure 1: Revision History

## 1 Mission Statement

The sport of Table Tennis has been enjoyed by many people for over 100 years and is now played all over the world by people of all ages. Despite the increasing popularity, there is a lack of technology being introduced when training the players in order to do this more efficiently. We plan to find a solution which leverages the engineering skills we have learned to aid in training table tennis players.

## 2 Project Summary

When a player wants to improve their table tennis game, a typical solution is to hire a coach. However, this does not come without its challenges. These include scheduling, focusing on particular shots and receiving in-depth statistical feedback. Our solution to solve the above problem will consist of a shooting mechanism, a way to identify successful returns and a system to recommend different shots. Throughout the training session, the system must provide the user with feedback on the quality of their game. The system will consist of a electromechanical system to shoot the ball and a computer vision system to track the ball's location during flight. A server will also be added to store data, provide diagnostics and recommend shots given the user's past performance.

## 3 Success Criteria

To judge how well the system meets the problem described above, several aspects of the system will need to be measured. The first major part is the accuracy and precision of the shooting mechanism with respect to how well it shoots the ball. The second will be how many degrees of freedom can be applied to a shot to vary its characteristics. Lastly, including features in order to better solve the problem in areas like usability, performance and quality. However, for the project to be deemed successful in solving the problem, only the low-level goals will need to be satisfied.

## 4 Low-Level Goals

The following items encompass the low-level goals of the system:

- The system can detect the boundaries of the table to determine valid returns on the system's side
- The system can detect valid returns from the user with an accuracy of 90%
- The system can hit each square of a 4x4 grid with an accuracy of 75%

- The system can apply a reinforcement learning algorithm to aid in the shot decision when focusing on the user's weak spots
- The system can pause and resume operation
- The system can calibrate its position and orientation
- The system can adjust the shooting frequency

## 5 Mid-Level Goals

The following items encompass the mid-level goals of the system:

- The system can detect the boundaries of the table to determine valid shot locations on the user's side
- The system can hit each square of a 8x8 grid with an accuracy of 75%
- The system can calibrate its shooting parameters
- The system can notify the user of their performance after each shot is taken
- The system has multiple modes including 'single-shot' and random
- The system has leaderboards for all users
- The system's state persists after shutting down
- The system can apply spin to the shot on one axis
- The system can shoot at various speeds

## 6 High-Level Goals

The following items encompass the high-level goals of the system:

- The system can hit each square of a 16x16 grid with an accuracy of 75%
- The system can apply spin to the shot on a combination of two axes
- The system can track the ball throughout the complete path travelled across the table
- The system can collect the balls returned by the user
- The system can shoot from different heights