



Page 1 Run 29 Start Scan 24 Stream 0 Module 5 (JaneDoe3Y) - Type Barrel 250 -200 150 100 50 E 120 = 100 E 60 40 120 ⊏ 100 F 60 40 20 1152 1280 384 Input Noise at 1.50fC 1400 E 1200 1000 E 800 600 400 200 768









Page 4 Run 29 Start Scan 24 Chip 0 (0) Module 5 (JaneDoe3Y) - Type Barrel




Page 5 Run 29 Start Scan 24 Chip 1 (1) Module 5 (JaneDoe3Y) - Type Barrel




Page 6 Run 29 Start Scan 24 Chip 2 (2) Module 5 (JaneDoe3Y) - Type Barrel




Page 7 Run 29 Start Scan 24 Chip 3 (3) Module 5 (JaneDoe3Y) - Type Barrel




Page 8 Run 29 Start Scan 24 Chip 4 (4) Module 5 (JaneDoe3Y) - Type Barrel




Page 9 Run 29 Start Scan 24 Chip 5 (5) Module 5 (JaneDoe3Y) - Type Barrel




Page 10 Run 29 Start Scan 24 Chip 6 (6) Module 5 (JaneDoe3Y) - Type Barrel



Page 11 Run 29 Start Scan 24 Chip 7 (7) Module 5 (JaneDoe3Y) - Type Barrel



Page 12 Run 29 Start Scan 24 Chip 8 (8) Module 5 (JaneDoe3Y) - Type Barrel



Page 13 Run 29 Start Scan 24 Chip 9 (9) Module 5 (JaneDoe3Y) - Type Barrel

