

2024-02-20

# **Simple Open Data Measures of Public Transit Service Availability**

**Temporal Variability**

**Emily C. Wilke**

35xxxxxxxx

emilycwilke@gmail.com

Ruprecht-Karls-Universität Heidelberg

xxxxxxx

## ***Affidavits***

## **Abstracts**

### **English**

### **German**

## Contents

Affidavits .....	i
Abstracts .....	ii
1 Introduction .....	1
1.1 Transit Accesibility Equity and Equality .....	1
1.1.1 Terminology .....	1
1.1.2 Motivation .....	1
1.1.3 Research Question .....	2
1.2 Related Work .....	2
1.3 Methodological Approach .....	2
1.3.1 Data Acquisition .....	2
1.3.2 origins .....	2
1.3.3 Destinations .....	2
1.3.4 Case Studies .....	2
2 Transit Reach .....	3
2.1 Measures of Reach .....	3
2.1.1 Isochrones as a Measure of Reach .....	3
2.1.2 Mean Travel Time .....	3
2.2 Temporal Variability .....	3
2.3 Processing .....	3
2.3.1 Travel Matrices .....	3
2.3.2 clustering .....	3
2.4 Results .....	3
3 Transit Access and Planning .....	4
3.1 Conveyal Percentiles .....	4
3.2 Processing .....	4
3.3 Results .....	4
4 Results .....	5
5 Discussion .....	6
5.1 General Limitations .....	6
5.2 Methodological short commings .....	6
6 Final Remarks .....	7
6.1 Conclusion .....	7
6.2 Outlook .....	7
Bibliography .....	8

# 1 Introduction

In recent years, but for decades by now, the demand for a paradigm shift in transportation infrastructure and service has become louder and louder. While calls for a shift away from car centric mobility are nothing new and were a well established part of German Academic discourse in the 1990s already (Holzapfel, 1993), it has become part of a widespread political discourse around the so called *Verkehrswende* (Holzapfel, 2020). With increased awareness and concrete experiences of climate change this discourse has reached states of heated debate. Taunted benefits of a modal shift away from individual motorised transit towards public transit include a more efficient transport system both in terms of traffic throughput as well as in terms of energy usage, decreased local pollution (Teufel, 1993), and a lessened dependency on cars favouring more healthy modes of transit and more livable environments for humans (Holzapfel, 2020; Rissel et al., 2012; Stevenson et al., 2016).

However appealing these pleas for an improved mobility regime may be, there is a distinct lack of easily accessible tools to measure how well a public transit system is serving its users, and the people who for some reason or another have decided that they will not use it. Public Transit Data beyond planned schedules is often hard to come by, and the often quite complex thoughts that go into service planning remain behind the closed doors of local transit agencies in a lot of cases (Pieper, 2021). One option of addressing this gap is the use of reach data over larger areas to assess the coverage public transit provides for reaching different points of interest hopefully relevant to daily life of potential users e.g. (Verduzco Torres & McArthur, 2024). These studies are based in schedule data and as in this example several assumptions about public transit usage. One of these assumptions is usually a time of day for travel time calculations, usually something like morning rush hour.

As general traffic volumes change over the course of the day the, so do public transit schedules. This temporal variability in transit accessibility is so far not generally addressed well in the literature and in available data sets (Verduzco Torres & McArthur, 2024). So I shall make an attempt at addressing this gap.

## 1.1 Transit Accesibility Equity and Equality

To address this gap as identified above it is paramount to first define, what is even meant by terminology like public transit accessibility or reach. Then it is necessary to expand on the short motivation I have given above to open up the questions i seek to answer in this thesis. Furthermore, I will give a almost certainly incomplete overview of the landscape of literature and research surrounding this topic.

### 1.1.1 Terminology

### 1.1.2 Motivation

- Traditional transport planning centering on men?
  - German Transport Planning post world war 2?
- Transit planning and identifying demand in public transit networks is a complicated process, that takes into account a plethora of data that's hard to access or acquire (Pieper, 2021).
  - statistical routing data based on conveyal engine (Conway et al., 2017)

### **1.1.3 Research Question**

- How temporal variability in transit accessibility maps on to spatial usage patterns?
- are cities really better connected? edge times?
- are rural areas always worse off in connections or are there times when it's actual actions?

## **1.2 Related Work**

- Network Centrality Measures
  - road networks
  - public transit networks
  - bipartite networks
- Transit Equity Studies
  - US
  - Network Planning (Pieper, 2021)
- Traveltime Datasets such as (Tenkanen & Toivonen, 2020) and (Verduzco Torres & McArthur, 2024)

## **1.3 Methodological Approach**

### **1.3.1 Data Acquisition**

- explorative data analysis

### **1.3.2 origins**

- hexgrids from h3pandas (Dahn, 2023) based on uber's implementation of them

#### **1.3.2.1 Transport Data**

- osm files from geofabrik (Geofabrik GmbH, 2018)
- gtfs files from various transit companies (DELFI, 2023; Rhein-Neckar-Verkehr GmbH, 2023; VRS, 2023; VVS, 2023).

#### **1.3.2.2 Population Data**

### **1.3.3 Destinations**

- Usage of openly available data, preferably from osm .. extracted with pyrosm (Tenkanen, 2023)
- specific data if necessary, eg secondary school data not mapped in osm (Ministerium für Schule und Bildung NRW, 2016)

### **1.3.4 Case Studies**

- Selected based on data availability, personal familiarity.

#### **1.3.4.1 secondary schools**

- see (Verduzco Torres & McArthur, 2024)
- data from (Ministerium für Schule und Bildung NRW, 2016)

#### **1.3.4.2 sports clubs**

- osm data

#### **1.3.4.3 hexgrid cells**

- h3 pandas (Dahn, 2023)

## **2 Transit Reach**

### **2.1 Measures of Reach**

#### **2.1.1 Isochrones as a Measure of Reach**

- ors (HeiGIT, 2023)
- cumulative or individual accessibility measures from (Verduzco Torres & McArthur, 2024)

#### **2.1.2 Mean Travel Time**

### **2.2 Temporal Variability**

- conveyal approach (Conway et al., 2018)
  - also used in (Verduzco Torres & McArthur, 2024) for metrics spanning the UK, but identified gap in temporal variability of transport choices
- automatic clustering using u-map, pca and k-means

### **2.3 Processing**

#### **2.3.1 Travel Matrices**

- enough for basic reach analyses, isochrone itself not important
- calculated with r5py (Fink et al., 2022) as used in (Tenkanen & Toivonen, 2020), based on the conveyal engine (Conway et al., 2017; 2018)

#### **2.3.2 clustering**

- Dimensionality reduction PCA or UMAP (McInnes, 2018) based on the maths from (McInnes et al., 2020)
- Clustering K-Means or HDBSCAN (McInnes et al., 2016) based on an algorithm proposed by (Campello et al., 2013)

### **2.4 Results**

## **3 Transit Access and Planning**

### **3.1 Conveyal Percentiles**

- see (Verduzco Torres & McArthur, 2024)

### **3.2 Processing**

### **3.3 Results**



## 4 Results

## 5 Discussion

### 5.1 General Limitations

- Lack of real world measures as Comparisons
- Focuses solely on door to door travel times and neglects
  - reliability and delay Data
  - public transit fare structures (Conway & Stewart, 2019)
- lacks data including
  - comparisons to cars
  - ride hailing services see (Barajas & Brown, 2021)
  - related on demand services (trial at rohrbach)
- *inequality* being silly at times (Graeber & Wengrow, 2022).

### 5.2 Methodological short commings

- UMAP clustering prone to confabulations (2018; Schubert, 2017).

## **6 Final Remarks**

### **6.1 Conclusion**

### **6.2 Outlook**

## Bibliography

- (2018, June). <https://stats.stackexchange.com/q/263539>
- Barajas, J. M., & Brown, A. (2021). Not minding the gap: Does ride-hailing serve transit deserts?. *Journal of Transport Geography*, 90, 102918. <https://doi.org/10.1016/j.jtrangeo.2020.102918>
- Campello, R. J. G. B., Moulavi, D., & Sander, J. (2013). Density-Based Clustering Based on Hierarchical Density Estimates. In J. Pei, V. S. Tseng, L. Cao, H. Motoda, & G. Xu (Eds.), *Advances in Knowledge Discovery and Data Mining* (pp. 160–172). Springer. [https://doi.org/10.1007/978-3-642-37456-2\\_14](https://doi.org/10.1007/978-3-642-37456-2_14)
- Conway, M. W., & Stewart, A. F. (2019). Getting Charlie off the MTA: a multiobjective optimization method to account for cost constraints in public transit accessibility metrics. *International Journal of Geographical Information Science*, 33(9), 1759–1787. <https://doi.org/10.1080/13658816.2019.1605075>
- Conway, M. W., Byrd, A., & Eggermond, M. van. (2018). Accounting for uncertainty and variation in accessibility metrics for public transport sketch planning. *Journal of Transport and Land Use*, 11(1). <https://doi.org/10.5198/jtlu.2018.1074>
- Conway, M. W., Byrd, A., & Linden, M. van der. (2017). Evidence-Based Transit and Land Use Sketch Planning Using Interactive Accessibility Methods on Combined Schedule and Headway-Based Networks. *Transportation Research Record*, 2653(1), 45–53. <https://doi.org/10.3141/2653-06>
- Dahn, J. (2023, November). *h3pandas: Integration of H3 and GeoPandas*. <https://github.com/DahnJ/H3-Pandas>
- DELFI. (2023, December). *Deutschlandweite Sollfahrplandaten (GTFS)*. [https://www.opendata-oePNV.de/ht/de/organisation/delfi/startseite?tx\\_vrrkit\\_view%5Baction%5D=details&tx\\_vrrkit\\_view%5Bcontroller%5D=View&tx\\_vrrkit\\_view%5Bdataset\\_formats%5D%5B0%5D=ZIP&tx\\_vrrkit\\_view%5Bdataset\\_name%5D=deutschlandweite-sollfahrplandaten-gtfs&cHash=01414d5793fcd0abb0f3a2e35176752c](https://www.opendata-oePNV.de/ht/de/organisation/delfi/startseite?tx_vrrkit_view%5Baction%5D=details&tx_vrrkit_view%5Bcontroller%5D=View&tx_vrrkit_view%5Bdataset_formats%5D%5B0%5D=ZIP&tx_vrrkit_view%5Bdataset_name%5D=deutschlandweite-sollfahrplandaten-gtfs&cHash=01414d5793fcd0abb0f3a2e35176752c)
- Fink, C., Klumpenhauer, W., Saraiva, M., Pereira, R., & Tenkanen, H. (2022, September). *r5py: Rapid Realistic Routing with R5 in Python*. Zenodo. <https://doi.org/10.5281/zenodo.7060438>
- Geofabrik GmbH. (2018). *Geofabrik Download Server*. <http://download.geofabrik.de/>
- Graeber, D., & Wengrow, D. (2022). *The Dawn of Everything. A New History of Humanity*. Penguin Books.
- HeiGIT. (2023). *Openrouteservice API*. Heidelberg Institute of Geoinformation Technology. <https://openrouteservice.org/>
- Holzapfel, H. (1993). Hat das Auto in der Stadt noch etwas zu suchen?. In H.-J. Frank & N. Walter (Eds.), *Strategien gegen den Verkehrsinfarkt* (pp. 63–80). Schäffer-Poeschel.
- Holzapfel, H. (2020). *Urbanismus und Verkehr: Beitrag zu einem Paradigmenwechsel in der Mobilitätsorganisation*. Springer Fachmedien Wiesbaden. <https://doi.org/10.1007/978-3-658-29587-5>
- McInnes, L. (2018). *UMAP: Uniform Manifold Approximation and Projection for Dimension Reduction*. <https://umap-learn.readthedocs.io/en/latest/index.html>

- McInnes, L., Healy, J., & Astels, S. (2016). *The hdbscan Clustering Library — hdbscan 0.8.1 documentation*. <https://hdbscan.readthedocs.io/en/latest/index.html>
- McInnes, L., Healy, J., & Melville, J. (2020, September). *UMAP: Uniform Manifold Approximation and Projection for Dimension Reduction*. arXiv. <https://doi.org/10.48550/arXiv.1802.03426>
- Ministerium für Schule und Bildung NRW. (2016, January). *Grunddaten der Schulen und Schulaufsicht in NRW*. <https://www.schulministerium.nrw.de/BiPo/OpenData/Schuldaten/schuldaten.csv>
- Pieper, F. (2021). Der Kreislauf der Aufgaben – Leistungsplanung und Leistungserstellung im Betrieb. In VDV-Akademie (Ed.), *Grundwissen Personenverkehr und Mobilität* (pp. 234–283). GRT Global Rail Academy and Media GmbH.
- Rhein-Neckar-Verkehr GmbH. (2023). *Aktueller GTFS*. [https://www.opendata-oepnv.de/ht/de/organisation/verkehrsunternehmen/rnv/openrnv/datensaetze?id=1405&tx\\_vrrkit\\_view\[dataset\\_name\]=soll-fahrplandaten-rnv&tx\\_vrrkit\\_view\[action\]=details&tx\\_vrrkit\\_view\[controller\]=View](https://www.opendata-oepnv.de/ht/de/organisation/verkehrsunternehmen/rnv/openrnv/datensaetze?id=1405&tx_vrrkit_view[dataset_name]=soll-fahrplandaten-rnv&tx_vrrkit_view[action]=details&tx_vrrkit_view[controller]=View)
- Rissel, C., Curac, N., Greenaway, M., & Bauman, A. (2012). Physical Activity Associated with Public Transport Use—A Review and Modelling of Potential Benefits. *International Journal of Environmental Research and Public Health*, 9(7), 2454–2478. <https://doi.org/10.3390/ijerph9072454>
- Schubert, E. (2017, February). *Answer to "Clustering on the output of t-SNE"*. <https://stats.stackexchange.com/a/264647>
- Stevenson, M., Thompson, J., De Sá, T. H., Ewing, R., Mohan, D., McClure, R., Roberts, I., Tiwari, G., Giles-Corti, B., Sun, X., Wallace, M., & Woodcock, J. (2016). Land use, transport, and population health: estimating the health benefits of compact cities. *The Lancet*, 388(10062), 2925–2935. [https://doi.org/10.1016/S0140-6736\(16\)30067-8](https://doi.org/10.1016/S0140-6736(16)30067-8)
- Tenkanen, H. (2023, October). *pyrosm*. <https://pyrosm.readthedocs.io/en/latest/index.html>
- Tenkanen, H., & Toivonen, T. (2020). Longitudinal spatial dataset on travel times and distances by different travel modes in Helsinki Region. *Scientific Data*, 7(1), 77. <https://doi.org/10.1038/s41597-020-0413-y>
- Teufel, D. (1993). Der Autoverkehr als Umweltfaktor. In H.-J. Frank & N. Walter (Eds.), *Strategien gegen den Verkehrsinfarkt* (pp. 41–61). Schäffer-Poeschel.
- Verduzco Torres, J. R., & McArthur, D. P. (2024). Public transport accessibility indicators to urban and regional services in Great Britain. *Scientific Data*, 11(1), 53. <https://doi.org/10.1038/s41597-023-02890-w>
- VRS. (2023, January). *Soll-Fahrplandaten VRS*. [https://www.opendata-oepnv.de/ht/de/organisation/verkehrsverbuende/vrs/startseite?tx\\_vrrkit\\_view%5Baction%5D=details&tx\\_vrrkit\\_view%5Bcontroller%5D=View&tx\\_vrrkit\\_view%5Bdataset\\_formats%5D%5B0%5D=ZIP&tx\\_vrrkit\\_view%5Bdataset\\_name%5D=soll-fahrplandaten-vrs&cHash=5db6d1227f9456ffed0b252688eadec0](https://www.opendata-oepnv.de/ht/de/organisation/verkehrsverbuende/vrs/startseite?tx_vrrkit_view%5Baction%5D=details&tx_vrrkit_view%5Bcontroller%5D=View&tx_vrrkit_view%5Bdataset_formats%5D%5B0%5D=ZIP&tx_vrrkit_view%5Bdataset_name%5D=soll-fahrplandaten-vrs&cHash=5db6d1227f9456ffed0b252688eadec0)
- VVS. (2023, December). *Soll-Fahrplandaten VVS 2024 Jahresfahrplan*. [https://www.opendata-oepnv.de/ht/de/organisation/verkehrsverbuende/vvs/startseite?tx\\_vrrkit\\_view%5Baction%5D=details&tx\\_vrrkit\\_view%5Bcontroller%5D=View&tx\\_vrrkit\\_view%5Bdataset\\_formats%5D%5B0%5D=ZIP&tx\\_vrrkit\\_view%5Bdataset\\_name%5D=soll-fahrplandaten-vvs&cHash=5db6d1227f9456ffed0b252688eadec0](https://www.opendata-oepnv.de/ht/de/organisation/verkehrsverbuende/vvs/startseite?tx_vrrkit_view%5Baction%5D=details&tx_vrrkit_view%5Bcontroller%5D=View&tx_vrrkit_view%5Bdataset_formats%5D%5B0%5D=ZIP&tx_vrrkit_view%5Bdataset_name%5D=soll-fahrplandaten-vvs&cHash=5db6d1227f9456ffed0b252688eadec0)

D=details&tx\_vrrkit\_view%5Bcontroller%5D=View&tx\_vrrkit\_view%5Bdataset\_formats%5D%5B0%5D=ZIP&tx\_vrrkit\_view%5Bdataset\_name%5D=soll-fahrplandaten-vvs&cHash=77fbc8e1cfc3643518ca99625acb8ff1