

# Quality Management

Copyright University of Melbourne 2018

*Marion Zalk*


*Department of Computing and Information Systems*

*The University of Melbourne*

*mzalk@unimelb.edu.au*

2020 – Semester 1  
Lecture 8

# Project Quality



## Quality Management

1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

# What is quality?

*Quality is not an act, it is a habit* — Aristotle

- Evidence shows that we cannot simply fix up our software *post-hoc* and add in quality attributes after building the system
- Quality must be *built into the software from the beginning*
- In this topic you will learn how to built quality into the software through a range of *Quality Management* activities

## Which of the following would you regard as a high quality product?

A product that meets client requirements **A**

A product that has passed 100% of the test cases **B**

A product that is reliable and efficient **C**

A product that is easy to use **D**

A product that is easy to maintain and extend **E**

Start the presentation to see live content. Still no live content? Install the app or get help at [PollEv.com/app](https://PollEv.com/app)

- We define quality from two broad perspectives:

- **End-user's Perspective:**

Typically, end-users judge the quality of a product by their interaction with it. For users, a system has quality if it is fit for purpose, is reliable, has reasonable performance, is easy to learn and use, and helps the users in achieving their goals. Sometimes, if the functionality is hard to learn but is extremely important and worth the trouble of learning, then users will still judge the system to have high quality. These are termed **external quality characteristics**, because they are typically associated with the external behaviour of the system.

- **Developer's Perspective:**

The developer's perspective typically also includes the number of faults that the system has, ease of modifying the system, ease of testing the system, the ease of understanding the system design, the re-usability of components, conformance to requirements, resource usage, and performance. These are mainly **internal quality characteristics**, because they are concerned with the quality of the internal structure of the system.

- Some claim:


*Most quality assurance activities are too costly - savings made from not using resources is greater than the cost incurred in fixing the faults*

- For example, instead of performing formal reviews of requirements specification documents, it is far better to build the system, ask the client/user for feedback, and to correct any faults from there.
- Alternatively, one can simply release the system and correct faults as users report them.

- Empirical studies refute the above claim:
  - There are many studies in the area




# Cost of quality



1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

# Quality Management Process





## 1. *Quality assurance:*


The establishment of a framework of organizational procedures and standards that lead to high-quality software

## 2. *Quality planning:*

The selection of appropriate procedures and standards from the framework, adopted for the specific project

## 3. *Quality control:*

Ensuring that the software development team has followed the project quality procedures and standards



1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

- Quality assurance process is primarily concerned with defining or selecting the *quality standards*
  - A standard might simply be defined as a *set of rules for ensuring quality*
  - Standards play an important role in the quality management process
- There are two types of standards:
  - Product standards:
    - These apply to the product being developed
  - Process standards:
    - These standards define the processes that should be followed during software development



Product Standards	Process Standards
Design review form template	Design review conduct
Requirements document structure	Design validation process
Documentation standards	Version release process
Coding standards to follow	Project plan approval process
Project plan format	Change control process
Change request form template	Test recording process

Product vs process standards



- Why are documentation standards important?
  - documents are the tangible manifestation of the software
- Documentation process standards
  - How documents should be developed, validated and maintained
- Document standards
  - Concerned with document identification, structure, presentation, changes highlighting, etc.
- Document interchange standards
  - How documents are stored and interchanged between different documentation systems
  - XML is an emerging standard for document interchange which will be widely supported in future


- Advantages of standards
  - Provide a framework around which the quality assurance process may be implemented
  - Provide encapsulation of best, or at least most appropriate, practice
  - Customers sometimes require a particular quality standard/level when choosing a software vendor
- Problems with standards
  - Not seen as relevant and up-to-date by software engineers
  - Involve too much bureaucratic form filling
  - Unsupported by software tools so tedious manual work is involved to maintain standards


***Standards should not be avoided, but should be tailored as needed!***

- Many standards and systems related to software quality exists today
- Some examples of software standards and systems
  - ISO 9000
  - Capability Maturity Model

- Developed by the Software Engineering Institute (SEI) at Carnegie Mellon University
- Describes the key elements of an effective software development process
- Describes an approach for software companies to move from an ad-hoc, immature process to a mature developed process
- Organizations are characterised being at a Level from 1-5 based on the processes they follow

## Characteristics of the Maturity levels





1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring



- The process of selecting those standards and systems that are appropriate to a particular organization and project
- The outcome of the planning process is a:
  - Software Quality Plan (SQP), sometimes called a Software Quality Assurance Plan (SQAP)



- Software Quality Assurance Plan
  - Product Overview

A description of the product, intended market, and quality expectations
  - Product Plan

The critical release dates and responsibilities – could point to the schedule
  - Quality Goals

The quality goals and plans for the product, including identification and justification of critical product quality attributes
  - Process Description

The quality assurance processes that should be used for product development and management (reviews, audits etc)
  - Document and Coding Standards

Standards for the documents and coding standards
  - Risks and Risk Management

The key risks that might affect product quality and the actions to address these risks (could provide a link to appropriate risks in the Risk Management Plan)

Safety	Understandability	Portability
Security	Testability	Usability
Reliability	Adaptability	Reusability
Resilience	Modularity	Efficiency
Robustness	Complexity	Learnability

## Software quality attributes

- Some of the quality attributes matter only matter to developers while others matter to end-users
- It is not possible for any system to be optimised for all attributes – trade-off is necessary to select the most important ones

- Verification and Validation (V &V) are important aspects of quality assurance
- **Verification:**
  - Verification is an attempt to ensure that the product is built correctly, in the sense that the output products of an activity meet the specifications imposed on them in previous activities.
  - Verification normally involves two (sets of) artifacts: req. spec. vs design, design vs code; this is an internal developer activity.
  - Verification is ensuring you are *building the system right* (the right way).
- **Validation:**
  - Validation is an attempt to ensure that the right product is built—that is, the product fulfills its specific intended purpose.
  - Validation involves going back to the stakeholders to check if the product meets their requirements; this normally involves something/someone external.
  - Validation is ensuring that you are *building the right system* (to meet stakeholder needs).

- **Review** is a common technique used for verification and validation
- Artefacts produced during the development process are reviewed as a way of identifying problems seeking ways to improve them early
- Three common types of reviews:
  - Technical Reviews
  - Business Reviews
  - Management Reviews



- Reviews of artefacts is performed by **peers** in the development team but the author/s are involved
- The aim is uncovering problems in an artefact and seeking ways to improve the artefact
- Is considered a “soft” method for quality assurance - that is, nothing is executed
  - Some developers greet reviews with scepticism - however, empirical evidence suggests that such scepticism is unjustified

- Advantages of technical reviews:
  - **Can be performed on any software artefact**, whereas many “hard” methods of quality assurance, such as testing and measurement, can be performed only on executable artefacts.
  - **Earlier detection of problems** in software artefacts leads to lower costs of resolution.
  - Studies show that roughly 30-70% of all programming faults found in a project were located using **source code reviews**, and up to 80% according to studies performed by IBM. Some studies demonstrated that **review techniques found several types of faults that testing failed to find**, and vice-versa.
  - **Reviews find the actual faults in source code**, in contrast to testing, which merely indicates that there is a fault somewhere in the program. After a fault is detected with testing, it must then be located.
  - Due to internal pressure of getting software releases out the door, programmers make more mistakes when correcting faults that were found during testing than they do **correcting faults during the review phase**

- Disadvantages of technical reviews:
  - Could be time and resource consuming
  - Should be carefully planned and executed to get the desired outcomes
- Types of technical reviews
  - Informal Reviews
  - Formal Reviews
  - Walk throughs
  - Code inspections
  - Audits

- **Informal Reviews:**

- A simple desk check or casual meeting with a colleague which aims to improve the quality of a document
- No formal guidelines or procedures that are followed
- The effectiveness of informal reviews is considerably less than formal reviews, because of the lack of diversity found in a group
- Checklists are tools that can help to improve the effectiveness of a review.
- A checklist is a list of questions that the reviewer must answer about an artefact, however, the questions are generic questions about that type of artefact
- Less time and resource consuming than a formal review



## Example checklist for a Requirements Specification

Checklist for software requirements specification artifact
<b>Organisation and Completeness</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Are all internal cross-references to other requirements correct?</li><li><input type="checkbox"/> Are all requirements written at a consistent and appropriate level of detail?</li><li><input type="checkbox"/> Do the requirements provide an adequate basis for design?</li><li><input type="checkbox"/> Is the implementation priority of each requirement included?</li><li><input type="checkbox"/> Are all external hardware, software, and communication interfaces defined?</li><li><input type="checkbox"/> Have algorithms intrinsic to the functional requirements been defined?</li><li><input type="checkbox"/> Does the specification include all of the known customer or system needs?</li><li><input type="checkbox"/> Is the expected behaviour documented for all anticipated error conditions?</li></ul>
<b>Correctness</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Do any requirements conflict with or duplicate other requirements?</li><li><input type="checkbox"/> Is each requirement written in clear, concise, unambiguous language?</li><li><input type="checkbox"/> Is each requirement verifiable by testing, demonstration, review, or analysis?</li><li><input type="checkbox"/> Is each requirement in scope for the project?</li><li><input type="checkbox"/> Is each requirement free from content and grammatical errors?</li><li><input type="checkbox"/> Is any necessary information missing from a requirement? If so, is it identified as "to be decided"?</li><li><input type="checkbox"/> Can all of the requirements be implemented within known constraints?</li><li><input type="checkbox"/> Are any specified error messages unique and meaningful?</li></ul>
<b>Quality Attributes</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Are all performance objectives properly specified?</li><li><input type="checkbox"/> Are all security and safety considerations properly specified?</li><li><input type="checkbox"/> Are other pertinent quality attribute goals explicitly documented and quantified, with the acceptable tradeoffs specified?</li></ul>
<b>Traceability</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Is each requirement uniquely and correctly identified?</li><li><input type="checkbox"/> Is each software functional requirement traceable to a higher-level requirement (e.g., system requirement, use case)?</li></ul>
<b>Special Issues</b> <ul style="list-style-type: none"><li><input type="checkbox"/> Are all requirements actually requirements, not design or implementation solutions?</li><li><input type="checkbox"/> Are all time-critical functions identified, and timing criteria specified for them?</li><li><input type="checkbox"/> Have internationalisation issues been adequately addressed?</li></ul>

- **Formal Reviews:**

- A meeting with multiple stakeholders such as developers, testers, client
  - The group approach has benefits of bringing out different perspectives
- Meeting should adhere to the following constraints
  - The review team should be 3-5 members carefully chosen
  - The meeting should last no longer than 90 minutes
  - Following are the critical roles
    - Review Leader: responsible for organizing the review
    - Author: at least one author should be present
    - Reviewers: at least two or three non-author stakeholders
    - Recorder: responsible for recording all important review comments
- The review meeting could recommend one of the following:
  - Accept without further changes
  - Accept with proposed changes
  - Reject the artefact – this requires a re-review after modifications



- **Walkthroughs**

- Walkthrough could be for code or a document
- This is a review process where the author (the programmer or designer) leads a group of reviewers
- Following are the main differences from a formal review:
  - Moderator, that leads the review is the author of the artefact being reviewed
  - Reviewers do not need preparation
  - When defects or inconsistencies are found, possible solutions are discussed

- **Code Inspections**

- These are very similar to formal reviews, expect that the focus is on the code

- **Audits**


- Reviews of processes and products to determine if a particular product or process conforms to standards
- It is a type of technical review where the authors of the artefact being audited are not involved in the audit process at all – all the other roles are similar to a formal review
- Audits are typically performed by a team that is completely external to an organisation
- Two types of audits:
  - Product audits: to confirm that the product meets the standards
  - Process audits: to ensure that the team follows processes

- The goal of a business review is to ensure that the IT solution provides the functionality specified in the project scope and requirements document
- A business review can include all project deliverables to ensure that:
  - It is complete
  - Provides the information needed to move to the next phase or process
  - Meets the standards

- Compares the project's actual progress against a baseline project plan
- Project Manager is responsible for presenting the project progress and providing a clear picture of the current status
- Issues need to be resolved – e.g. resources reallocated as needed, change to the project course if needed
- May involve reviewing if the project meets the scope, schedule, budget and quality objectives

1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

- Involves monitoring the software development process to ensure that the quality assurance procedures and standards specified in the SQP are being followed





1. Understand the fundamentals of quality management
2. Understand the quality management process
3. Understand the following quality management activities:
  - Quality Assurance
  - Quality Planning
  - Quality Control and Monitoring

1. R. S. Pressman. Software Engineering: A Practitioner's Approach. McGraw Hill, seventh edition, 2009.
2. I Somerville. Software Engineering, Addison-Wesley Publishing, ninth edition, 2010.
3. ISO. Information technology – software product evaluation – quality characteristics and guidelines for their use, international organization for standardization. International Standard ISO/IEC 9126, International Electrotechnical Commission, Geneva, 1991.



4. Marco Palomino, Abraham Dávil, Karin Melendez, Marcelo Pessoa. Agile Practices Adoption in CMMI Organizations: A Systematic Literature Review. International Conference on Software Process Improvement, 2016.