


## Take Home Assignment MA2001 #3

1. Let  $V$  be a solid in first octant bounded by the coordinate planes, the plane  $y + z = 2$ , and the cylinder  $x = 4 - y^2$ . Set up (No need evaluate) the iterated integrals for the triple



integral  $\iiint_V f(x, y, z) \, dV$  with order  $dx dy dz$ ,  $dy dx dz$ ,  $dz dx dy$ , respectively.

2. (a) Solve the system

$$u = x - y, \quad v = 2x + y$$


for  $x$  and  $y$  in terms of  $u$  and  $v$ . Then find the value of the Jacobian  $\frac{\partial(x,y)}{\partial(u,v)}$ .

- (b) Find the image under the substitution  $u = x - y, v = 2x + y$  of the region  $R$  in the first quadrant bounded by the lines  $y = -2x + 4$ ,  $y = -2x + 7$ ,  $y = x - 2$ , and  $y = x + 1$  in the  $xy$ -plane. Sketch the transformed region in the  $uv$ -plane.

- (c) Use the above substitution to evaluate the integral

$$\iint_R (2x^2 - xy - y^2) \, dx \, dy.$$

3. Let  $R$  be the region illustrated below.



- (a) Describe the region  $R$  in polar coordinates.  
 (b) Evaluate the double integral

$$\iint_R \frac{1}{\sqrt{x^2 + y^2}} \, dx \, dy.$$


4. Evaluate the integral

$$\int_{-1}^1 \int_0^{\sqrt{1-y^2}} \int_0^x (x^2 + y^2) dz dx dy$$

[Hint: Use cylindrical coordinates transformation.]

5. Set up (No need evaluate) iterated integrals for the volumes of following region.

- The region between the cylinder  $z = y^2$  and  $xy$ -plane that is bounded by the planes  $x = 0, x = 1, y = -1, y = 1$ .
- The wedge cut from the cylinder  $x^2 + y^2 = 1$  by the planes  $z = -y$  and  $z = 0$ .
- The region enclosed above by  $z = 1 - x^2 - y^2$  and below by  $z = -\sqrt{1 - x^2 - y^2}$ .  
(Hint: use cylindrical coordinates substitution. )
- The solid between the sphere  $\rho = \cos \phi$  and the hemisphere  $\rho = 2, z \geq 0$ , where  $(\rho, \theta, \phi)$  is spherical coordinates.



6. Consider a vector field

$$\mathbf{F} = (y + z)\mathbf{i} + (z + x)\mathbf{j} + (x + y)\mathbf{k}$$

- Determine if  $\mathbf{F}$  is conservative. If so, find its potential function.
  - Calculate the divergence of  $\mathbf{F}$ , i.e.  $\text{div}(\mathbf{F})$  at  $(1, 2, 3)$ .
  - Calculate the curl field of  $\mathbf{F}$ , i.e.  $\text{Curl}(\mathbf{F})$ .
7. (a) Sketch the graphs for the straight line path  $C_1 : \mathbf{r}(t) = t\mathbf{i} + t\mathbf{j} + t\mathbf{k}, \quad 0 \leq t \leq 1$  and the curve path  $C_2 : \mathbf{r}(t) = t\mathbf{i} + t^2\mathbf{j} + \frac{2}{3}t^3\mathbf{k}, \quad 0 \leq t \leq 1$ .
- Evaluate the first kind line integral for the three-variable function  $f(x, y, z) = xz$  along  $C_2$ .
  - Evaluate the second kind line integral for the vector field

$$\mathbf{F} = (y + z)\mathbf{i} + (z + x)\mathbf{j} + (x + y)\mathbf{k}$$

along  $C_1$  from  $t = 0$  to  $t = 1$ .

8. Consider the surface  $S$  cut from the parabolic cylinder  $z = 4 - y^2$  by the planes  $x = 0$ ,  $x = 2$ , and  $z = 0$ .

- (a) Set up a proper parametric expression for the surface  $S$ .
- (b) Evaluate the first kind surface integral for the three-variable function  $f(x, y, z) = xz$  over  $S$ .
- (c) Evaluate the second kind surface integral for the vector field

$$\mathbf{F} = (y + z)\mathbf{i} + (z + x)\mathbf{j} + (x + y)\mathbf{k}$$

over  $S$  with outward orientation.