Feedback — Week 1 Quiz

Help

Thank you. Your submission for this quiz was received.

You submitted this quiz on Fri 9 Jan 2015 5:28 PM PST. You got a score of 10.00 out of 10.00.

Question 1

Which of the following is a principle of analytic graphics?

~	Score 1.00	Explanation
~	1.00	
	1.00 / 1.00	
		1.00 / 1.00

Question 2

What is the role of exploratory graphs in data analysis?

Your Answer		Score	Explanation
 Axes, legends, and other details are clean and exactly detailed. 			
They are made for formal presentations.			
Only a few are constructed.			
They are typically made very quickly.	~	1.00	
Total		1.00 /	

1.00

Question 3

Which of the following is true about the base plotting system?

Your Answer	Score	Explanation
 The system is most useful for conditioning plots 		
Plots are created and annotated with separate functions	1 .00	Functions like 'plot' or 'hist' typically create the plot on the graphics device and functions like 'lines', 'text', or 'points' will annotate or add data to the plot.
 Plots are typically created with a single function call 		
 Margins and spacings are adjusted automatically depending on the type of plot and the data 		
Total	1.00 / 1.00	

Question 4

Which of the following is an example of a valid graphics device in R?

Your Answer		Score	Explanation
A Microsoft Word document			
A socket connection			
A PDF file	~	1.00	
A file folder			
Total		1.00 / 1.00	

Question 5

Which of the following is an example of a vector graphics device in R?

Your Answer	Score	Explanation
O PNG		
○ JPEG		
● SVG	1.00	
○ TIFF		
Total	1.00 / 1.00	

Question 6

Bitmapped file formats can be most useful for

Your Answer		Score	Explanation
Plots that may need to be resized			
Plots that require animation or interactivity			
 Scatterplots with many many points 	~	1.00	
 Plots that are not scaled to a specific resolution 			
Total		1.00 / 1.00	

Question 7

Which of the following functions is typically used to add elements to a plot in the base graphics system?

Your Answer	Score	Explanation
oplot()		

• lines()	~	1.00
oboxplot()		
o hist()		
Total		1.00 / 1.00

Question 8

Which function opens the screen graphics device for the Mac?

Your Answer		Score	Explanation
opdf()			
o bitmap()			
opng()			
• quartz()	~	1.00	
Total		1.00 / 1.00	

Question 9

What does the 'pch' option to par() control?

Your Answer		Score	Explanation
the plotting symbol/character in the base graphics system	~	1.00	
the orientation of the axis labels on the plot			
the line width in the base graphics system			
the size of the plotting symbol in a scatterplot			
Total		1.00 / 1.00	

Question 10

If I want to save a plot to a PDF file, which of the following is a correct way of doing that?

Your Answer	Score	Explanation
Open the screen device with quartz(), construct the plot, and then close the device with dev.off().		
 Construct the plot on the screen device and then copy it to a PDF file with dev.copy2pdf() 	✓ 1.00	
Open the PostScript device with postscript(), construct the plot, then close the device with dev.off().		
Construct the plot on the PNG device with png(), then copy it to a PDF with dev.copy2pdf().		
Total	1.00 /	
	1.00	