

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

Key Fields

Sequence Number: _____

Date Received: ____ - ____ - ____

CIBMTR Center Number: _____

CIBMTR Research ID: _____

Event date: ____ - ____ - ____

Recipient Data

Questions: 1 - 13

This form must be completed for all recipients of non-HCT cellular products. For recipients of hematopoietic cell transplants, complete a form 2400 - Pre-Transplant Essential Data.

This form reflects baseline recipient data for one course of cellular therapy.

1 Ethnicity

- ☐ Hispanic or Latino
- ☐ Not Hispanic or Latino
- ☐ Not applicable (not a resident of the USA)
- ☐ Unknown

2 Race (check all that apply)

- ☐ White
- ☐ Black or African American
- ☐ Asian
- ☐ American Indian or Alaska Native
- ☐ Native Hawaiian or Other Pacific Islander
- ☐ Not reported
- ☐ Unknown

3 Has the recipient signed an IRB / Ethics Committee-approved consent form for submitting research data to the CIBMTR?

- ☐ Yes (patient consented)
- ☐ No (patient declined)
- ☐ Not approached
- ☐ Not applicable

4 Date form was signed: ____ - ____ - ____

5 Is the recipient participating in a cellular therapy clinical trial?

- ☐ yes ☐ no

Clinical Trials (1)

Questions: 6 - 11

6 Study sponsor

- ☐ BMT CTN
- ☐ RCI BMT
- ☐ USIDNET
- ☐ COG
- ☐ Corporate / Industry
- ☐ EudraCT
- ☐ UMIN
- ☐ Investigator initiated
- ☐ Other

7 Specify corporate / industry sponsor name: _____

8 Specify EudraCT number: _____

9 Specify UMIN number: _____

10 Specify other sponsor: _____

11 Specify the ClinicalTrials.gov identification number: _____

12 Is the recipient receiving cellular therapy outside the context of a clinical trial?

- ☐ Yes ☐ No

13 Specify the reason for not being on a clinical trial (check all that apply)

- ☐ Institutional guidelines / standard treatment
- ☐ Hospital exemption
- ☐ Compassionate use

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

Cellular Therapy and HCT History

Questions: 14 - 28

14 Is this the first application of cellular therapy (non-HCT)?

- ☐ Yes
☐ No (recipient has previously been treated using cellular therapy)
☐ Unknown

15 Were all prior cellular therapies (non-HCT) reported to the CIBMTR?

- ☐ Yes ☐ No ☐ Unknown

16 Specify the number of prior cellular therapies: _____

Prior Cellular Therapies (1)

Questions: 17 - 22

17 Date of the prior cellular therapy: ____ - ____ - ____ ☐ Date estimated

18 Was the cellular therapy performed at a different institution?

- ☐ Yes ☐ No

Specify the institution that performed the prior cellular therapy:

19 Name: _____

City: _____

State: _____

Country: _____

20 Specify the indication for the prior cellular therapy

- ☐ Promote stem cell engraftment (e.g. co-infusion with HCT)
☐ Suboptimal donor chimerism (post-HCT)
☐ Immune reconstitution (post-HCT)
☐ GVHD prophylaxis (with HCT)
☐ GVHD treatment (post-HCT)
☐ Prevent disease relapse (post-HCT)
☐ Relapsed, persistent or progressive disease (post-HCT)
☐ Infection treatment
☐ Infection prophylaxis
☐ B cell lymphoproliferative disorder (PTLD, EBV lymphoma)
☐ Autoimmune disease
☐ Cardiovascular disease
☐ Musculoskeletal disorder
☐ Neurologic disease
☐ Ocular disease
☐ Pulmonary disease
☐ Solid tumor
☐ Malignant hematologic disorder
☐ Non-malignant disorder
☐ Unknown
☐ Other indication

21 Specify other indication: _____

22 What was the cell source for the prior cellular therapy? (check all that apply)

- ☐ Autologous
☐ Allogeneic, unrelated
☐ Allogeneic, related

HCT History

23 Has the recipient ever had a prior HCT?

- ☐ Yes ☐ No ☐ Unknown

24 Were all prior HCTs reported to the CIBMTR?

- ☐ Yes ☐ No ☐ Unknown

Prior HCTs (1)

Questions: 25 - 28

25 Date of the prior HCT: ____ - ____ - ____

26 Was the HCT performed at a different institution?

- ☐ Yes ☐ No

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

Specify the institution that performed the prior HCT:

27 Name: _____

City: _____

State: _____

Country: _____

28 Specify the HSC source(s) for the prior HCT (check all that apply)

- ☐ Autologous
- ☐ Allogeneic, unrelated
- ☐ Allogeneic, related

Product Identification

Questions: 29 - 46

29 Specify the total number of products: (per protocol) (as part of this course of cellular therapy) _____

30 Is the product genetically modified?

☐ Yes ☐ No

Donor Information (1)

Questions: 31 - 43

31 Specify the cell source

- ☐ Autologous
- ☐ Allogeneic, unrelated
- ☐ Allogeneic, related

32 Specify the related donor type

- ☐ Syngeneic (monozygotic twin)
- ☐ HLA-identical sibling (may include non-monozygotic twin)
- ☐ HLA-matched other relative
- ☐ HLA-mismatched relative

33 Was this donor used for any prior cellular therapies or HCT? **(for this recipient)**

☐ Yes ☐ No ☐ Unknown

34 What is the tissue source of the cellular product? (check all that apply)

- ☐ Bone marrow
- ☐ Cord blood unit
- ☐ Peripheral blood
- ☐ Adipose tissue
- ☐ Amniotic fluid
- ☐ Cardiac tissue
- ☐ Hepatic tissue
- ☐ Neuronal tissue
- ☐ Ophthalmic tissue
- ☐ Pancreatic tissue
- ☐ Placenta
- ☐ Tumor
- ☐ Umbilical cord
- ☐ Other tissue source
- ☐ Unknown

35 Specify other tissue source: _____

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

36 What is the cell type? (Check all that apply)

- ☐ Lymphocytes (unselected)
- ☐ CD4+ lymphocytes
- ☐ CD8+ lymphocytes
- ☐ Cytotoxic T lymphocytes (CTLs)
- ☐ Natural killer cells (NK cells)
- ☐ Dendritic cells / tumor cell hybridomas (tumor vaccines)
- ☐ Mesenchymal stromal stem cells (MSCs)
- ☐ Unspecified mononuclear cells
- ☐ Endothelial progenitor cells
- ☐ Human umbilical cord perivascular (HUCPV) cells
- ☐ Cardiac progenitor cells
- ☐ Islet cells
- ☐ Oligodendrocytes
- ☐ Other cell type

37 Specify other cell type: _____

38 Where was the cellular therapy product manufactured / processed?

- ☐ Pharmaceutical / biotech company
- ☐ Cell processing laboratory off site
- ☐ Cell processing laboratory at the same center as the product is being infused
- ☐ Other site

39 Specify other site: _____

40 Specify pharmaceutical / biotech company

- ☐ Atara Biotherapeutics
- ☐ Bellicum Pharmaceuticals
- ☐ Bluebird Bio
- ☐ Celgene
- ☐ Juno Therapeutics
- ☐ Kite Pharma
- ☐ Mesoblast
- ☐ Novartis
- ☐ Other pharmaceutical company

Specify the institution / company where the cellular product was manufactured:

41 Name: _____

City: _____

State: _____

Country: _____

42 Name of product

- ☐ Tisagenlecleucel (Kymriah®)
- ☐ Axicabtagene Ciloleucel (Yescarta®)
- ☐ Other product

43 Specify other product: _____

Planned HCT

44 Is a subsequent HCT part of the overall treatment protocol?

- ☐ Yes ☐ No

45 Specify the HCT type

- ☐ Autologous ☐ Allogeneic

46 Specify the circumstances in which the subsequent HCT will be performed

- ☐ Regardless of response to cellular therapy
- ☐ Only if the patient responds to cellular therapy
- ☐ Only if the patient fails to respond or has an incomplete response

Indication for Cellular Therapy

Questions: 47 - 60

47 Is the cellular therapy being given for prevention?

- ☐ Yes ☐ No

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

48 Reason for prevention

- ☐ GVHD prophylaxis (with HCT)
- ☐ Prevent disease relapse (post-HCT)
- ☐ Infection prophylaxis

49 Indication for cellular therapy

- ☐ Suboptimal donor chimerism (Post-HCT)
- ☐ Immune reconstitution (Post-HCT)
- ☐ GVHD treatment (Post-HCT)
- ☐ Malignant hematologic disorder - **Also complete CIBMTR Form 2402**
- ☐ Non-malignant disorder - **Also complete CIBMTR Form 2402**
- ☐ Solid tumor - **Also complete CIBMTR Form 2402**
- ☐ Cardiovascular disease
- ☐ Musculoskeletal disease
- ☐ Neurologic disease
- ☐ Ocular disease
- ☐ Pulmonary disease
- ☐ Infection treatment
- ☐ Other indication

50 Date of diagnosis: ____ - ____ - ____

Cardiovascular disease

51 Specify cardiovascular disease

- ☐ AMI, acute myocardial infarction (701)
- ☐ Chronic coronary artery disease (ischemic, cardiomyopathy) (702)
- ☐ Heart failure (non-ischemic etiology) (703)
- ☐ Other cardiovascular disease (709)
- ☐ Limb ischemia (710)
- ☐ Thromboangitis obliterans (711)
- ☐ Other peripheral vascular disease (719)

52 Specify other cardiovascular disease: _____

53 Specify other peripheral vascular disease: _____

Musculoskeletal

54 Specify musculoskeletal disorder

- ☐ Avascular necrosis of femoral head (721)
- ☐ Osteoarthritis (722)
- ☐ Osteogenesis imperfecta (723)
- ☐ Traumatic joint injury (724)
- ☐ Other musculoskeletal disorder (729)

55 Specify other musculoskeletal disorder: _____

Neurologic Disease

56 Specify neurologic disease

- ☐ Acute cerebral vascular ischemia (731)
- ☐ ALS, amiotrophic lateral sclerosis (732)
- ☐ Parkinson disease (733)
- ☐ Spinal cord injury (734)
- ☐ Cerebral palsy (753)
- ☐ Congenital hydrocephalus (754)
- ☐ Myasthenia gravis (601)
- ☐ Duchenne muscular dystrophy (735)
- ☐ Other neurologic disease (749)

57 Specify other neurologic disease: _____

Ocular

58 Specify ocular disease: _____

Pulmonary

59 Specify pulmonary disease: _____

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

Other

60 Specify other indication: _____

Infection

Questions: 61 - 67

Specify organism code(s):

61 _____
62 _____
63 _____
64 _____
65 _____
66 _____

67 Specify other organism: _____

Disease Assessment at Last Evaluation Prior to Cellular Therapy

Questions: 68 - 93

Specify the method(s) of disease detection below. For each method used, if the result was positive report the first date the disease was detected; if the result was negative report the last date the method was used prior to cellular therapy.

68 Was the disease assessed prior to the cellular therapy?

☐ Yes ☐ No

69 Was the disease status assessed by molecular testing? (e.g. PCR)

☐ Yes ☐ No ☐ Not Applicable

70 Date sample collected: ____ - ____ - ____

71 Was disease detected?

☐ yes ☐ no

72 Was the status considered a disease relapse or progression?

☐ yes ☐ no

73 Was the disease status assessed via flow cytometry? (immunophenotyping)

☐ Yes ☐ No ☐ Not Applicable

74 Date sample collected: ____ - ____ - ____

75 Was disease detected?

☐ yes ☐ no

76 Was the status considered a disease relapse or progression?

☐ yes ☐ no

77 Was the disease status assessed by cytogenetic testing? (karyotyping or FISH)

☐ Yes ☐ No ☐ Not Applicable

78 Was the disease status assessed via karyotyping?

☐ Yes ☐ No ☐ Not Applicable

79 Date sample collected: ____ - ____ - ____

80 Was disease detected?

☐ yes ☐ no

81 Was the status considered a disease relapse or progression?

☐ yes ☐ no

82 Was the disease status assessed via FISH?

☐ Yes ☐ No ☐ Not Applicable

83 Date sample collected: ____ - ____ - ____

84 Was disease detected?

☐ yes ☐ no

85 Was the status considered a disease relapse or progression?

☐ yes ☐ no

86 Was the disease status assessed by radiological assessment? (e.g. PET, MRI, CT)

☐ Yes ☐ No ☐ Not Applicable

87 Date assessed: ____ - ____ - ____

88 Was disease detected?

☐ yes ☐ no

89 Was the disease status assessed by clinical / hematologic assessment?

☐ yes ☐ no

90 Date assessed: ____ - ____ - ____

91 Was disease detected?

☐ yes ☐ no

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

92 What was the recipient's disease status immediately prior to the cellular therapy?

- ☐ Complete remission (CR)
☐ Not in complete remission

93 Date assessed: ____ - ____ - ____

Systemic Therapy Prior to Cellular Therapy

Questions: 94 - 249

94 Was systemic therapy given immediately prior to cellular therapy as part of the cellular therapy protocol?

- ☐ yes ☐ no

95 Date started: ____ - ____ - ____

96 Specify the reason for which the systemic therapy was given per protocol

- ☐ Lympho-depleting therapy
☐ Reduction of tumor burden
☐ Other reason

97 Specify other reason: _____

98 ALG, ALS, ATG, ATS

- ☐ yes ☐ no

99 Total dose: _____ mg

100 Date started: ____ - ____ - ____

101 Specify source

- ☐ ATGAM (horse)
☐ ATG - Fresenius (rabbit)
☐ Thymoglobulin (rabbit)
☐ Other

102 Specify other source: _____

103 Anthracycline

- ☐ Yes ☐ No

104 Daunorubicin (Cerubidine)

- ☐ yes ☐ no

105 Total dose: _____ mg

106 Date started: ____ - ____ - ____

107 Doxorubicin (Adriamycin)

- ☐ yes ☐ no

108 Total dose: _____ mg

109 Date started: ____ - ____ - ____

110 Idarubicin (Idamycin)

- ☐ yes ☐ no

111 Total dose: _____ mg

112 Date started: ____ - ____ - ____

113 Rubidazone

- ☐ Yes ☐ No

114 Total dose: _____ mg

115 Date started: ____ - ____ - ____

116 Other anthracycline

- ☐ Yes ☐ No

117 Specify other anthracycline: _____

118 Total dose: _____ mg

119 Date started: ____ - ____ - ____

120 Bleomycin (BLM, Blenoxane)

- ☐ yes ☐ no

121 Total dose: _____ mg

122 Date started: ____ - ____ - ____

123 Busulfan (Myleran)

- ☐ Yes ☐ No

124 Total dose: _____ mg

125 Date started: ____ - ____ - ____

126 Specify administration

- ☐ Oral ☐ IV ☐ Both

127 Carboplatin

- ☐ yes ☐ no

128 Total dose: _____ mg

129 Date started: ____ - ____ - ____

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

130 Were pharmacokinetics performed to determine drug dosing?

☐ Yes ☐ No

131 Specify the target AUC: _____ mg/mL/minute

132 Cisplatin (Platinol, CDDP)

☐ yes ☐ no

133 Total dose: _____ mg

134 Date started: ____ - ____ - ____

135 Cladribine (2-CdA, Leustatin)

☐ yes ☐ no

136 Total dose: _____ mg

137 Date started: ____ - ____ - ____

138 Corticosteroids

☐ yes ☐ no

139 Methylprednisolone (Solu-Medrol)

☐ Yes ☐ No

140 Total dose: _____ mg

141 Date started: ____ - ____ - ____

142 Prednisone

☐ Yes ☐ No

143 Total dose: _____ mg

144 Date started: ____ - ____ - ____

145 Dexamethasone

☐ yes ☐ no

146 Total dose: _____ mg

147 Date started: ____ - ____ - ____

148 Other corticosteroid

☐ Yes ☐ No

149 Specify other corticosteroid: _____

150 Total dose: _____ mg

151 Date started: ____ - ____ - ____

152 Cyclophosphamide (Cytosan)

☐ yes ☐ no

153 Total dose: _____ mg

154 Date started: ____ - ____ - ____

155 Cytarabine (Ara-C)

☐ yes ☐ no

156 Total dose: _____ mg

157 Date started: ____ - ____ - ____

158 Etoposide (VP-16, VePesid)

☐ yes ☐ no

159 Total dose: _____ mg

160 Date started: ____ - ____ - ____

161 Fludarabine (Fludara)

☐ yes ☐ no

162 Total dose: _____ mg

163 Date started: ____ - ____ - ____

164 Ifosfamide (Ifex)

☐ yes ☐ no

165 Total dose: _____ mg

166 Date started: ____ - ____ - ____

167 Intrathecal therapy (chemotherapy)

☐ yes ☐ no

168 Intrathecal cytarabine (IT Ara-C)

☐ Yes ☐ No

169 Total dose: _____ mg

170 Date started: ____ - ____ - ____

171 Intrathecal methotrexate (IT MTX)

☐ yes ☐ no

172 Total dose: _____ mg

173 Date started: ____ - ____ - ____

174 Intrathecal thiotepe

☐ Yes ☐ No

175 Total dose: _____ mg

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

176 Date started: ____ - ____ - ____

177 Other intrathecal drug

☐ Yes ☐ No

178 Specify other intrathecal drug: _____

179 Total dose: _____ mg

180 Date started: ____ - ____ - ____

181 Melphalan (L-PAM, Alkeran)

☐ yes ☐ no

182 Total dose: _____ mg

183 Date started: ____ - ____ - ____

184 Specify administration

☐ Oral ☐ IV ☐ Both

185 Mitoxantrone (Novantrone)

☐ yes ☐ no

186 Total dose: _____ mg

187 Date started: ____ - ____ - ____

188 Monoclonal antibody (mAb)

☐ Yes ☐ No

189 Radio labeled mAb

☐ Yes ☐ No

190 Total dose of radioactive component: _____ ☐ mCi ☐ MBq

191 Date started: ____ - ____ - ____

Specify radio labeled mAb:

192 Tositumomab (Bexxar)

☐ yes ☐ no

193 Ibritumomab tiuxetan (Zevalin)

☐ yes ☐ no

194 Other radio labeled mAb

☐ Yes ☐ No

195 Specify other radio labeled mAb: _____

196 Alemtuzumab (Campath)

☐ yes ☐ no

197 Total dose: _____ mg

198 Date started: ____ - ____ - ____

199 Rituximab (Rituxan, anti CD20)

☐ yes ☐ no

200 Total dose: _____ mg

201 Date started: ____ - ____ - ____

202 Gemtuzumab (Mylotarg, anti-CD33)

☐ yes ☐ no

203 Total dose: _____ mg

204 Date started: ____ - ____ - ____

205 Other mAb

☐ yes ☐ no

206 Specify other mAb: _____

207 Total dose: _____ mg

208 Date started: ____ - ____ - ____

209 Nitrosourea

☐ Yes ☐ No

210 Carmustine (BCNU, Gliadel)

☐ yes ☐ no

211 Total dose: _____ mg

212 Date started: ____ - ____ - ____

213 CCNU (Lomustine)

☐ Yes ☐ No

214 Total dose: _____ mg

215 Date started: ____ - ____ - ____

216 Other nitrosourea

☐ Yes ☐ No

217 Specify other nitrosourea: _____

218 Total dose: _____ mg

219 Date started: ____ - ____ - ____

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

220 Paclitaxel (Taxol, Xyotax)

☐ Yes ☐ No

221 Total dose: _____ mg

222 Date started: ____ - ____ - ____

223 Teniposide (VM26)

☐ yes ☐ no

224 Total dose: _____ mg

225 Date started: ____ - ____ - ____

226 Thiotepa

☐ Yes ☐ No

227 Total dose: _____ mg

228 Date started: ____ - ____ - ____

229 Treosulfan

☐ Yes ☐ No

230 Total dose: _____ mg

231 Date started: ____ - ____ - ____

232 Tyrosine kinase inhibitors (TKI)

☐ yes ☐ no

233 Dasatinib (Sprycel)

☐ yes ☐ no

234 Total dose: _____ mg

235 Date started: ____ - ____ - ____

236 Imatinib mesylate (STI571, Gleevec)

☐ yes ☐ no

237 Total dose: _____ mg

238 Date started: ____ - ____ - ____

239 Nilotinib (AMN107, Tassigna)

☐ yes ☐ no

240 Total dose: _____ mg

241 Date started: ____ - ____ - ____

242 Other tyrosine kinase inhibitor

☐ Yes ☐ No

243 Specify other tyrosine kinase inhibitor: _____

244 Total dose: _____ mg

245 Date started: ____ - ____ - ____

246 Other drug

☐ Yes ☐ No

247 Specify other drug: _____

248 Total dose: _____ mg

249 Date started: ____ - ____ - ____

Functional Status

Questions: 250 - 252

Specify the functional status of the recipient immediately prior to the cellular therapy:

250 What scale was used to determine the recipient's functional status prior to the cellular therapy

- ☐ Karnofsky (recipient age \geq 16 years)
☐ Lansky (recipient age \geq 1 and $<$ 16 years)

251 Karnofsky Scale (recipient age \geq 16 years) _____

252 Lansky Scale (recipient age \geq 1 and $<$ 16 years) _____

Comorbid Conditions

Questions: 253 - 311

This section to be completed for malignant hematologic disorders and solid tumor indications.

253 Were there clinically significant co-existing diseases or organ impairment at time of patient assessment prior to preparative regimen? Source: Blood, 2005 Oct 15;106(8):2912-2919

☐ yes ☐ no

254 Arrhythmia - For example, any history of atrial fibrillation or flutter, sick sinus syndrome, or ventricular arrhythmias requiring treatment

☐ yes ☐ no ☐ Unknown

255 Cardiac - Any history of coronary artery disease (one or more vessel-coronary artery stenosis requiring medical treatment, stent, or bypass graft), congestive heart failure, myocardial infarction, OR ejection fraction \leq 50% on the most recent test

☐ yes ☐ no ☐ Unknown

256 Cerebrovascular disease - Any history of transient ischemic attack, subarachnoid hemorrhage or cerebrovascular accident

☐ yes ☐ no ☐ Unknown

257 Diabetes - Requiring treatment with insulin or oral hypoglycemics in the last 4 weeks but not diet alone

☐ yes ☐ no ☐ Unknown

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

258 Heart valve disease - Except asymptomatic mitral valve prolapse

☐ yes ☐ no ☐ Unknown

259 Hepatic, mild - Chronic hepatitis, bilirubin > upper limit of normal to 1.5 × upper limit of normal, or AST/ALT > upper limit of normal to 2.5 × upper limit of normal at the time of transplant OR any history of hepatitis B or hepatitis C infection

☐ yes ☐ no ☐ Unknown

260 Hepatic, moderate / severe - Liver cirrhosis, bilirubin > 1.5 × upper limit of normal, or AST/ALT > 2.5 × upper limit of normal

☐ yes ☐ no ☐ Unknown

261 Infection - For example, documented infection, fever of unknown origin, or pulmonary nodules requiring continuation of antimicrobial treatment after day 0

☐ yes ☐ no ☐ Unknown

262 Inflammatory bowel disease - Any history of Crohn's disease or ulcerative colitis requiring treatment

☐ yes ☐ no ☐ Unknown

263 Obesity - Patients with a body mass index > 35 kg/m² prior to the start of conditioning

☐ yes ☐ no ☐ Unknown

264 Peptic ulcer - Any history of peptic ulcer confirmed by endoscopy and requiring treatment

☐ yes ☐ no ☐ Unknown

265 Psychiatric disturbance - For example, depression, anxiety, bipolar disorder or schizophrenia requiring psychiatric consult or treatment in the last 4 weeks

☐ yes ☐ no ☐ Unknown

266 Pulmonary, moderate - Corrected diffusion capacity of carbon monoxide and/or FEV₁ 66-80% or dyspnea on slight activity at transplant

☐ yes ☐ no ☐ Unknown

267 Pulmonary, severe - Corrected diffusion capacity of carbon monoxide and/or FEV₁ ≤ 65% or dyspnea at rest or requiring oxygen at transplant

☐ yes ☐ no ☐ Unknown

268 Renal, moderate / severe - Serum creatinine > 2 mg/dL or > 177 μmol/L or on dialysis at transplant, OR prior renal transplantation

☐ yes ☐ no ☐ Unknown

269 Rheumatologic - For example, any history of systemic lupus erythematosis, rheumatoid arthritis, polymyositis, mixed connective tissue disease, or polymyalgia rheumatica requiring treatment (do NOT include degenerative joint disease, osteoarthritis)

☐ yes ☐ no ☐ Unknown

270 Solid tumor, prior - Treated at any time point in the patient's past history, excluding non-melanoma skin cancer, leukemia, lymphoma or multiple myeloma

☐ yes ☐ no ☐ Unknown

271 Breast cancer

☐ yes ☐ no

272 Year of diagnosis: _____

273 Central nervous system (CNS) malignancy (glioblastoma, astrocytoma)

☐ yes ☐ no

274 Year of diagnosis: _____

275 Gastrointestinal malignancy (colon, rectum, stomach, pancreas, intestine)

☐ yes ☐ no

276 Year of diagnosis: _____

277 Genitourinary malignancy (kidney, bladder, ovary, testicle, genitalia, uterus, cervix)

☐ yes ☐ no

278 Year of diagnosis: _____

279 Lung cancer

☐ yes ☐ no

280 Year of diagnosis: _____

281 Melanoma

☐ yes ☐ no

282 Year of diagnosis: _____

283 Oropharyngeal cancer (tongue, buccal mucosa)

☐ yes ☐ no

284 Year of diagnosis: _____

285 Sarcoma

☐ yes ☐ no

286 Year of diagnosis: _____

287 Thyroid cancer

☐ yes ☐ no

288 Year of diagnosis: _____

289 Other co-morbid condition

☐ yes ☐ no ☐ Unknown

290 Specify other co-morbid condition: _____

291 Was there a history of malignancy (hematologic or non-melanoma skin cancer) other than the primary disease for which this infusion is being performed?

☐ yes ☐ no

Form 4000 R5.0: Cellular Therapy Essential Data Pre-Infusion Form

Center:

CRID:

Specify which malignancy(ies) occurred:

292 Acute myeloid leukemia (AML / ANLL)

☐ yes ☐ no

293 Year of diagnosis: _____

294 Other leukemia, including ALL

☐ yes ☐ no

295 Year of diagnosis: _____

296 Specify leukemia: _____

297 Clonal cytogenetic abnormality without leukemia or MDS

☐ yes ☐ no

298 Year of diagnosis: _____

299 Hodgkin disease

☐ yes ☐ no

300 Year of diagnosis: _____

301 Lymphoma or lymphoproliferative disease

☐ yes ☐ no

302 Year of diagnosis: _____

303 Was the tumor EBV positive?

☐ yes ☐ no

304 Other skin malignancy (basal cell, squamous)

☐ yes ☐ no

305 Year of diagnosis: _____

306 Specify other skin malignancy: _____

307 Myelodysplasia (MDS) / myeloproliferative (MPN) disorder

☐ yes ☐ no

308 Year of diagnosis: _____

309 Other prior malignancy

☐ yes ☐ no

310 Year of diagnosis: _____

311 Specify other prior malignancy: _____

First Name: _____

Last Name: _____

E-mail address: _____

Date: ____ - ____ - ____