


# TestBraindump



### Try Before You Buy

Download a free sample of any of our exam questions and answers

- 24/7 customer support, Secure shopping site
- Free One year updates to match real exam scenarios
- If you failed your exam after buying our products we will refund the full amount back to you.

Free Download

### About Us

TestBraindump is a professional website that provides you with braindump latest and test study materials to make sure you get high score in the important IT test. You can find different IT test certification in our TestBraindump, such as: Cisco, IBM, Microsoft, SAP, CompTIA, Juniper, PMI, VMware, etc. the test braindump is created by our IT colleague who is engaged in the study of braindump actual test for many years, and we always check the update to ensure the braindump latest. So you can rest assured that the test questions of TestBraindump are accurate and professional.

If you still doubt the ability of our website, you can download the free trial of our braindump pdf to know about the condition of our website. You will enjoy the right of free update the test braindump one year after you purchase. If you become our member, we can offer you different discount for you when you buy our test questions. And our teammates will check the update of test braindump everyday. >>>[Read More](#)



<http://www.testbraindump.com>

Latest test braindump, braindump actual test

**Exam** : **MS-500**

**Title** : Microsoft 365 Security  
Administration

**Vendor** : Microsoft

**Version** : DEMO

**NO.1** Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Active Directory domain named contoso.com.

You install and run Azure AD Connect on a server named Server1 that runs Windows Server.

You need to view Azure AD Connect events.

You use the Application event log on Server1.

Does that meet the goal?

**A.** Yes

**B.** No

**Answer:** A

**NO.2** You have a hybrid Microsoft Exchange Server organization. All users have Microsoft 365 E5 licenses. You plan to implement an Advanced Threat Protection (ATP) anti-phishing policy. You need to enable mailbox intelligence for all users. What should you do first?

**A.** Migrate the on-premises mailboxes to Exchange Online.

**B.** Purchase the ATP add-on.

**C.** Select Directory extension attribute sync in Microsoft Azure Active Directory Connect (Azure AD Connect).

**D.** Configure attribute filtering in Microsoft Azure Active Directory Connect (Azure AD Connect).

**Answer:** A

**NO.3** Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Compliance Manager Contributor
User2	Compliance Manager Assessor
User3	Compliance Manager Administrator
User4	Portal Admin

You discover that all the users in the subscription can access Compliance Manager reports.

The Compliance Manager Reader role is not assigned to any users.

You need to recommend a solution to prevent a user named User5 from accessing the Compliance Manager reports.

Solution: You recommend assigning the Compliance Manager Reader role to User1.

Does this meet the goal?

**A.** Yes

**B.** No

**Answer:** B

**NO.4** You need to ensure that administrators can publish a label that adds a footer to email messages and documents.

To complete this task, sign in to the Microsoft Office 365 portal.

**Answer:**

See explanation below.

Explanation

You need to configure a Sensitivity label.

- \* Go to the Security & Compliance Admin Center.
- \* Navigate to Classification >
- \* Click on + Create a label to create a new label.
- \* Give the label a name and description then click Next.
- \* Leave the Encryption option as None and click Next.
- \* On the Content Marking page, tick the checkbox Add a footer.
- \* Click the Customize Text link and add the footer text and click Save (for the question, it doesn't matter what text you add).
- \* Click Next.
- \* Leave the Auto-labeling for Office apps off and click Next.
- \* Click the Submit button to save your changes.
- \* The label is now ready to be published. Click the Done button to exit the page and create the label.

**NO.5** You have a Microsoft 365 tenant.

You need to implement a policy to enforce the following requirements:

- \* If a user uses a Windows 10 device that is NOT hybrid Azure Active Directory (Azure AD) joined, the user must be allowed to connect to Microsoft SharePoint Online only from a web browser. The user must be prevented from downloading files or syncing files from SharePoint Online.
- \* If a user uses a Windows 10 device that is hybrid Azure AD joined, the user must be able connect to SharePoint Online from any client application, download files, and sync files.

What should you create?

- A.** a compliance policy in Microsoft Endpoint Manager that has the Device Health settings configured
- B.** a conditional access policy in Azure AD that has Client apps conditions configured
- C.** a conditional access policy in Azure AD that has Session controls configured
- D.** a compliance policy in Microsoft Endpoint Manager that has the Device Properties settings configured

**Answer:** B

**NO.6** You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2

You register devices in contoso.com as shown in the following table.

Name	Platform	Member of	Microsoft Intune managed
Device1	Windows 10	GroupA	Yes
Device2	iOS	GroupB	No

You create app protection policies in Intune as shown in the following table.

Name	Platform	Management state	Assigned to
Policy1	Windows 10	With enrollment	Group1
Policy2	Windows 10	With enrollment	Group2
Policy3	iOS	Apps on Intune managed devices	GroupA
Policy4	iOS	Apps on Intune managed devices	GroupB

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

### Statements

Yes

No

When User1 uses Device1, Policy3 applies.

☐
☐

When User2 uses Device1, Policy2 applies.

☐
☐

When User2 uses Device2, Policy4 applies.

☐
☐

**Answer:**



Statements	Yes	No
When User1 uses Device1, Policy3 applies.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 uses Device1, Policy2 applies.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 uses Device2, Policy4 applies.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Statements	Yes	No
When User1 uses Device1, Policy3 applies.	<input type="radio"/>	<input checked="" type="radio"/>
When User2 uses Device1, Policy2 applies.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 uses Device2, Policy4 applies.	<input type="radio"/>	<input checked="" type="radio"/>

References:

<https://docs.microsoft.com/en-us/intune/apps/app-protection-policy>

**NO.7** Your company has a Microsoft 365 subscription that includes a user named User1. You suspect that User1 sent email messages to a competitor detailing company secrets. You need to recommend a solution to ensure that you can review any email messages sent by User1 to the competitor, including sent items that were deleted. What should you include in the recommendation?

- A. Enable In-Place Archiving for the mailbox of User1
- B. Configure message delivery restrictions for the mailbox of User1
- C. From the Security & Compliance, perform a content search of the mailbox of User1
- D. Place a Litigation Hold on the mailbox of User1

**Answer:** D

**NO.8** You have a Microsoft 365 subscription. You have a Data Subject Request (DSR) case named Case1. You need to ensure that Case1 includes all the email posted by the data subject to the Microsoft Exchange Online public folders. Which additional property should you include in the Content Search query?

- A. itemclass:ipm.externaldata
- B. kind:externaldata

C. itemclass:ipm.post

D. kind:email

**Answer:** C

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/manage-gdpr-data-subject-requests-with-the-dsrcase>

**NO.9** You plan to publish a label that will retain documents in Microsoft OneDrive for two years, and then automatically delete the documents.

You need to create the label.

To complete this task, sign in to the Microsoft Office 365 portal.

**Answer:**

See explanation below.

Explanation

You need to create a retention label.

- \* Go to the Security & Compliance Admin Center.
- \* Navigate to Classification >
- \* Click on + Create a label to create a new label.
- \* Give the label a name and click
- \* On the File plan descriptors, leave all options empty. The options in this page are used for auto-applying the retention label. Click Next.
- \* Turn the Retention switch to
- \* Under Retain the content,
- \* Under What do you want to do after this time?, Delete the content automatically option.
- \* Click Next.
- \* Click the Create this label button to create the label. The label is now ready to be published to Microsoft OneDrive.

**NO.10** Which user passwords will User2 be prevented from resetting?

A. User8 only

B. User6 and User7

C. User4 and User6

D. User7 and User8

E. User4 only

**Answer:** E

**NO.11** You plan to configure an access review to meet the security requirements for the workload administrators. You create an access review policy and specify the scope and a group.

Which other settings should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set the frequency to:

One time	v
Weekly	
Monthly	

To ensure that access is removed if an administrator fails to respond, configure the:

Upon completion settings	v
Advanced settings	
Programs	
Reviewers	

**Answer:**

Statements	Yes	No
A finance department user who has an IP address from the Montreal office will be prompted for Azure MFA credentials.	<input checked="" type="radio"/>	<input type="radio"/>
A finance department user who works from home and who has an IP address of 193.77.140.140 will be prompted for Azure MFA credentials.	<input checked="" type="radio"/>	<input type="radio"/>
A finance department user who has an IP address from the New York office will be prompted for Azure MFA credentials.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation

Set the frequency to:

One time	v
Weekly	
Monthly	

To ensure that access is removed if an administrator fails to respond, configure the:

Upon completion settings	v
Advanced settings	
Programs	
Reviewers	

**NO.12** Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD) as shown in the following exhibit.



## PROVISION FROM ACTIVE DIRECTORY



### Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

### Azure AD Connect sync

Sync Status	Enabled
Last Sync	4.00 hours ago
Password Hash Sync	Enabled

## USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Disabled	0 domains
Pass-through authentication	Enabled	1 agent

The synchronization schedule is configured as shown in the following exhibit.

```

Administrator: Windows PowerShell
PS C:\> Get-ADSyncScheduler

AllowedSyncCycleInterval          : 00:30:00
CurrentlyEffectiveSyncCycleInterval : 00:30:00
CustomizedSyncCycleInterval      : 
NextSyncCyclePolicyType           : Delta
NextSyncCycleStartTimeInUTC       : 1/28/2020 3:47:41 PM
PurgeRunHistoryInterval          : 7.00:00:00
SyncCycleEnabled                  : True
MaintenanceEnabled                : True
StagingModeEnabled                : False
SchedulerSuspended               : False
SyncCycleInProgress              : False
  
```

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which employees can authenticate by using Azure AD?

- Only employees who have an Azure AD user account
- Employees who have an Azure AD user account and a synced on-premises account
- Only employees who have a synced on-premises account

What should you do to remove the warning for pass-through authentication?

- Fix the synchronization server and install Azure AD Connect in staging mode
- Fix the synchronization server and install an additional authentication agent
- Install an additional authentication agent and run the Start-ADSyncSyncCycle cmdlet
- Install Azure AD Connect in staging mode and run the Start-ADSyncSyncCycle cmdlet

### Answer:

Which employees can authenticate by using Azure AD?

- Only employees who have an Azure AD user account
- Employees who have an Azure AD user account and a synced on-premises account
- Only employees who have a synced on-premises account

What should you do to remove the warning for pass-through authentication?

- Fix the synchronization server and install Azure AD Connect in staging mode
- Fix the synchronization server and install an additional authentication agent
- Install an additional authentication agent and run the Start-ADSyncSyncCycle cmdlet
- Install Azure AD Connect in staging mode and run the Start-ADSyncSyncCycle cmdlet

### Explanation

Which employees can authenticate by using Azure AD?

- Only employees who have an Azure AD user account
- Employees who have an Azure AD user account and a synced on-premises account
- Only employees who have a synced on-premises account

What should you do to remove the warning for pass-through authentication?


- Fix the synchronization server and install Azure AD Connect in staging mode
- Fix the synchronization server and install an additional authentication agent
- Install an additional authentication agent and run the Start-ADSyncSyncCycle cmdlet
- Install Azure AD Connect in staging mode and run the Start-ADSyncSyncCycle cmdlet

**NO.13** You have a Microsoft 365 subscription that uses a default domain name of fabrikam.com. You create a safe links policy, as shown in the following exhibit.

#### Safe links policy for your organization

##### Settings that apply to content across Office 365

When users click a blocked URL, they're redirected to a web page that explains why the URL is blocked.  
Block the following URLs:



Enter a valid URL +

- \*.phishing.\*
- malware.\*com
- \*.contoso.com

##### Settings that apply to content except email

These settings don't apply to email messages. If you want to apply them for email, create a safe links policy for email recipients.

Use safe links in:

- ☒ Office 365 ProPlus, Office for iOS and Android
  - ☒ Office Online of above applications

For the locations selected above:

- ☒ Do not track when users click safe links:
- ☒ Do not let users click through safe links to original URL:

Which URL can a user safely access from Microsoft Word Online?

- A. fabrikam.phishing.fabrikam.com
- B. malware.fabrikam.com
- C. www.malware.fabrikam.com
- D. fabrikam.contoso.com

**Answer:** C

Explanation

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-a-custom-blocked-urls-list-with-atp>

**NO.14** You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

Name	User mailbox	Multi-factor authentication (MFA)
User1	On-premises Microsoft Exchange Server	Required
User2	On-premises Microsoft Exchange Server	Disabled
User3	Microsoft Exchange Online	Required
User4	Microsoft Exchange Online	Disabled

You plan to use Microsoft 365 Attack Simulator.

You need to identify the users against which you can use Attack Simulator.

Which users should you identify?

- A. User3 only
- B. User1, User2, User3, and User4
- C. User3 and User4 only
- D. User1 and User3 only

**Answer:** C

Explanation

Each targeted recipient must have an Exchange Online mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/attack-simulator?view=o365-worldw>

**NO.15** Which role should you assign to User1?

- A. User administrator
- B. Security administrator
- C. Privileged role administrator
- D. Global administrator

**Answer:** B