

COVID-19 Correlates of Risk Analysis Report  
MockCOVE Study

USG COVID-19 Response Biostatistics Team

October 13, 2021



# Contents

<b>1 Disclaimers</b>	<b>15</b>
<b>2 Summary Tables</b>	<b>17</b>
2.1 Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort . . . . .	17
2.2 Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort . . . . .	19
2.3 Sample Sizes of Random Subcohort Strata Plus All Other Cases Outside the Random Subcohort . . . . .	20
2.4 Availability of immunogenicity data by case status . . . . .	21
2.5 Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine recipients) . . . . .	22
2.6 Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine recipients) . . . . .	24
2.7 Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (placebo recipients) . . . . .	26
<b>3 Graphical Descriptions of Antibody Marker Data</b>	<b>29</b>
3.1 Boxplots . . . . .	30
3.2 Weighted RCDF plots . . . . .	34
3.3 Weighted RCDF plots of threshold correlate concentration for vaccine efficacy . . . . .	38
3.4 Spaghetti plots . . . . .	46
3.5 Violin and line plots . . . . .	47
3.6 Scatter plots . . . . .	271
<b>4 Graphical Descriptions of Time to Event Data</b>	<b>303</b>
<b>5 Day D29 Univariate CoR: Cox Models of Risk</b>	<b>305</b>
5.1 Hazard ratios . . . . .	305
5.2 Marginalized risk and controlled vaccine efficacy plots . . . . .	310
<b>6 Day D57 Univariate CoR: Cox Models of Risk</b>	<b>335</b>
6.1 Hazard ratios . . . . .	335
6.2 Marginalized risk and controlled vaccine efficacy plots . . . . .	340

<b>7 Univariate CoR: Nonparametric Threshold Modeling (<math>\geq s</math>)</b>	<b>365</b>
7.1 Plots and Tables with estimates and pointwise confidence intervals for Day 57 . . . . .	366
7.2 Plots and Tables with estimates and pointwise confidence intervals for Day 57 (monotone-corrected) . . . . .	371
7.3 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) . . . . .	376
7.4 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) . . . . .	381
7.5 Plots and Tables with estimates and simultaneous confidence intervals for Day 57 (monotone-corrected) . . . . .	386
7.6 Plots and Tables with estimates and simultaneous confidence intervals for Day 57 (monotone-corrected) . . . . .	391
7.7 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) . . . . .	396
7.8 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) . . . . .	401
<b>8 Univariate CoR: Nonparametric Threshold Modeling (<math>\leq s</math>)</b>	<b>407</b>
<b>9 Day D29 Univariate CoR: Nonlinear modeling</b>	<b>409</b>
<b>10 Day D57 Univariate CoR: Nonlinear modeling</b>	<b>415</b>
<b>11 Appendix</b>	<b>421</b>

# List of Tables

2.1	Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort . . . . .	17
2.2	Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort . . . . .	19
2.3	Sample Sizes of Random Subcohort Strata Plus All Other Cases Outside the Random Subcohort . . . . .	20
2.4	Availability of immunogenicity data by case status . . . . .	21
2.5	Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine recipients) . . . . .	22
2.6	Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine recipients) . . . . .	24
2.7	Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (placebo recipients) . . . . .	26
5.1	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker* . . . . .	305
5.2	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile* . . . . .	306
5.3	Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP. . . . .	310
5.4	Marginalized cumulative risk by Day 201 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates) . . . . .	314
5.5	Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).	315
5.6	Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates) . . . . .	316
5.7	Marginalized cumulative risk by Day 201 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates) . . . . .	320
5.8	Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).	321

5.9 Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	322
5.10 Marginalized cumulative risk by Day 201 as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	326
5.11 Controlled VE as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%). . . . .	327
5.12 Controlled VE with sensitivity analysis as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	328
5.13 Marginalized cumulative risk by Day 201 as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	332
5.14 Controlled VE as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%). . . . .	333
5.15 Controlled VE with sensitivity analysis as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	334
 6.1 Inference for Day 57 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker* . . . . .	335
6.2 Inference for Day 57 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile* . . . . .	336
6.3 Analysis of Day 57 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP. . . . .	340
6.4 Marginalized cumulative risk by Day 173 as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	344
6.5 Controlled VE as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%). . . . .	345
6.6 Controlled VE with sensitivity analysis as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	346
6.7 Marginalized cumulative risk by Day 173 as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	350
6.8 Controlled VE as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%). . . . .	351

6.9 Controlled VE with sensitivity analysis as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	352
6.10 Marginalized cumulative risk by Day 173 as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	356
6.11 Controlled VE as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%). . . . .	357
6.12 Controlled VE with sensitivity analysis as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	358
6.13 Marginalized cumulative risk by Day 173 as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	362
6.14 Controlled VE as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%). . . . .	363
6.15 Controlled VE with sensitivity analysis as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). . . . .	364
 7.1 Table of risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. . . . .	367
7.2 Table of risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. . . . .	368
7.3 Table of risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. . . . .	369
7.4 Table of risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. . . . .	370
7.5 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. . . . .	372
7.6 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. . . . .	373
7.7 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. . . . .	374
7.8 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. . . . .	375
7.9 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. . . . .	377
7.10 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. . . . .	378
7.11 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. . . . .	379

7.12 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. . . . .	380
7.13 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. . . . .	382
7.14 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. . . . .	383
7.15 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. . . . .	384
7.16 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. . . . .	385
7.17 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. . . . .	387
7.18 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. . . . .	388
7.19 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. . . . .	389
7.20 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. . . . .	390
7.21 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. . . . .	392
7.22 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. . . . .	393
7.23 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. . . . .	394
7.24 Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. . . . .	395
7.25 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. . . . .	397
7.26 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. . . . .	398
7.27 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. . . . .	399
7.28 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. . . . .	400
7.29 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. . . . .	402
7.30 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. . . . .	403
7.31 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. . . . .	404
7.32 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. . . . .	405

# List of Figures

3.1	Boxplots of D57 Ab markers: vaccine arm. The three dashed lines in each figure are ULOQ, LLOQ, and LLOD, from top to bottom respectively. . . . .	30
3.2	Boxplots of D57 fold-rise over D1 Ab markers: vaccine arm. . . . .	31
3.3	Boxplots of D29 Ab markers: vaccine arm. The three dashed lines in each figure are ULOQ, LLOQ, and LLOD, from top to bottom respectively. . . . .	32
3.4	Boxplots of D29 fold-rise over D1 Ab markers: vaccine arm. . . . .	33
3.5	RCDF plots for D57 Ab markers by treatment arm. . . . .	34
3.6	RCDF plots for D57 fold-rise over D1 Ab markers by treatment arm. . . . .	35
3.7	RCDF plots for D29 Ab markers by treatment arm. . . . .	36
3.8	RCDF plots for D29 fold-rise over D1 Ab markers by treatment arm. . . . .	37
3.9	Marker RCDF of D57 anti-Spike binding Ab: vaccine arm . . . . .	38
3.10	Marker RCDF of D57 anti-RBD binding Ab: vaccine arm . . . . .	39
3.11	Marker RCDF of D57 PsV-nAb ID50: vaccine arm . . . . .	40
3.12	Marker RCDF of D57 PsV-nAb ID80: vaccine arm . . . . .	41
3.13	Marker RCDF of D29 anti-Spike binding Ab: vaccine arm . . . . .	42
3.14	Marker RCDF of D29 anti-RBD binding Ab: vaccine arm . . . . .	43
3.15	Marker RCDF of D29 PsV-nAb ID50: vaccine arm . . . . .	44
3.16	Marker RCDF of D29 PsV-nAb ID80: vaccine arm . . . . .	45
3.17	Spaghetti Plots of Marker Trajectory: vaccine arm . . . . .	46
4.1	Distribution of the number of days to COVID endpoints, vaccine arm, baseline negative. . . . .	303
5.1	Forest plots of hazard ratios per 10-fold increase in the marker among baseline negative vaccine recipients and subgroups with 95% point-wise confidence intervals. . . . .	307
5.2	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	308
5.3	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	308

5.4 Forest plots of hazard ratios per 10-fold increase in the Day 29 pseudo neut ID50 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	309
5.5 Forest plots of hazard ratios per 10-fold increase in the Day 29 pseudo neut ID80 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	309
5.6 Marginalized cumulative risk curves (= $s$ ). . . . .	311
5.7 Controlled VE curves (= $s$ ). . . . .	312
5.8 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	313
5.9 Marginalized cumulative risk curves (= $s$ ). . . . .	317
5.10 Controlled VE curves (= $s$ ). . . . .	318
5.11 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	319
5.12 Marginalized cumulative risk curves (= $s$ ). . . . .	323
5.13 Controlled VE curves (= $s$ ). . . . .	324
5.14 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	325
5.15 Marginalized cumulative risk curves (= $s$ ). . . . .	329
5.16 Controlled VE curves (= $s$ ). . . . .	330
5.17 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	331
 6.1 Forest plots of hazard ratios per 10-fold increase in the marker among baseline negative vaccine recipients and subgroups with 95% point-wise confidence intervals. . . . .	337
6.2 Forest plots of hazard ratios per 10-fold increase in the Day 57 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	338
6.3 Forest plots of hazard ratios per 10-fold increase in the Day 57 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	338
6.4 Forest plots of hazard ratios per 10-fold increase in the Day 57 pseudo neut ID50 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	339
6.5 Forest plots of hazard ratios per 10-fold increase in the Day 57 pseudo neut ID80 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. . . . .	339
6.6 Marginalized cumulative risk curves (= $s$ ). . . . .	341
6.7 Controlled VE curves (= $s$ ). . . . .	342
6.8 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	343
6.9 Marginalized cumulative risk curves (= $s$ ). . . . .	347
6.10 Controlled VE curves (= $s$ ). . . . .	348
6.11 Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ). . . . .	349
6.12 Marginalized cumulative risk curves (= $s$ ). . . . .	353
6.13 Controlled VE curves (= $s$ ). . . . .	354

6.14 Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ). . . . .	355
6.15 Marginalized cumulative risk curves ( $= s$ ). . . . .	359
6.16 Controlled VE curves ( $= s$ ). . . . .	360
6.17 Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ). . . . .	361
7.1 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. . . . .	367
7.2 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. . . . .	368
7.3 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. . . . .	369
7.4 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. . . . .	370
7.5 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	372
7.6 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	373
7.7 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	374
7.8 Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	375
7.9 Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	377
7.10 Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	378
7.11 Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	379

7.12	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	380
7.13	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	382
7.14	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	383
7.15	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	384
7.16	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	385
7.17	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	387
7.18	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	388
7.19	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	389
7.20	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	390
7.21	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	392
7.22	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	393
7.23	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	394

7.24	Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	395
7.25	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	397
7.26	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	398
7.27	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	399
7.28	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	400
7.29	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	402
7.30	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	403
7.31	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	404
7.32	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing. . . . .	405
9.1	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. . . . .	410
9.2	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. . . . .	411

9.3 Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4. . . . .	412
9.4 Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 15. . . . .	413
10.1 Marginalized risk as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. . . . .	416
10.2 Marginalized risk as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. . . . .	417
10.3 Marginalized risk as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4. . . . .	418
10.4 Marginalized risk as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 15. . . . .	419

# Chapter 1

## Disclaimers

The data presented in the analysis are provided to NIAID in accordance with Clinical Trial Agreement between the parties. The study was funded in part by BARDA under Government Contract No. 75A50120C00034.

### Statistical Analysis Plan

The SAP is available at <https://doi.org/10.6084/m9.figshare.13198595>

### Reproducibility Notice

This project integrates the virtual environments framework provided by the `renv` package for computational reproducibility. By taking this approach, all results are generated using a consistent versioning of both R and several R packages. This version of the report was built with R version 4.0.4 (2021-02-15), `pandoc` version 2.2, and the following R packages:

package	version	source
bookdown	0.21.7	Github ( <code>rstudio/bookdown@0cec2fd</code> )
bslib	0.2.4.9002	Github ( <code>rstudio/bslib@c7835c2</code> )
data.table	1.14.0	CRAN (R 4.0.4)
delayed	0.4.0	Github ( <code>tlverse/delayed@f415340</code> )
devtools	2.3.2	CRAN (R 4.0.4)
dplyr	1.0.5	CRAN (R 4.0.4)
ggplot2	3.3.3	CRAN (R 4.0.4)
hal9001	0.4.0	Github ( <code>tlverse/hal9001@b41ed5d</code> )
haldensify	0.1.5	Github ( <code>nhejazi/haldensify@16350cc</code> )
here	1.0.1	CRAN (R 4.0.4)
kableExtra	1.3.4	CRAN (R 4.0.4)
knitr	1.31	CRAN (R 4.0.4)
latex2exp	0.5.0	CRAN (R 4.0.4)
mvtnorm	1.1-1	CRAN (R 4.0.4)
origami	1.0.3	CRAN (R 4.0.4)
readr	1.4.0	CRAN (R 4.0.4)
rmarkdown	2.7.4	Github ( <code>rstudio/rmarkdown@a11240d</code> )
skimr	2.1.3	CRAN (R 4.0.4)
sl3	1.4.3	Github ( <code>tlverse/sl3@982f4d6</code> )
stringr	1.4.0	CRAN (R 4.0.4)
SuperLearner	2.0-28	CRAN (R 4.0.4)
svyVGAM	1.0	CRAN (R 4.0.4)
tibble	3.1.1	CRAN (R 4.0.4)

package	version	source
tidyr	1.1.3	CRAN (R 4.0.4)
txshift	0.3.6	Github (nhejazi/txshift@c0f572a)
VGAM	1.1-5	CRAN (R 4.0.4)
xtable	1.8-4	CRAN (R 4.0.4)

To get started with using this project and its `renv` package library, we first recommend briefly reviewing the [renv collaboration guide](#).



# Chapter 2

## Summary Tables

### 2.1 Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort

Table 2.1: Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Negative Per-Protocol Cohort

Characteristics	Vaccine (N = 731)	Placebo (N = 126)	Total (N = 857)
<b>Age</b>			
Age < 65	365 (49.9%)	62 (49.2%)	427 (49.8%)
Age ≥ 65	366 (50.1%)	64 (50.8%)	430 (50.2%)
Mean (Range)	57.7 (18.0, 85.0)	60.0 (18.0, 85.0)	58.1 (18.0, 85.0)
<b>BMI</b>			
Mean ± SD	30.1 ± 6.8	30.5 ± 6.8	30.2 ± 6.8
<b>Risk for Severe Covid-19</b>			
At-risk	369 (50.5%)	63 (50.0%)	432 (50.4%)
Not at-risk	362 (49.5%)	63 (50.0%)	425 (49.6%)
<b>Age, Risk for Severe Covid-19</b>			
Age < 65 At-risk	183 (25.0%)	35 (27.8%)	218 (25.4%)
Age < 65 Not at-risk	182 (24.9%)	27 (21.4%)	209 (24.4%)
Age ≥ 65	366 (50.1%)	64 (50.8%)	430 (50.2%)
<b>Sex</b>			
Female	422 (57.7%)	72 (57.1%)	494 (57.6%)
Male	309 (42.3%)	54 (42.9%)	363 (42.4%)
<b>Hispanic or Latino ethnicity</b>			
Hispanic or Latino	121 (16.6%)	27 (21.4%)	148 (17.3%)
Not Hispanic or Latino	584 (79.9%)	95 (75.4%)	679 (79.2%)
Not reported and unknown	26 (3.6%)	4 (3.2%)	30 (3.5%)
<b>Race</b>			
White	383 (52.4%)	69 (54.8%)	452 (52.7%)
Black or African American	174 (23.8%)	25 (19.8%)	199 (23.2%)
Asian	54 (7.4%)	11 (8.7%)	65 (7.6%)
American Indian or Alaska Native	25 (3.4%)	1 (0.8%)	26 (3.0%)
Native Hawaiian or Other Pacific Islander	7 (1.0%)	4 (3.2%)	11 (1.3%)

Table 2.1: (*continued*)

Characteristics	Vaccine (N = 731)	Placebo (N = 126)	Total (N = 857)
Multiracial	54 (7.4%)	9 (7.1%)	63 (7.4%)
Other	28 (3.8%)	7 (5.6%)	35 (4.1%)
Not reported and unknown	6 (0.8%)		6 (0.7%)
White Non-Hispanic	349 (47.7%)	59 (46.8%)	408 (47.6%)
Communities of Color	382 (52.3%)	67 (53.2%)	449 (52.4%)

This table summarizes the random subcohort, which was randomly sampled from the per-protocol cohort. The sampling was stratified by 24 strata defined by enrollment characteristics: Assigned treatment arm × Baseline SARS-CoV-2 naïve vs. non-naïve status (defined by serostatus and NAAT testing) × Randomization strata (Age < 65 and at-risk, Age < 65 and not at-risk, Age ≥ 65) × Communities of color (Yes/No) defined by White Non-Hispanic vs. all others (following the primary COVE trial paper).

MOCH

## 2.2 Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort

Table 2.2: Demographic and Clinical Characteristics at Baseline in the Baseline SARS-CoV-2 Positive Per-Protocol Cohort

Characteristics	Vaccine (N = 223)	Placebo (N = 249)	Total (N = 472)
<b>Age</b>			
Age < 65	120 (53.8%)	127 (51.0%)	247 (52.3%)
Age ≥ 65	103 (46.2%)	122 (49.0%)	225 (47.7%)
Mean (Range)	55.6 (18.0, 85.0)	57.4 (18.0, 85.0)	56.5 (18.0, 85.0)
<b>BMI</b>			
Mean ± SD	29.8 ± 6.5	29.8 ± 6.9	29.8 ± 6.7
<b>Risk for Severe Covid-19</b>			
At-risk	101 (45.3%)	121 (48.6%)	222 (47.0%)
Not at-risk	122 (54.7%)	128 (51.4%)	250 (53.0%)
<b>Age, Risk for Severe Covid-19</b>			
Age < 65 At-risk	59 (26.5%)	64 (25.7%)	123 (26.1%)
Age < 65 Not at-risk	61 (27.4%)	63 (25.3%)	124 (26.3%)
Age ≥ 65	103 (46.2%)	122 (49.0%)	225 (47.7%)
<b>Sex</b>			
Female	118 (52.9%)	138 (55.4%)	256 (54.2%)
Male	105 (47.1%)	111 (44.6%)	216 (45.8%)
<b>Hispanic or Latino ethnicity</b>			
Hispanic or Latino	31 (13.9%)	31 (12.4%)	62 (13.1%)
Not Hispanic or Latino	184 (82.5%)	209 (83.9%)	393 (83.3%)
Not reported and unknown	8 (3.6%)	9 (3.6%)	17 (3.6%)
<b>Race</b>			
White	126 (56.5%)	135 (54.2%)	261 (55.3%)
Black or African American	49 (22.0%)	63 (25.3%)	112 (23.7%)
Asian	18 (8.1%)	21 (8.4%)	39 (8.3%)
American Indian or Alaska Native	5 (2.2%)	8 (3.2%)	13 (2.8%)
Native Hawaiian or Other Pacific Islander	7 (3.1%)	4 (1.6%)	11 (2.3%)
Multiracial	14 (6.3%)	12 (4.8%)	26 (5.5%)
Other	2 (0.9%)	5 (2.0%)	7 (1.5%)
Not reported and unknown	2 (0.9%)	1 (0.4%)	3 (0.6%)
White Non-Hispanic	116 (52.0%)	125 (50.2%)	241 (51.1%)
Communities of Color	107 (48.0%)	124 (49.8%)	231 (48.9%)

This table summarizes the random subcohort, which was randomly sampled from the per-protocol cohort. The sampling was stratified by 24 strata defined by enrollment characteristics: Assigned treatment arm × Baseline SARS-CoV-2 naïve vs. non-naïve status (defined by serostatus and NAAT testing) × Randomization strata (Age < 65 and at-risk, Age < 65 and not at-risk, Age ≥ 65) × Communities of color (Yes/No) defined by White Non-Hispanic vs. all others (following the primary COVE trial paper).

## 2.3 Sample Sizes of Random Subcohort Strata Plus All Other Cases Outside the Random Subcohort

Table 2.3: Sample Sizes of Random Subcohort Strata Plus All Other Cases Outside the Random Subcohort

Sample Sizes of Random Subcohort Strata Plus All Other Cases Outside the Random Subcohort Sample Sizes (N=1329 Participants) (Moderna Trial)																		
	Baseline SARS-CoV-2 Negative									Baseline SARS-CoV-2 Positive								
	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9
<b>Vaccine</b>																		
Day 29 Cases	8	2	6	15	5	10	5	1	3	1	1	2	0	0	1	0	0	0
Day 57 Cases	7	2	4	15	4	9	5	0	2	1	1	2	0	0	1	0	0	0
Non-Cases	155	78	77	210	105	105	95	35	31	35	23	26	67	36	35	31	12	11
<b>Placebo</b>																		
Day 29 Cases	143	51	99	316	116	214	94	30	63	1	1	1	0	0	1	0	0	0
Day 57 Cases	128	44	79	297	88	174	90	25	50	1	1	1	0	0	1	0	0	0
Non-Cases	19	12	10	32	18	13	16	4	8	49	23	24	72	41	39	18	12	11

Demographic covariate strata:

1. Age  $\geq 65$ , Minority
2. Age  $< 65$ , At risk, Minority
3. Age  $< 65$ , Not at risk, Minority
4. Age  $\geq 65$ , Non-Minority
5. Age  $< 65$ , At risk, Non-Minority
6. Age  $< 65$ , Not at risk, Non-Minority
7. Age  $\geq 65$ , Unknown
8. Age  $< 65$ , At risk, Unknown
9. Age  $< 65$ , Not at risk, Unknown

Minority includes Blacks or African Americans, Hispanics or Latinos, American Indians or Alaska Natives, Native Hawaiians, and other Pacific Islanders.

Non-Minority includes all other races with observed race (Asian, Multiracial, White, Other) and observed ethnicity Not Hispanic or Latino. Participants not classifiable as Minority or Non-Minority because of unknown, unreported or missing were not included.

Observed = Numbers of participants sampled into the subcohort within baseline covariate strata.

Estimated = Estimated numbers of participants in the whole per-protocol cohort within baseline covariate strata, calculated using inverse probability weighting.

## 2.4 Availability of immunogenicity data by case status

Table 2.4: Availability of immunogenicity data by case status

Case	---	--+	-+-	-++	+--	+--	++-	+++
<b>Vaccine</b>								
Day 29 Cases								
Day 29 Cases	3	0	0	0	0	0	0	55
Day 57 Cases	3	0	0	0	0	0	0	48
Intercurrent Cases	0	0	0	0	0	0	0	7
<b>Placebo</b>								
Day 29 Cases								
Day 29 Cases	47	0	0	0	0	0	0	1126
Day 57 Cases	42	0	0	0	0	0	0	975
Intercurrent Cases	4	0	0	0	0	0	0	136

The + (available) and - (unavailable) in the column labels refer to the availability of the baseline, D29 and D57 markers, respectively.

## 2.5 Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine recipients)

Table 2.5: Antibody levels in the baseline SARS-CoV-2 negative per-protocol cohort (vaccine recipients)


Visit	Marker	Baseline SARS-CoV-2 Negative Vaccine Recipients						Comparison	
		Cases*		Non-Cases/Control				Resp Rate Difference	GMTR/GMCR
	N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC			
Day 29	Pseudovirus-nAb cID80	55 31.6/58 = 54.5% (41.1%, 67.4%)	20.02 (16.24, 24.67)	730 6582.6/11114.3 = 59.2% (54.7%, 63.6%)	25.10 (23.23, 27.13)	-0.05 (-0.19, 0.09)	0.80 (0.64, 1.00)		
Day 29	Pseudovirus-nAb cID50	55 51.7/58 = 89.1% (77.4%, 95.1%)	15.45 (11.80, 20.22)	730 10330.5/11114.3 = 92.9% (89.9%, 95.1%)	18.14 (16.67, 19.75)	-0.04 (-0.16, 0.03)	0.85 (0.64, 1.13)		
Day 29	Anti RBD IgG (BAU/ml)	55 58/58 = 100.0% (100.0%, 100.0%)	417.16 (261.39, 665.77)	730 11011.6/11114.3 = 99.1% (97.5%, 99.7%)	499.41 (437.47, 570.12)	0.01 (0, 0.03)	0.84 (0.51, 1.36)		
Day 29	Anti Spike IgG (BAU/ml)	55 58/58 = 100.0% (100.0%, 100.0%)	192.02 (135.69, 271.72)	730 11002.1/11114.3 = 99.0% (97.1%, 99.6%)	267.74 (240.38, 298.22)	0.01 (0, 0.03)	0.72 (0.50, 1.03)		
Day 29	Anti N IgG (BAU/ml)	55 32.7/58 = 56.4% (42.8%, 69.0%)	34.75 (21.47, 56.25)	730 7060.5/11114.3 = 63.5% (59.0%, 67.8%)	39.55 (33.99, 46.03)	-0.07 (-0.21, 0.06)	0.88 (0.53, 1.46)		
Day 57	Pseudovirus-nAb cID80	48 51/51 = 100.0% (100.0%, 100.0%)	378.93 (284.93, 503.95)	728 11049.6/11112 = 99.4% (97.7%, 99.9%)	562.59 (509.18, 621.61)	0.01 (0, 0.02)	0.67 (0.50, 0.91)		
Day 57	Pseudovirus-nAb cID50	48 51/51 = 100.0% (100.0%, 100.0%)	281.62 (200.94, 394.69)	728 11112/11112 = 100.0% (100.0%, 100.0%)	423.23 (381.49, 469.52)	0 (0, 0)	0.67 (0.47, 0.95)		
Day 57	Anti RBD IgG (BAU/ml)	48 51/51 = 100.0% (100.0%, 100.0%)	3030.89 (1995.48, 4603.55)	728 11076/11112 = 99.7% (98.6%, 99.9%)	3712.65 (3236.69, 4258.59)	0 (0, 0.01)	0.82 (0.53, 1.27)		
Day 57	Anti Spike IgG (BAU/ml)	48 51/51 = 100.0% (100.0%, 100.0%)	1697.56 (1221.51, 2359.15)	728 11112/11112 = 100.0% (100.0%, 100.0%)	2695.30 (2409.29, 3015.27)	0 (0, 0)	0.63 (0.44, 0.89)		

Day 57	Anti N IgG (BAU/ml)	48	$35.1/51 = 68.7\%$ (54.0%, 80.5%)	64.51 (38.74, 107.43)	728	$8984/11112 = 80.8\%$ (76.8%, 84.4%)	106.15 (90.74, 124.18)	-0.12 (-0.27, 0)	0.61 (0.36, 1.04)
-----------	---------------------	----	--------------------------------------	--------------------------	-----	---	---------------------------	---------------------	----------------------

Cases for Day 29 markers are baseline negative per-protocol vaccine recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 29 study visit. Cases for Day 57 markers are baseline negative per-protocol vaccine recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 57 study visit. Non-cases/Controls are baseline negative per-protocol vaccine recipients sampled into the random subcohort with no COVID-19 endpoint diagnosis by the time of data-cut.

N is the number of cases sampled into the subcohort within baseline covariate strata.

The denominator in Resp Rate is the number of participants in the whole per-protocol cohort within baseline covariate strata, calculated using inverse probability weighting.



## 2.6 Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine recipients)

Table 2.6: Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (vaccine recipients)


Visit	Marker	Baseline SARS-CoV-2 Positive Vaccine Recipients						Comparison	
		Cases*		Non-Cases/Control		Resp Rate Difference	GMTR/GMCR		
N	Resp rate	N	Resp rate	GMT/GMC					
Day 29	Pseudovirus-nAb cID80	5 (10.6%, 95.0%)	3/5 = 60.0% (19.25, 52.65)	31.84 (21.61, 59.58)	222 (56.7%, 72.4%)	742.7/1143 = 65.0% (32.96, 44.70)	38.39 (24.68, 31.80)	-0.05 (-0.55, 0.31)	0.83 (0.49, 1.40)
Day 29	Pseudovirus-nAb cID50	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	35.88 (51.93, 1111.05)	222 (88.3%, 97.2%)	1076.9/1143 = 94.2% (100.0%, 100.0%)	28.02 (569.78, 955.14)	0.06 (0.03, 0.12)	1.28 (0.76, 2.16)
Day 29	Anti RBD IgG (BAU/ml)	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	240.20 (102.73, 241.52)	222 (1143/1143 = 100.0%)	1143/1143 = 100.0% (92.6%, 99.9%)	737.72 (307.38, 453.46)	0 (0, 0)	0.33 (0.07, 1.54)
Day 29	Anti Spike IgG (BAU/ml)	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	157.52 (55.78, 360.09)	222 (1130.6/1143 = 98.9%)	1130.6/1143 = 98.9% (62.4%, 77.7%)	373.34 (41.91, 68.01)	0.01 (0, 0.07)	0.42 (0.26, 0.67)
Day 29	Anti N IgG (BAU/ml)	5 (15.2%, 98.9%)	4/5 = 80.0% (100.0%, 100.0%)	141.72 (647.80, 1714.67)	222 (807.8/1143 = 70.7%)	807.8/1143 = 70.7% (100.0%, 100.0%)	53.39 (1119.96, 1499.82)	0.09 (0, 0)	2.65 (0.49, 1.35)
Day 57	Pseudovirus-nAb cID80	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	1053.93 (410.78, 1787.56)	222 (1142/1142 = 100.0%)	1142/1142 = 100.0% (100.0%, 100.0%)	1296.05 (799.89, 1176.06)	0 (0, 0)	0.88 (0.41, 1.89)
Day 57	Pseudovirus-nAb cID50	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	856.91 (4223.97, 20182.51)	222 (1142/1142 = 100.0%)	1142/1142 = 100.0% (100.0%, 100.0%)	969.91 (5093.73, 7711.87)	0 (0, 0)	1.47 (0.66, 3.31)
Day 57	Anti RBD IgG (BAU/ml)	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	9233.11 (2835.42, 7639.39)	222 (1142/1142 = 100.0%)	1142/1142 = 100.0% (100.0%, 100.0%)	6267.55 (4037.27, 5545.88)	0 (0, 0)	0.98 (0.58, 1.66)
Day 57	Anti Spike IgG (BAU/ml)	5 (100.0%, 100.0%)	5/5 = 100.0% (100.0%, 100.0%)	4654.13 (2835.42, 7639.39)	222 (1142/1142 = 100.0%)	1142/1142 = 100.0% (100.0%, 100.0%)	4731.83 (4037.27, 5545.88)	0 (0, 0)	0.98 (0.58, 1.66)

Day	Anti N IgG (BAU/ml)	5	$4/5 = 80.0\%$ (15.2%, 98.9%)	182.40 (54.59, 609.44)	222	$1046.2/1142 = 91.6\%$ (85.7%, 95.2%)	199.80 (159.94, 249.59)	-0.12 (-0.76, 0.08)	0.91 (0.27, 3.11)
57									

The SAP does not specify correlates analyses in baseline positive vaccine recipients. This table summarizes descriptively the same information for baseline positive vaccine recipients that was summarized for baseline negative vaccine recipients. Cases for Day 29 markers are baseline positive per-protocol vaccine recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 29 study visit. Cases for Day 57 markers are baseline positive per-protocol vaccine recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 57 study visit. Non-cases/Controls are baseline positive per-protocol vaccine recipients sampled into the random subcohort with no COVID-19 endpoint diagnosis by the time of data-cut.

N is the number of cases sampled into the subcohort within baseline covariate strata.

The denominator in Resp Rate is the number of participants in the whole per-protocol cohort within baseline covariate strata, calculated using inverse probability weighting.



## 2.7 Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (placebo recipients)

Table 2.7: Antibody levels in the baseline SARS-CoV-2 positive per-protocol cohort (placebo recipients)


Visit	Marker	Baseline SARS-CoV-2 Positive Placebo Recipients						Comparison	
		Cases*		Non-Cases/Control				Resp Rate Difference	GMTR/GMCR
	N	Resp rate	GMT/GMC	N	Resp rate	GMT/GMC			
Day 29	Pseudovirus-nAb cID80	4 (7.1%, 99.2%)	3/4 = 75.0% (24.88, 12.18, 50.82)	248	373.4/1070 = 34.9% (28.2%, 42.3%)	17.97 (15.65, 20.62)	0.4 (-0.28, 0.65)	1.38 (0.67, 2.87)	
Day 29	Pseudovirus-nAb cID50	4 (4.0%, 96.0%)	2/4 = 50.0% (6.18, 1.94, 19.74)	248	777.3/1070 = 72.6% (64.8%, 79.3%)	11.64 (9.99, 13.58)	-0.23 (-0.69, 0.24)	0.53 (0.16, 1.71)	
Day 29	Anti RBD IgG (BAU/ml)	4 (100.0%, 100.0%)	4/4 = 100.0% (756.08, 88.88, 6431.90)	248	1040.9/1070 = 97.3% (92.9%, 99.0%)	306.72 (235.69, 399.17)	0.03 (0.01, 0.07)	2.47 (0.29, 21.31)	
Day 29	Anti Spike IgG (BAU/ml)	4 (100.0%, 100.0%)	4/4 = 100.0% (450.29, 151.38, 1339.45)	248	1053.8/1070 = 98.5% (96.0%, 99.4%)	180.26 (145.92, 222.69)	0.02 (0.01, 0.04)	2.50 (0.82, 7.58)	
Day 29	Anti N IgG (BAU/ml)	4 (7.1%, 99.2%)	3/4 = 75.0% (22.00, 3.94, 122.96)	248	575.6/1070 = 53.8% (45.8%, 61.6%)	23.47 (17.64, 31.22)	0.21 (-0.47, 0.47)	0.94 (0.16, 5.36)	
Day 57	Pseudovirus-nAb cID80	4 (100.0%, 100.0%)	4/4 = 100.0% (351.66, 121.28, 1019.68)	248	1063.8/1068 = 99.6% (97.2%, 99.9%)	444.55 (373.10, 529.69)	0 (0, 0.03)	0.79 (0.27, 2.33)	
Day 57	Pseudovirus-nAb cID50	4 (100.0%, 100.0%)	4/4 = 100.0% (664.06, 91.64, 4811.88)	248	1068/1068 = 100.0% (100.0%, 100.0%)	292.71 (241.83, 354.30)	0 (0, 0)	2.27 (0.31, 16.59)	
Day 57	Anti RBD IgG (BAU/ml)	4 (100.0%, 100.0%)	4/4 = 100.0% (2249.67, 224.78, 22514.92)	248	1068/1068 = 100.0% (100.0%, 100.0%)	2787.04 (2188.97, 3548.52)	0 (0, 0)	0.81 (0.08, 8.18)	
Day 57	Anti Spike IgG (BAU/ml)	4 (100.0%, 100.0%)	4/4 = 100.0% (2622.60, 468.45, 14682.50)	248	1068/1068 = 100.0% (100.0%, 100.0%)	2100.42 (1718.79, 2566.79)	0 (0, 0)	1.25 (0.22, 7.07)	

Day	Anti N IgG (BAU/ml)	4	$3/4 = 75.0\%$ (7.1%, 99.2%)	145.45 (14.12, 1498.21)	248	$794.2/1068 = 74.4\%$ (66.6%, 80.8%)	79.56 (60.82, 104.09)	0.01 (-0.68, 0.26)	1.83 (0.17, 19.12)
-----	---------------------	---	---------------------------------	----------------------------	-----	---	--------------------------	-----------------------	-----------------------

Cases for Day 29 markers are baseline positive per-protocol placebo recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 29 study visit. Cases for Day 57 markers are baseline positive per-protocol placebo recipients with the symptomatic infection COVID-19 primary endpoint diagnosed starting 7 days after the Day 57 study visit. Non-cases/Controls are baseline positive per-protocol placebo recipients sampled into the random subcohort with no COVID-19 endpoint diagnosis by the time of data-cut.

N is the number of cases sampled into the subcohort within baseline covariate strata.

The denominator in Resp Rate is the number of participants in the whole per-protocol cohort within baseline covariate strata, calculated using inverse probability weighting.



MOCK

MOCK

## Chapter 3

# Graphical Descriptions of Antibody Marker Data

### 3.1 Boxplots




Figure 3.1: Boxplots of D57 Ab markers: vaccine arm. The three dashed lines in each figure are ULOQ, LLOQ, and LLOD, from top to bottom respectively.




Figure 3.2: Boxplots of D57 fold-rise over D1 Ab markers: vaccine arm.




Figure 3.3: Boxplots of D29 Ab markers: vaccine arm. The three dashed lines in each figure are ULOQ, LLOQ, and LLOD, from top to bottom respectively.




Figure 3.4: Boxplots of D29 fold-rise over D1 Ab markers: vaccine arm.

### 3.2 Weighted RCDF plots




Figure 3.5: RCDF plots for D57 Ab markers by treatment arm.




Figure 3.6: RCDF plots for D57 fold-rise over D1 Ab markers by treatment arm.




Figure 3.7: RCDF plots for D29 Ab markers by treatment arm.




Figure 3.8: RCDF plots for D29 fold-rise over D1 Ab markers by treatment arm.

### 3.3 Weighted RCDF plots of threshold correlate concentration for vaccine efficacy




Figure 3.9: Marker RCDF of D57 anti-Spike binding Ab: vaccine arm




Figure 3.10: Marker RCDF of D57 anti-RBD binding Ab: vaccine arm




Figure 3.11: Marker RCDF of D57 PsV-nAb ID50: vaccine arm

3.3. WEIGHTED RCDF PLOTS OF THRESHOLD CORRELATE CONCENTRATION FOR VACCINE EFFICACY41




Figure 3.12: Marker RCDF of D57 PsV-nAb ID80: vaccine arm




Figure 3.13: Marker RCDF of D29 anti-Spike binding Ab: vaccine arm




Figure 3.14: Marker RCDF of D29 anti-RBD binding Ab: vaccine arm




Figure 3.15: Marker RCDF of D29 PsV-nAb ID<sub>50</sub>: vaccine arm

3.3. WEIGHTED RCDF PLOTS OF THRESHOLD CORRELATE CONCENTRATION FOR VACCINE EFFICACY 45




Figure 3.16: Marker RCDF of D29 PsV-nAb ID80: vaccine arm

### 3.4 Spaghetti plots





Figure 3.17: Spaghetti Plots of Marker Trajectory: vaccine arm

### 3.5 Violin and line plots

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.1: lineplots of Binding Antibody to Spike: baseline negative placebo arm (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.2: lineplots of Binding Antibody to Spike: baseline negative vaccine arm (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.3: lineplots of Binding Antibody to RBD: baseline negative placebo arm (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.4: lineplots of Binding Antibody to RBD: baseline negative vaccine arm (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.5: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm (version 1)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.6: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.7: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm (version 1)

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.8: lineplots of PsV Neutralization 80% Titer: baseline negative vaccine arm (version 1)

\} \end{figure}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.10: violinplots of Binding Antibody to Spike: baseline negative vaccine arm (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.11: violinplots of Binding Antibody to RBD: baseline negative placebo arm (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.13: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm (version 1)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.14: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.15: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm (version 1)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.16: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.19: lineplots of Binding Antibody to RBD: baseline negative placebo arm (version 2)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.20: lineplots of Binding Antibody to RBD: baseline negative vaccine arm (version 2)

\end{figure}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.22: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm (version 2)

\end{figure}}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.23: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm (version 2)

\} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.29: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.30: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.31: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.32: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm (version 2)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.33: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.34: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.35: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.36: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.37: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.39: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age (version 1)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.40: lineplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age (version 1)

\end{figure}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.41: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 1)

```
}
```

```
\caption{
```

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.42: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age (version 1)

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.43: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.44: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.45: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.46: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age (version 1)

```
\end{figure}}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.47: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.48: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.49: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 2)


} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

```
\caption{
```

Figure 2.5.52: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 2)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.53: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.55: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.57: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.58: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age (version 2)

```
\} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.59: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



\caption{

Figure 2.5.60: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 2)

}

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.61: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.62: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age (version 2)

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.63: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.64: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age (version 2)

```
\end{figure}}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```


```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.73: violinplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.76: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition (version 1)

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.77: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by risk condition (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.78: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by risk condition (version 1)

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.79: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by risk condition (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.80: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by risk condition (version 1)

```
}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```


```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




Figure 2.5.89: violinplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.90: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.91: violinplots of Binding Antibody to RBD: baseline negative placebo arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.92: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.93: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.94: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.95: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by risk condition (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.97: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.98: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.99: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.100: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.101: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.102: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.103: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.104: lineplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.105: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.106: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.107: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.108: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.109: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.110: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.111: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.112: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.113: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.114: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.115: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.116: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.117: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.118: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.119: lineplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.120: lineplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.121: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.122: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.123: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.124: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.125: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.126: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.127: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{


Figure 2.5.128: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.130: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth (version 1)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.134: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by sex assigned at birth (version 1)

```
} \end{figure}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.140: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by sex assigned at birth (version 1)

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.142: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by sex assigned at birth (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.144: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by sex assigned at birth (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


```
\caption{
```

Figure 2.5.148: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by sex assigned at birth (version 2)


```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.150: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by sex assigned at birth (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.153: violinplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth (version 2)


} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.156: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by sex assigned at birth (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.160: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by sex assigned at birth (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.162: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.165: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by race and ethnic group (version 1)

\} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.169: violinplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.170: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.172: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.173: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.174: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by race and ethnic group (version 1)

```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.176: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by race and ethnic group (version 1)


```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```


```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```





Figure 2.5.186: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 2)

```
}
```


```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




```
\caption{
```


```
}
```

```
\end{figure}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.193: lineplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.194: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.195: lineplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```


```
\begin{figure}
```



```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.197: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.198: lineplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.200: lineplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.201: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



\caption{

Figure 2.5.202: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.203: violinplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.204: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.205: violinplots of PsV Neutralization 50% Titer: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.206: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.207: violinplots of PsV Neutralization 80% Titer: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.208: violinplots of PsV Neutralization 80% Titer: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.210: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

\} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.213: lineplots of PsV Neutralization 50% Titer: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.217: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```




Figure 2.5.218: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

```
}
```

```
\caption{
```

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.219: violinplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```





Figure 2.5.220: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.222: violinplots of PsV Neutralization 50% Titer: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



### 3.6 Scatter plots

\begin{figure}[H]




\caption{}

Figure 2.6.1: scatterplots of Binding Antibody to Spike vs Age: baseline negative vaccine arm at day 1

\} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.2: scatterplots of Binding Antibody to Spike vs Age: baseline negative vaccine arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.3: scatterplots of Binding Antibody to Spike vs Age: baseline negative vaccine arm at day 57

\} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.4: scatterplots of Binding Antibody to RBD vs Age: baseline negative vaccine arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.5: scatterplots of Binding Antibody to RBD vs Age: baseline negative vaccine arm at day 29

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.6: scatterplots of Binding Antibody to RBD vs Age: baseline negative vaccine arm at day 57

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.7: scatterplots of PsV Neutralization 50% Titer vs Age: baseline negative vaccine arm at day 1

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.8: scatterplots of PsV Neutralization 50% Titer vs Age: baseline negative vaccine arm at day 29

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.9: scatterplots of PsV Neutralization 50% Titer vs Age: baseline negative vaccine arm at day 57

\} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.10: scatterplots of PsV Neutralization 80% Titer vs Age: baseline negative vaccine arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.11: scatterplots of PsV Neutralization 80% Titer vs Age: baseline negative vaccine arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.12: scatterplots of PsV Neutralization 80% Titer vs Age: baseline negative vaccine arm at day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.13: scatterplots of Binding Antibody to Spike vs Age: by arm at day 1

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.14: scatterplots of Binding Antibody to Spike vs Age: by arm at day 29

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.15: scatterplots of Binding Antibody to Spike vs Age: by arm at day 57

} \end{figure}

\begin{figure}[H]




\caption{


Figure 2.6.16: scatterplots of Binding Antibody to RBD vs Age: by arm at day 1

} \end{figure}

\begin{figure}[H]



\begin{figure}[H]




\caption{}

Figure 2.6.18: scatterplots of Binding Antibody to RBD vs Age: by arm at day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.19: scatterplots of PsV Neutralization 50% Titer vs Age: by arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.20: scatterplots of PsV Neutralization 50% Titer vs Age: by arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.21: scatterplots of PsV Neutralization 50% Titer vs Age: by arm at day 57

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.22: scatterplots of PsV Neutralization 80% Titer vs Age: by arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.23: scatterplots of PsV Neutralization 80% Titer vs Age: by arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.24: scatterplots of PsV Neutralization 80% Titer vs Age: by arm at day 57

} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.25: scatterplots of Binding Antibody to Spike vs Days Since the Day 29 Visit: baseline negative vaccine arm at Day 29 and Day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.26: scatterplots of Binding Antibody to RBD vs Days Since the Day 29 Visit: baseline negative vaccine arm at Day 29 and Day 57

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.27: scatterplots of PsV Neutralization 50% Titer vs Days Since the Day 29 Visit: baseline negative vaccine arm at Day 29 and Day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.28: scatterplots of PsV Neutralization 80% Titer vs Days Since the Day 29 Visit: baseline negative vaccine arm at Day 29 and Day 57

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.29: scatterplots of Binding Antibody to Spike vs Days Since the Day 29 Visit: by arm at Day 29 and Day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.30: scatterplots of Binding Antibody to RBD vs Days Since the Day 29 Visit: by arm at Day 29 and Day 57

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.31: scatterplots of PsV Neutralization 50% Titer vs Days Since the Day 29 Visit: by arm at Day 29 and Day 57

\} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.32: scatterplots of PsV Neutralization 80% Titer vs Days Since the Day 29 Visit: by arm at Day 29 and Day 57

\} \end{figure}

## Chapter 4

# Graphical Descriptions of Time to Event Data



MOCK

# Chapter 5

## Day D29 Univariate CoR: Cox Models of Risk

The main regression model is the Cox proportional hazards model. All plots are made with Cox models fit unless specified otherwise.

### 5.1 Hazard ratios

Table 5.1: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker\*

MockCOVE Immunologic Marker	No. cases / No. at-risk**	HR per 10-fold incr. Pt. Est.	95% CI	P-value (2-sided)	q-value ***	FWER
Anti Spike IgG (BAU/ml)	58/11,204	0.11	(0.05-0.24)	<0.001	<0.001	<0.001
Anti RBD IgG (BAU/ml)	58/11,204	0.37	(0.19-0.70)	0.002	<0.001	<0.001
Pseudovirus-nAb cID50	58/11,204	0.25	(0.11-0.60)	0.002	<0.001	<0.001
Pseudovirus-nAb cID80	58/11,204	0.24	(0.11-0.49)	<0.001	<0.001	<0.001

\*Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. Maximum failure event time 201 days.

\*\*No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

\*\*\*q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

Table 5.2: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile\*

MockCOVE Immunologic Marker	Tertile	No. cases / No. at-risk**	Attack rate	Pt. Est.	Haz. Ratio 95% CI	P-value (2-sided)	Overall P- value***	Overall q- value †	Overall FWER
Anti Spike IgG (BAU/ml)	Lower	24/3,752	0.0064	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	17/3,729	0.0046	0.27	(0.13-0.57)	<0.001			
	Upper	17/3,723	0.0046	0.12	(0.05-0.29)	<0.001			
Anti RBD IgG (BAU/ml)	Lower	27/3,745	0.0072	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	13/3,747	0.0035	0.25	(0.11-0.56)	<0.001			
	Upper	18/3,712	0.0048	0.21	(0.09-0.49)	<0.001			
Pseudovirus-nAb cID50	Lower	21/3,741	0.0056	1	N/A	N/A	0.013	0.100	0.062
	Middle	22/3,729	0.0059	0.68	(0.33-1.41)	0.301			
	Upper	15/3,734	0.0040	0.29	(0.12-0.68)	0.004			
Pseudovirus-nAb cID80	Lower	22/3,739	0.0059	1	N/A	N/A	0.007	<0.001	0.043
	Middle	23/3,736	0.0062	0.78	(0.41-1.47)	0.442			
	Upper	13/3,729	0.0035	0.30	(0.14-0.64)	0.002			
Placebo		1166/11,505	0.1013						

\*Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. Maximum failure event time 201 days. Cutpoints: Anti Spike IgG (BAU/ml) [2.18, 2.65], Anti RBD IgG (BAU/ml) [2.42, 3.06], Pseudovirus-nAb cID50 [1.08, 1.44], Pseudovirus-nAb cID80 [1.25, 1.59], all on the log10 scale.

\*\*No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

\*\*\*Generalized Wald-test p-value of the null hypothesis that the hazard rate is constant across the Lower, Middle, and Upper tertile groups.

† q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).




Figure 5.1: Forest plots of hazard ratios per 10-fold increase in the marker among baseline negative vaccine recipients and subgroups with 95% point-wise confidence intervals.

### Binding Antibody to Spike: Day 29




Figure 5.2: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.

### Binding Antibody to RBD: Day 29




Figure 5.3: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.

### PsV Neutralization 50% Titer: Day 29




Figure 5.4: Forest plots of hazard ratios per 10-fold increase in the Day 29 pseudo neut ID50 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.

### PsV Neutralization 80% Titer: Day 29




Figure 5.5: Forest plots of hazard ratios per 10-fold increase in the Day 29 pseudo neut ID80 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.


## 5.2 Marginalized risk and controlled vaccine efficacy plots

Table 5.3: Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.


	marginalized risk		controlled risk		$e(0,1)^2$	
	ratio $RR_M(0,1)$	Point Est. 95% CI	ratio $RR_C(0,1)^1$	Point Est. 95% CI	Point Est. 95% CI UL	
Anti Spike IgG (BAU/ml)	0.12	0.06–0.21	0.16	0.08–0.29	16.1	8.8
Anti RBD IgG (BAU/ml)	0.21	0.11–0.38	0.28	0.14–0.51	9.0	4.7
Pseudovirus-nAb CID50	0.29	0.24–0.37	0.38	0.32–0.50	6.4	4.8
Pseudovirus-nAb CID80	0.30	0.21–0.49	0.40	0.28–0.65	6.1	3.5

<sup>1</sup>Conservative (upper bound) estimate assuming unmeasured confounding at level  $RR_{UD}(0,1) = RR_{EU}(0,1) = 2$  and thus  $B(0,1) = 4/3$ .

<sup>2</sup>E-values are computed for upper tertile ( $s = 1$ ) vs. lower tertile ( $s = 0$ ) biomarker subgroups after controlling for MinorityInd + HighRiskInd + Age; UL = upper limit.




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 201 as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 0.3$ .

Figure 5.6: Marginalized cumulative risk curves ( $=s$ ).



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 0.3$ .



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 0.3$ .

Figure 5.7: Controlled VE curves ( $=s$ ).




Figure 5.8: Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ).

Table 5.4: Marginalized cumulative risk by Day 201 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
2.9	.3018 (.1825,.3740)	29	.0590 (.0407,.0814)	227	.0089 (.0079,.0119)	1294	.0017 (.0011,.0025)
3	.2890 (.1744,.3594)	32	.0550 (.0383,.0756)	228	.0089 (.0079,.0119)	1402	.0016 (.0010,.0024)
3	.2764 (.1665,.3453)	34	.0511 (.0361,.0702)	248	.0082 (.0072,.0110)	1523	.0014 (.0009,.0022)
4	.2641 (.1589,.3314)	37	.0476 (.0340,.0651)	269	.0076 (.0066,.0102)	1654	.0013 (.0009,.0021)
4	.2520 (.1515,.3177)	40	.0442 (.0320,.0604)	292	.0070 (.0060,.0095)	1779	.0012 (.0008,.0019)
4	.2403 (.1443,.3046)	44	.0411 (.0301,.0559)	318	.0065 (.0055,.0088)	1796	.0012 (.0008,.0019)
5	.2288 (.1374,.2918)	48	.0382 (.0283,.0517)	329	.0063 (.0053,.0085)	1950	.0011 (.0007,.0018)
5	.2175 (.1307,.2792)	52	.0354 (.0267,.0478)	345	.0060 (.0050,.0081)	2118	.0011 (.0007,.0017)
6	.2066 (.1243,.2668)	56	.0329 (.0251,.0443)	375	.0056 (.0046,.0075)	2238	.0010 (.0006,.0016)
6	.1960 (.1181,.2546)	61	.0305 (.0236,.0410)	407	.0051 (.0042,.0070)	2300	.0010 (.0006,.0015)
7	.1858 (.1122,.2428)	64	.0293 (.0228,.0392)	442	.0047 (.0038,.0065)	2498	.0009 (.0005,.0014)
7	.1758 (.1064,.2311)	66	.0283 (.0222,.0379)	474	.0044 (.0035,.0061)	2713	.0008 (.0005,.0013)
8	.1662 (.1010,.2198)	72	.0262 (.0208,.0350)	480	.0044 (.0035,.0060)	2946	.0008 (.0005,.0012)
8	.1570 (.0957,.2087)	78	.0243 (.0196,.0323)	500	.0042 (.0033,.0058)	3200	.0007 (.0004,.0012)
9	.1480 (.0907,.1980)	85	.0225 (.0184,.0299)	521	.0041 (.0032,.0056)	3475	.0007 (.0004,.0011)
10	.1395 (.0859,.1875)	92	.0209 (.0173,.0276)	566	.0037 (.0029,.0052)	3774	.0006 (.0003,.0010)
11	.1313 (.0813,.1773)	93	.0208 (.0172,.0274)	614	.0035 (.0026,.0049)	4098	.0006 (.0003,.0009)
12	.1234 (.0769,.1675)	100	.0193 (.0163,.0254)	667	.0032 (.0024,.0045)	4451	.0005 (.0003,.0009)
13	.1159 (.0727,.1580)	109	.0179 (.0153,.0234)	708	.0030 (.0022,.0043)	4833	.0005 (.0003,.0008)
14	.1088 (.0687,.1488)	118	.0166 (.0144,.0216)	725	.0030 (.0022,.0042)	5249	.0004 (.0002,.0008)
15	.1020 (.0649,.1399)	128	.0153 (.0135,.0200)	787	.0027 (.0020,.0039)	5700	.0004 (.0002,.0007)
16	.0955 (.0613,.1314)	130	.0151 (.0133,.0197)	855	.0025 (.0018,.0037)	6191	.0004 (.0002,.0007)
18	.0893 (.0579,.1232)	139	.0142 (.0127,.0185)	928	.0023 (.0017,.0034)	6723	.0003 (.0002,.0006)
19	.0835 (.0546,.1154)	151	.0131 (.0119,.0172)	1000	.0022 (.0015,.0032)	7301	.0003 (.0002,.0006)
21	.0780 (.0515,.1079)	164	.0122 (.0111,.0160)	1008	.0022 (.0015,.0032)	7929	.0003 (.0001,.0006)
23	.0729 (.0486,.1007)	178	.0112 (.0102,.0148)	1095	.0020 (.0014,.0029)	8611	.0003 (.0001,.0005)
25	.0680 (.0458,.0939)	194	.0104 (.0094,.0138)	1189	.0018 (.0013,.0027)	9352	.0003 (.0001,.0005)
27	.0634 (.0432,.0875)	210	.0096 (.0086,.0128)	1291	.0017 (.0011,.0026)	10156	.0002 (.0001,.0005)

Table 5.5: Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
2.9	-1.8278 (-2.5181,-0.6901)	32	0.4850 ( 0.3018, 0.6451)	248	0.9229 ( 0.8986, 0.9320)	1654	0.9875 ( 0.9809, 0.9919)
3	-1.7078 (-2.3748,-0.6151)	34	0.5207 ( 0.3514, 0.6658)	269	0.9287 ( 0.9059, 0.9379)	1779	0.9883 ( 0.9821, 0.9925)
3	-1.5900 (-2.2335,-0.5422)	37	0.5542 ( 0.3981, 0.6853)	292	0.9341 ( 0.9127, 0.9433)	1796	0.9884 ( 0.9822, 0.9926)
4	-1.4745 (-2.0942,-0.4715)	40	0.5856 ( 0.4420, 0.7038)	318	0.9391 ( 0.9191, 0.9483)	1950	0.9893 ( 0.9834, 0.9932)
4	-1.3615 (-1.9572,-0.4031)	44	0.6149 ( 0.4832, 0.7212)	329	0.9412 ( 0.9217, 0.9504)	2118	0.9901 ( 0.9846, 0.9938)
4	-1.2511 (-1.8227,-0.3368)	48	0.6424 ( 0.5218, 0.7377)	345	0.9437 ( 0.9250, 0.9528)	2238	0.9906 ( 0.9853, 0.9942)
5	-1.1433 (-1.6927,-0.2727)	52	0.6679 ( 0.5578, 0.7532)	375	0.9479 ( 0.9303, 0.9570)	2300	0.9909 ( 0.9857, 0.9944)
5	-1.0383 (-1.5758,-0.2109)	56	0.6918 ( 0.5915, 0.7679)	407	0.9519 ( 0.9353, 0.9608)	2498	0.9916 ( 0.9866, 0.9949)
6	-0.9361 (-1.4615,-0.1514)	61	0.7141 ( 0.6226, 0.7817)	442	0.9555 ( 0.9399, 0.9642)	2713	0.9922 ( 0.9876, 0.9953)
6	-0.8368 (-1.3495,-0.0940)	64	0.7258 ( 0.6386, 0.7890)	474	0.9584 ( 0.9435, 0.9669)	2946	0.9928 ( 0.9884, 0.9957)
7	-0.7406 (-1.2398,-0.0389)	66	0.7348 ( 0.6509, 0.7947)	480	0.9589 ( 0.9441, 0.9674)	3200	0.9934 ( 0.9892, 0.9961)
7	-0.6474 (-1.1326, 0.0141)	72	0.7541 ( 0.6773, 0.8070)	500	0.9605 ( 0.9461, 0.9688)	3475	0.9939 ( 0.9899, 0.9965)
8	-0.5574 (-1.0279, 0.0649)	78	0.7721 ( 0.7019, 0.8186)	521	0.9620 ( 0.9480, 0.9702)	3774	0.9943 ( 0.9906, 0.9968)
8	-0.4706 (-0.9258, 0.1136)	85	0.7888 ( 0.7248, 0.8295)	566	0.9649 ( 0.9516, 0.9729)	4098	0.9948 ( 0.9912, 0.9971)
9	-0.3871 (-0.8264, 0.1602)	92	0.8044 ( 0.7460, 0.8397)	614	0.9676 ( 0.9549, 0.9753)	4451	0.9952 ( 0.9917, 0.9973)
10	-0.3069 (-0.7298, 0.2048)	93	0.8054 ( 0.7474, 0.8404)	667	0.9700 ( 0.9580, 0.9774)	4833	0.9955 ( 0.9922, 0.9976)
11	-0.2300 (-0.6360, 0.2474)	100	0.8188 ( 0.7657, 0.8494)	708	0.9717 ( 0.9601, 0.9789)	5249	0.9959 ( 0.9927, 0.9978)
12	-0.1564 (-0.5452, 0.2880)	109	0.8322 ( 0.7840, 0.8585)	725	0.9723 ( 0.9609, 0.9794)	5700	0.9962 ( 0.9932, 0.9980)
13	-0.0861 (-0.4573, 0.3268)	118	0.8447 ( 0.8009, 0.8671)	787	0.9744 ( 0.9636, 0.9812)	6191	0.9965 ( 0.9936, 0.9982)
14	-0.0191 (-0.3724, 0.3637)	128	0.8562 ( 0.8159, 0.8751)	855	0.9764 ( 0.9661, 0.9829)	6723	0.9968 ( 0.9940, 0.9983)
15	0.0447 (-0.2906, 0.3989)	130	0.8583 ( 0.8184, 0.8766)	928	0.9782 ( 0.9684, 0.9844)	7301	0.9970 ( 0.9944, 0.9985)
16	0.1054 (-0.2120, 0.4323)	139	0.8669 ( 0.8290, 0.8827)	1000	0.9797 ( 0.9704, 0.9857)	7929	0.9972 ( 0.9947, 0.9986)
18	0.1628 (-0.1365, 0.4641)	151	0.8768 ( 0.8412, 0.8898)	1008	0.9798 ( 0.9706, 0.9858)	8611	0.9974 ( 0.9950, 0.9987)
19	0.2173 (-0.0642, 0.4942)	164	0.8861 ( 0.8526, 0.8970)	1095	0.9814 ( 0.9727, 0.9870)	9352	0.9976 ( 0.9954, 0.9988)
21	0.2688 ( 0.0048, 0.5229)	178	0.8946 ( 0.8631, 0.9039)	1189	0.9828 ( 0.9745, 0.9882)	10156	0.9978 ( 0.9956, 0.9989)
23	0.3174 ( 0.0707, 0.5500)	194	0.9025 ( 0.8730, 0.9117)	1291	0.9841 ( 0.9763, 0.9892)	47.6	.6424 (.5218,.7377)
25	0.3632 ( 0.1333, 0.5758)	210	0.9098 ( 0.8821, 0.9189)	1294	0.9841 ( 0.9764, 0.9893)	194	.9025 (.8730,.9117)
27	0.4063 ( 0.1927, 0.6002)	227	0.9162 ( 0.8901, 0.9250)	1402	0.9853 ( 0.9779, 0.9902)	407	.9519 (.9353,.9608)
29	0.4469 ( 0.2490, 0.6233)	228	0.9166 ( 0.8906, 0.9254)	1523	0.9864 ( 0.9795, 0.9911)		

Table 5.6: Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
2.9	-0.4936 (-0.8582,.1073)	32	0.5898 ( 0.4439,.7174)	248	0.9238 ( 0.8998,.9328)	1654	0.9864 ( 0.9793,.9912)
3	-0.4529 (-0.8108,.1334)	34	0.6137 ( 0.4773,.7306)	269	0.9293 ( 0.9067,.9384)	1779	0.9872 ( 0.9804,.9918)
3	-0.4116 (-0.7623,.1595)	37	0.6365 ( 0.5092,.7434)	292	0.9345 ( 0.9132,.9437)	1796	0.9873 ( 0.9805,.9919)
4	-0.3698 (-0.7128,.1854)	40	0.6581 ( 0.5397,.7556)	318	0.9393 ( 0.9193,.9485)	1950	0.9882 ( 0.9817,.9925)
4	-0.3276 (-0.6625,.2112)	44	0.6787 ( 0.5688,.7674)	329	0.9413 ( 0.9219,.9505)	2118	0.9890 ( 0.9828,.9931)
4	-0.2851 (-0.6114,.2369)	48	0.6983 ( 0.5965,.7787)	345	0.9438 ( 0.9251,.9529)	2238	0.9895 ( 0.9835,.9935)
5	-0.2424 (-0.5609,.2622)	52	0.7168 ( 0.6229,.7895)	375	0.9480 ( 0.9303,.9570)	2300	0.9897 ( 0.9839,.9937)
5	-0.1996 (-0.5160,.2873)	56	0.7344 ( 0.6479,.7999)	407	0.9519 ( 0.9353,.9608)	2498	0.9904 ( 0.9848,.9942)
6	-0.1568 (-0.4707,.3121)	61	0.7510 ( 0.6713,.8099)	442	0.9555 ( 0.9399,.9642)	2713	0.9911 ( 0.9857,.9946)
6	-0.1140 (-0.4249,.3365)	64	0.7599 ( 0.6835,.8152)	474	0.9583 ( 0.9434,.9669)	2946	0.9917 ( 0.9866,.9951)
7	-0.0714 (-0.3788,.3605)	66	0.7667 ( 0.6929,.8194)	480	0.9588 ( 0.9441,.9673)	3200	0.9922 ( 0.9874,.9955)
7	-0.0292 (-0.3323,.3841)	72	0.7816 ( 0.7133,.8285)	500	0.9604 ( 0.9460,.9688)	3475	0.9927 ( 0.9881,.9958)
8	0.0127 (-0.2856,.4072)	78	0.7956 ( 0.7326,.8373)	521	0.9619 ( 0.9478,.9701)	3774	0.9932 ( 0.9887,.9961)
8	0.0540 (-0.2387,.4299)	85	0.8088 ( 0.7508,.8456)	566	0.9647 ( 0.9513,.9727)	4098	0.9937 ( 0.9893,.9964)
9	0.0948 (-0.1919,.4520)	92	0.8213 ( 0.7680,.8536)	614	0.9673 ( 0.9545,.9750)	4451	0.9941 ( 0.9899,.9967)
10	0.1349 (-0.1451,.4736)	93	0.8221 ( 0.7691,.8541)	667	0.9697 ( 0.9575,.9772)	4833	0.9945 ( 0.9904,.9970)
11	0.1742 (-0.0984,.4947)	100	0.8330 ( 0.7841,.8612)	708	0.9713 ( 0.9595,.9786)	5249	0.9948 ( 0.9909,.9972)
12	0.2126 (-0.0521,.5152)	109	0.8441 ( 0.7993,.8685)	725	0.9719 ( 0.9603,.9791)	5700	0.9952 ( 0.9913,.9974)
13	0.2501 (-0.0061,.5352)	118	0.8545 ( 0.8135,.8755)	787	0.9739 ( 0.9628,.9809)	6191	0.9955 ( 0.9918,.9976)
14	0.2867 ( 0.0393,.5546)	128	0.8643 ( 0.8263,.8822)	855	0.9758 ( 0.9652,.9825)	6723	0.9958 ( 0.9922,.9978)
15	0.3222 ( 0.0842,.5734)	130	0.8661 ( 0.8284,.8834)	928	0.9775 ( 0.9674,.9839)	7301	0.9960 ( 0.9926,.9980)
16	0.3565 ( 0.1283,.5917)	139	0.8735 ( 0.8374,.8885)	1000	0.9789 ( 0.9693,.9851)	7929	0.9963 ( 0.9929,.9981)
18	0.3898 ( 0.1716,.6094)	151	0.8821 ( 0.8480,.8946)	1008	0.9791 ( 0.9695,.9853)	8611	0.9965 ( 0.9933,.9983)
19	0.4219 ( 0.2140,.6265)	164	0.8902 ( 0.8580,.9008)	1095	0.9805 ( 0.9714,.9865)	9352	0.9968 ( 0.9936,.9984)
21	0.4529 ( 0.2554,.6430)	178	0.8979 ( 0.8674,.9069)	1189	0.9819 ( 0.9732,.9876)	10156	0.9970 ( 0.9939,.9985)
23	0.4826 ( 0.2957,.6590)	194	0.9050 ( 0.8762,.9139)	1291	0.9832 ( 0.9749,.9886)	47.6	.6424 (.5218,.7377)
25	0.5112 ( 0.3347,.6744)	210	0.9117 ( 0.8846,.9205)	1294	0.9832 ( 0.9749,.9886)	194	.9025 (.8730,.9117)
27	0.5386 ( 0.3726,.6893)	227	0.9175 ( 0.8919,.9262)	1402	0.9843 ( 0.9764,.9895)	407	.9519 (.9353,.9608)
29	0.5648 ( 0.4091,.7036)	228	0.9179 ( 0.8924,.9266)	1523	0.9854 ( 0.9779,.9904)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 201 as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 1.6$ .

Figure 5.9: Marginalized cumulative risk curves ( $=s$ ).



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.

Figure 5.10: Controlled VE curves (=s).




Figure 5.11: Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ).

Table 5.7: Marginalized cumulative risk by Day 201 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
4.1	.0477 (.0225,.1169)	42	.0179 (.0114,.0320)	345	.0073 (.0060,.0094)	2178	.0033 (.0024,.0045)
4	.0461 (.0219,.1122)	46	.0173 (.0111,.0305)	375	.0070 (.0059,.0089)	2368	.0032 (.0023,.0044)
5	.0445 (.0214,.1076)	50	.0166 (.0108,.0291)	407	.0068 (.0057,.0086)	2575	.0031 (.0022,.0042)
5	.0430 (.0209,.1031)	55	.0161 (.0106,.0277)	408	.0068 (.0057,.0086)	2800	.0030 (.0021,.0041)
6	.0416 (.0204,.0987)	59	.0155 (.0103,.0263)	443	.0065 (.0055,.0083)	3045	.0028 (.0020,.0040)
6	.0401 (.0199,.0945)	65	.0150 (.0101,.0251)	482	.0063 (.0053,.0080)	3085	.0028 (.0020,.0040)
7	.0388 (.0194,.0905)	70	.0144 (.0098,.0238)	500	.0062 (.0052,.0079)	3311	.0027 (.0019,.0039)
7	.0375 (.0190,.0866)	76	.0139 (.0096,.0227)	524	.0061 (.0051,.0077)	3601	.0026 (.0018,.0038)
8	.0362 (.0185,.0828)	83	.0134 (.0094,.0216)	570	.0059 (.0048,.0074)	3915	.0026 (.0017,.0036)
9	.0349 (.0181,.0792)	87	.0132 (.0092,.0210)	620	.0057 (.0046,.0072)	4099	.0025 (.0017,.0036)
9	.0337 (.0176,.0757)	90	.0130 (.0091,.0206)	648	.0056 (.0045,.0070)	4258	.0025 (.0016,.0035)
10	.0326 (.0172,.0723)	98	.0125 (.0089,.0196)	674	.0055 (.0044,.0069)	4630	.0024 (.0015,.0034)
11	.0315 (.0168,.0690)	107	.0121 (.0087,.0186)	733	.0053 (.0042,.0067)	5034	.0023 (.0015,.0033)
12	.0304 (.0164,.0659)	116	.0116 (.0085,.0177)	797	.0051 (.0040,.0065)	5474	.0022 (.0014,.0033)
13	.0293 (.0160,.0629)	126	.0112 (.0083,.0169)	867	.0049 (.0039,.0063)	5736	.0022 (.0014,.0032)
14	.0283 (.0156,.0600)	129	.0111 (.0082,.0167)	942	.0047 (.0037,.0061)	5953	.0021 (.0013,.0032)
16	.0273 (.0152,.0572)	137	.0108 (.0081,.0161)	980	.0046 (.0036,.0060)	6473	.0021 (.0013,.0031)
17	.0264 (.0149,.0546)	149	.0105 (.0079,.0153)	1000	.0046 (.0036,.0060)	7039	.0020 (.0012,.0030)
18	.0255 (.0145,.0520)	162	.0101 (.0077,.0146)	1025	.0046 (.0035,.0059)	7654	.0019 (.0012,.0029)
20	.0246 (.0142,.0496)	176	.0097 (.0075,.0139)	1114	.0044 (.0034,.0057)	8323	.0018 (.0011,.0029)
22	.0237 (.0138,.0472)	191	.0094 (.0073,.0133)	1212	.0042 (.0032,.0056)	9050	.0018 (.0010,.0028)
24	.0229 (.0135,.0450)	192	.0094 (.0073,.0132)	1317	.0041 (.0031,.0054)	9841	.0017 (.0010,.0027)
26	.0221 (.0132,.0428)	209	.0091 (.0071,.0126)	1433	.0039 (.0030,.0052)	10701	.0017 (.0009,.0026)
28	.0214 (.0129,.0408)	227	.0087 (.0070,.0120)	1557	.0038 (.0028,.0051)	11636	.0016 (.0009,.0026)
30	.0206 (.0125,.0389)	247	.0084 (.0068,.0114)	1558	.0038 (.0028,.0051)	12653	.0015 (.0009,.0025)
33	.0199 (.0122,.0371)	268	.0081 (.0066,.0109)	1694	.0037 (.0027,.0049)	13759	.0015 (.0008,.0024)
36	.0192 (.0119,.0353)	292	.0078 (.0064,.0103)	1842	.0035 (.0026,.0048)	14962	.0014 (.0008,.0024)
39	.0185 (.0117,.0336)	317	.0076 (.0062,.0098)	2003	.0034 (.0025,.0046)	16269	.0014 (.0007,.0023)

Table 5.8: Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
4.1	.5531 (-0.0817,.7912)	46	.8384 ( 0.7182,.8968)	407	.9364 ( 0.9207,.9469)	2800	.9724 ( 0.9617,.9805)
4	.5682 (-0.0376,.7961)	50	.8440 ( 0.7317,.8993)	408	.9364 ( 0.9208,.9469)	3045	.9733 ( 0.9627,.9814)
5	.5828 ( 0.0051,.8010)	55	.8495 ( 0.7446,.9017)	443	.9387 ( 0.9236,.9485)	3085	.9735 ( 0.9629,.9816)
5	.5969 ( 0.0466,.8058)	59	.8548 ( 0.7569,.9041)	482	.9409 ( 0.9264,.9502)	3311	.9743 ( 0.9637,.9823)
6	.6106 ( 0.0866,.8104)	65	.8599 ( 0.7686,.9064)	500	.9418 ( 0.9275,.9511)	3601	.9752 ( 0.9646,.9831)
6	.6238 ( 0.1254,.8149)	70	.8648 ( 0.7798,.9087)	524	.9430 ( 0.9290,.9522)	3915	.9761 ( 0.9656,.9840)
7	.6366 ( 0.1629,.8193)	76	.8695 ( 0.7904,.9109)	570	.9450 ( 0.9315,.9541)	4099	.9766 ( 0.9660,.9844)
7	.6490 ( 0.1991,.8237)	83	.8741 ( 0.8006,.9131)	620	.9469 ( 0.9338,.9560)	4258	.9769 ( 0.9665,.9847)
8	.6610 ( 0.2340,.8279)	87	.8767 ( 0.8062,.9143)	648	.9479 ( 0.9349,.9569)	4630	.9778 ( 0.9673,.9854)
9	.6726 ( 0.2677,.8320)	90	.8785 ( 0.8103,.9152)	674	.9488 ( 0.9359,.9578)	5034	.9786 ( 0.9682,.9861)
9	.6839 ( 0.3001,.8360)	98	.8828 ( 0.8195,.9172)	733	.9506 ( 0.9378,.9596)	5474	.9793 ( 0.9690,.9868)
10	.6947 ( 0.3314,.8400)	107	.8870 ( 0.8283,.9192)	797	.9524 ( 0.9397,.9614)	5736	.9797 ( 0.9694,.9871)
11	.7052 ( 0.3615,.8438)	116	.8909 ( 0.8365,.9212)	867	.9541 ( 0.9415,.9630)	5953	.9801 ( 0.9698,.9874)
12	.7153 ( 0.3904,.8475)	126	.8948 ( 0.8443,.9231)	942	.9557 ( 0.9432,.9647)	6473	.9808 ( 0.9706,.9880)
13	.7252 ( 0.4182,.8512)	129	.8957 ( 0.8462,.9236)	980	.9565 ( 0.9440,.9654)	7039	.9815 ( 0.9713,.9886)
14	.7346 ( 0.4449,.8548)	137	.8985 ( 0.8518,.9250)	1000	.9568 ( 0.9444,.9658)	7654	.9821 ( 0.9721,.9891)
16	.7438 ( 0.4706,.8583)	149	.9021 ( 0.8589,.9268)	1025	.9573 ( 0.9449,.9662)	8323	.9828 ( 0.9728,.9896)
17	.7527 ( 0.4952,.8617)	162	.9055 ( 0.8656,.9286)	1114	.9588 ( 0.9466,.9677)	9050	.9834 ( 0.9735,.9901)
18	.7612 ( 0.5188,.8650)	176	.9089 ( 0.8721,.9303)	1212	.9603 ( 0.9482,.9691)	9841	.9840 ( 0.9742,.9906)
20	.7695 ( 0.5414,.8683)	191	.9119 ( 0.8779,.9319)	1317	.9617 ( 0.9497,.9705)	10701	.9845 ( 0.9748,.9911)
22	.7775 ( 0.5631,.8714)	192	.9121 ( 0.8782,.9320)	1433	.9631 ( 0.9512,.9718)	11636	.9851 ( 0.9755,.9915)
24	.7853 ( 0.5839,.8745)	209	.9152 ( 0.8840,.9336)	1557	.9644 ( 0.9527,.9730)	12653	.9856 ( 0.9761,.9919)
26	.7927 ( 0.6037,.8775)	227	.9182 ( 0.8896,.9353)	1558	.9644 ( 0.9527,.9730)	13759	.9861 ( 0.9767,.9923)
28	.7999 ( 0.6227,.8805)	247	.9211 ( 0.8949,.9368)	1694	.9656 ( 0.9541,.9742)	14962	.9866 ( 0.9773,.9926)
30	.8069 ( 0.6407,.8834)	268	.9239 ( 0.8999,.9384)	1842	.9669 ( 0.9554,.9753)	16269	.9871 ( 0.9779,.9930)
33	.8136 ( 0.6576,.8862)	292	.9266 ( 0.9047,.9403)	2003	.9680 ( 0.9568,.9764)	7.3	.6490 (.1991,.8237)
36	.8201 ( 0.6738,.8889)	317	.9292 ( 0.9093,.9420)	2178	.9692 ( 0.9581,.9774)	137	.8985 (.8518,.9250)
39	.8264 ( 0.6893,.8916)	345	.9317 ( 0.9136,.9437)	2368	.9703 ( 0.9593,.9785)	733	.9506 (.9378,.9596)
42	.8325 ( 0.7041,.8942)	375	.9341 ( 0.9177,.9453)	2575	.9713 ( 0.9605,.9795)		

Table 5.9: Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
4.1	.7400 (.3708,.8785)	46	.8676 (.7692,.9155)	407	.9372 (.9217,.9476)	2800	.9707 (.9595,.9793)
4	.7455 (.3884,.8798)	50	.8710 (.7780,.9167)	408	.9372 (.9218,.9476)	3045	.9716 (.9603,.9802)
5	.7509 (.4059,.8812)	55	.8743 (.7866,.9179)	443	.9393 (.9243,.9489)	3085	.9717 (.9604,.9803)
5	.7562 (.4232,.8825)	59	.8775 (.7949,.9191)	482	.9413 (.9268,.9505)	3311	.9724 (.9611,.9810)
6	.7614 (.4403,.8838)	65	.8807 (.8029,.9203)	500	.9421 (.9279,.9513)	3601	.9732 (.9618,.9818)
6	.7665 (.4571,.8851)	70	.8838 (.8107,.9215)	524	.9432 (.9293,.9524)	3915	.9740 (.9625,.9825)
7	.7716 (.4737,.8864)	76	.8869 (.8182,.9227)	570	.9451 (.9317,.9542)	4099	.9744 (.9629,.9829)
7	.7765 (.4900,.8877)	83	.8899 (.8255,.9239)	620	.9470 (.9338,.9560)	4258	.9747 (.9632,.9832)
8	.7814 (.5061,.8890)	87	.8916 (.8296,.9246)	648	.9480 (.9349,.9570)	4630	.9754 (.9639,.9839)
9	.7863 (.5219,.8903)	90	.8928 (.8325,.9251)	674	.9488 (.9359,.9578)	5034	.9761 (.9645,.9846)
9	.7910 (.5374,.8916)	98	.8957 (.8393,.9263)	733	.9506 (.9378,.9596)	5474	.9768 (.9652,.9852)
10	.7957 (.5526,.8929)	107	.8985 (.8459,.9275)	797	.9524 (.9397,.9613)	5736	.9771 (.9655,.9855)
11	.8003 (.5674,.8942)	116	.9013 (.8521,.9287)	867	.9540 (.9414,.9630)	5953	.9774 (.9658,.9857)
12	.8048 (.5820,.8955)	126	.9041 (.8581,.9299)	942	.9556 (.9431,.9646)	6473	.9780 (.9664,.9863)
13	.8093 (.5963,.8967)	129	.9047 (.8595,.9302)	980	.9563 (.9439,.9653)	7039	.9786 (.9669,.9868)
14	.8136 (.6102,.8980)	137	.9067 (.8638,.9311)	1000	.9567 (.9442,.9656)	7654	.9792 (.9675,.9874)
16	.8180 (.6238,.8993)	149	.9094 (.8694,.9322)	1025	.9571 (.9447,.9661)	8323	.9797 (.9680,.9878)
17	.8222 (.6371,.9006)	162	.9120 (.8748,.9334)	1114	.9585 (.9462,.9675)	9050	.9803 (.9686,.9883)
18	.8263 (.6500,.9018)	176	.9145 (.8800,.9346)	1212	.9599 (.9477,.9688)	9841	.9808 (.9691,.9888)
20	.8304 (.6626,.9031)	191	.9168 (.8847,.9357)	1317	.9612 (.9491,.9701)	10701	.9813 (.9696,.9892)
22	.8345 (.6749,.9043)	192	.9170 (.8850,.9358)	1433	.9625 (.9504,.9713)	11636	.9818 (.9701,.9896)
24	.8384 (.6869,.9056)	209	.9194 (.8898,.9369)	1557	.9636 (.9517,.9725)	12653	.9823 (.9706,.9900)
26	.8423 (.6985,.9068)	227	.9218 (.8944,.9381)	1558	.9637 (.9517,.9725)	13759	.9827 (.9710,.9904)
28	.8461 (.7098,.9081)	247	.9241 (.8989,.9393)	1694	.9648 (.9530,.9736)	14962	.9832 (.9715,.9907)
30	.8498 (.7206,.9093)	268	.9264 (.9032,.9405)	1842	.9659 (.9541,.9746)	16269	.9836 (.9719,.9911)
33	.8535 (.7309,.9106)	292	.9287 (.9074,.9420)	2003	.9669 (.9553,.9756)	7.3	.6490 (.1991,.8237)
36	.8571 (.7409,.9118)	317	.9309 (.9114,.9434)	2178	.9679 (.9564,.9765)	137	.8985 (.8518,.9250)
39	.8607 (.7506,.9130)	345	.9330 (.9153,.9448)	2368	.9689 (.9575,.9775)	733	.9506 (.9378,.9596)
42	.8642 (.7600,.9142)	375	.9351 (.9190,.9462)	2575	.9698 (.9585,.9785)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 201 as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $\text{lod} = 2.4$ .

Figure 5.12: Marginalized cumulative risk curves ( $=s$ ).



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4.

Figure 5.13: Controlled VE curves (=s).




Figure 5.14: Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ).

Table 5.10: Marginalized cumulative risk by Day 201 as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
1.2	.0282 (.0208,.0359)	6	.0114 (.0091,.0132)	21	.0054 (.0043,.0067)	79	.0024 (.0017,.0033)
1	.0273 (.0202,.0345)	6	.0110 (.0088,.0128)	22	.0052 (.0041,.0065)	80	.0024 (.0016,.0033)
1	.0265 (.0197,.0332)	6	.0107 (.0085,.0124)	23	.0050 (.0040,.0063)	84	.0023 (.0016,.0032)
1	.0256 (.0191,.0319)	7	.0106 (.0085,.0124)	25	.0048 (.0038,.0061)	89	.0023 (.0015,.0031)
2	.0248 (.0186,.0306)	7	.0103 (.0083,.0121)	25	.0048 (.0037,.0060)	94	.0022 (.0015,.0031)
2	.0240 (.0180,.0295)	7	.0100 (.0080,.0117)	26	.0047 (.0037,.0060)	99	.0021 (.0014,.0030)
2	.0233 (.0175,.0283)	8	.0097 (.0078,.0114)	27	.0045 (.0035,.0058)	105	.0021 (.0014,.0029)
2	.0225 (.0170,.0272)	8	.0094 (.0076,.0110)	29	.0044 (.0034,.0056)	111	.0020 (.0013,.0028)
2	.0218 (.0165,.0261)	8	.0093 (.0075,.0109)	31	.0043 (.0032,.0055)	117	.0019 (.0013,.0027)
2	.0211 (.0160,.0251)	9	.0091 (.0073,.0107)	32	.0041 (.0031,.0053)	124	.0019 (.0012,.0026)
2	.0205 (.0156,.0241)	9	.0088 (.0071,.0104)	34	.0040 (.0030,.0052)	131	.0018 (.0012,.0026)
2	.0198 (.0151,.0232)	10	.0085 (.0069,.0101)	34	.0040 (.0030,.0051)	139	.0017 (.0011,.0025)
2	.0192 (.0147,.0223)	10	.0084 (.0069,.0100)	36	.0038 (.0029,.0050)	146	.0017 (.0011,.0024)
2	.0186 (.0143,.0214)	10	.0082 (.0067,.0098)	38	.0037 (.0028,.0049)	155	.0016 (.0010,.0024)
3	.0180 (.0138,.0205)	11	.0079 (.0065,.0095)	41	.0036 (.0027,.0047)	164	.0016 (.0010,.0023)
3	.0174 (.0134,.0197)	11	.0077 (.0063,.0092)	43	.0035 (.0026,.0046)	173	.0015 (.0010,.0022)
3	.0168 (.0130,.0190)	12	.0074 (.0061,.0089)	45	.0034 (.0025,.0045)	183	.0015 (.0009,.0022)
3	.0163 (.0126,.0184)	13	.0072 (.0059,.0087)	48	.0033 (.0024,.0043)	194	.0014 (.0009,.0021)
3	.0158 (.0123,.0178)	13	.0070 (.0058,.0084)	51	.0032 (.0023,.0042)	205	.0014 (.0008,.0020)
3	.0153 (.0119,.0172)	14	.0067 (.0056,.0082)	54	.0031 (.0022,.0041)	216	.0013 (.0008,.0020)
4	.0148 (.0116,.0167)	15	.0065 (.0054,.0080)	54	.0031 (.0022,.0041)	229	.0013 (.0008,.0019)
4	.0143 (.0112,.0162)	16	.0063 (.0052,.0077)	57	.0030 (.0021,.0040)	242	.0013 (.0008,.0019)
4	.0138 (.0109,.0157)	16	.0063 (.0052,.0077)	60	.0029 (.0020,.0039)	256	.0012 (.0007,.0018)
4	.0134 (.0106,.0153)	17	.0061 (.0050,.0075)	63	.0028 (.0019,.0037)	271	.0012 (.0007,.0018)
5	.0130 (.0102,.0148)	18	.0059 (.0048,.0073)	65	.0027 (.0019,.0037)	286	.0011 (.0007,.0017)
5	.0126 (.0099,.0144)	19	.0057 (.0047,.0071)	67	.0027 (.0019,.0036)	302	.0011 (.0006,.0017)
5	.0122 (.0096,.0140)	20	.0055 (.0045,.0069)	71	.0026 (.0018,.0035)	500	.0008 (.0005,.0013)
5	.0118 (.0093,.0136)	20	.0055 (.0044,.0068)	75	.0025 (.0017,.0034)	1000	.0005 (.0003,.0009)

Table 5.11: Controlled VE as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
1.2	.7354 (.6581,.8005)	6	.8968 (.8809,.9154)	23	.9530 (.9416,.9621)	89	.9787 (.9709,.9854)
1	.7438 (.6714,.8061)	6	.9001 (.8844,.9179)	25	.9546 (.9433,.9636)	94	.9794 (.9718,.9860)
1	.7519 (.6842,.8116)	7	.9006 (.8850,.9184)	25	.9554 (.9442,.9644)	99	.9801 (.9726,.9865)
1	.7597 (.6965,.8170)	7	.9033 (.8878,.9204)	26	.9560 (.9449,.9650)	105	.9807 (.9734,.9870)
2	.7674 (.7083,.8222)	7	.9064 (.8911,.9227)	27	.9575 (.9464,.9664)	111	.9814 (.9741,.9875)
2	.7747 (.7197,.8272)	8	.9094 (.8943,.9250)	29	.9588 (.9480,.9677)	117	.9820 (.9749,.9880)
2	.7819 (.7306,.8322)	8	.9123 (.8974,.9272)	31	.9602 (.9495,.9690)	124	.9825 (.9756,.9885)
2	.7888 (.7411,.8370)	8	.9130 (.8981,.9277)	32	.9615 (.9509,.9702)	131	.9831 (.9763,.9889)
2	.7955 (.7513,.8417)	9	.9152 (.9004,.9294)	34	.9627 (.9523,.9714)	139	.9837 (.9769,.9893)
2	.8020 (.7610,.8464)	9	.9179 (.9033,.9315)	34	.9628 (.9524,.9714)	146	.9842 (.9776,.9897)
2	.8083 (.7704,.8509)	10	.9206 (.9062,.9335)	36	.9639 (.9537,.9725)	155	.9847 (.9782,.9901)
2	.8144 (.7794,.8552)	10	.9212 (.9068,.9340)	38	.9651 (.9550,.9736)	164	.9852 (.9788,.9905)
2	.8204 (.7881,.8595)	10	.9231 (.9089,.9355)	41	.9662 (.9563,.9746)	173	.9857 (.9794,.9909)
2	.8261 (.7964,.8636)	11	.9256 (.9116,.9374)	43	.9673 (.9575,.9756)	183	.9862 (.9800,.9912)
3	.8317 (.8040,.8676)	11	.9280 (.9142,.9393)	45	.9684 (.9588,.9765)	194	.9866 (.9806,.9916)
3	.8370 (.8108,.8715)	12	.9303 (.9167,.9411)	48	.9694 (.9599,.9774)	205	.9870 (.9811,.9919)
3	.8422 (.8173,.8753)	13	.9326 (.9192,.9428)	51	.9704 (.9611,.9783)	216	.9875 (.9817,.9922)
3	.8473 (.8237,.8789)	13	.9348 (.9216,.9446)	54	.9714 (.9622,.9791)	229	.9879 (.9822,.9925)
3	.8522 (.8298,.8825)	14	.9369 (.9239,.9462)	54	.9714 (.9622,.9792)	242	.9883 (.9827,.9928)
3	.8569 (.8356,.8860)	15	.9389 (.9261,.9479)	57	.9723 (.9633,.9800)	256	.9886 (.9832,.9930)
4	.8615 (.8409,.8893)	16	.9409 (.9283,.9499)	60	.9732 (.9643,.9807)	271	.9890 (.9837,.9933)
4	.8659 (.8459,.8926)	16	.9411 (.9285,.9501)	63	.9741 (.9654,.9815)	286	.9894 (.9841,.9936)
4	.8702 (.8509,.8957)	17	.9428 (.9304,.9519)	65	.9744 (.9657,.9817)	302	.9897 (.9846,.9938)
4	.8744 (.8556,.8988)	18	.9447 (.9325,.9537)	67	.9749 (.9664,.9822)	500	.9924 (.9881,.9956)
5	.8784 (.8602,.9018)	19	.9464 (.9344,.9556)	71	.9757 (.9673,.9829)	1000	.9949 (.9917,.9973)
5	.8823 (.8647,.9047)	20	.9482 (.9363,.9573)	75	.9765 (.9683,.9836)	( , )	
5	.8861 (.8690,.9075)	20	.9489 (.9370,.9580)	79	.9773 (.9692,.9842)	6	.9001 (.8844,.9179)
5	.8898 (.8732,.9102)	21	.9499 (.9381,.9590)	80	.9774 (.9694,.9843)	21	.9499 (.9381,.9590)
6	.8933 (.8773,.9129)	22	.9515 (.9399,.9606)	84	.9780 (.9701,.9848)		

Table 5.12: Controlled VE with sensitivity analysis as functions of Day 29 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
1.2	.8376 (.7901,.8775)	6	.9093 (.8954,.9258)	23	.9530 (.9416,.9621)	89	.9753 (.9662,.9830)
1	.8404 (.7954,.8793)	6	.9114 (.8975,.9273)	25	.9545 (.9432,.9636)	94	.9758 (.9668,.9835)
1	.8433 (.8005,.8810)	7	.9118 (.8979,.9275)	25	.9553 (.9440,.9643)	99	.9764 (.9675,.9840)
1	.8461 (.8056,.8828)	7	.9135 (.8996,.9288)	26	.9559 (.9447,.9649)	105	.9769 (.9681,.9844)
2	.8489 (.8105,.8845)	7	.9155 (.9016,.9302)	27	.9572 (.9462,.9662)	111	.9774 (.9686,.9849)
2	.8516 (.8154,.8862)	8	.9175 (.9037,.9317)	29	.9585 (.9476,.9675)	117	.9779 (.9692,.9853)
2	.8544 (.8201,.8879)	8	.9195 (.9057,.9332)	31	.9597 (.9489,.9686)	124	.9784 (.9697,.9857)
2	.8571 (.8248,.8897)	8	.9200 (.9062,.9335)	32	.9609 (.9502,.9697)	131	.9788 (.9703,.9861)
2	.8597 (.8294,.8914)	9	.9215 (.9078,.9346)	34	.9620 (.9514,.9708)	139	.9793 (.9708,.9865)
2	.8624 (.8338,.8932)	9	.9234 (.9098,.9360)	34	.9620 (.9514,.9709)	146	.9797 (.9712,.9868)
2	.8650 (.8382,.8949)	10	.9253 (.9118,.9375)	36	.9630 (.9525,.9718)	155	.9801 (.9717,.9872)
2	.8676 (.8425,.8967)	10	.9258 (.9122,.9378)	38	.9641 (.9537,.9728)	164	.9805 (.9722,.9875)
2	.8701 (.8467,.8984)	10	.9272 (.9137,.9389)	41	.9650 (.9547,.9737)	173	.9809 (.9726,.9878)
2	.8726 (.8509,.9001)	11	.9291 (.9157,.9403)	43	.9660 (.9558,.9745)	183	.9813 (.9731,.9882)
3	.8751 (.8546,.9018)	11	.9309 (.9177,.9417)	45	.9668 (.9568,.9754)	194	.9817 (.9735,.9885)
3	.8776 (.8579,.9035)	12	.9327 (.9196,.9431)	48	.9677 (.9577,.9762)	205	.9821 (.9739,.9888)
3	.8800 (.8611,.9052)	13	.9345 (.9215,.9445)	51	.9685 (.9586,.9769)	216	.9824 (.9743,.9891)
3	.8824 (.8643,.9068)	13	.9363 (.9234,.9459)	54	.9693 (.9595,.9777)	229	.9828 (.9747,.9893)
3	.8848 (.8674,.9085)	14	.9381 (.9253,.9473)	54	.9693 (.9595,.9777)	242	.9831 (.9751,.9896)
3	.8872 (.8704,.9101)	15	.9398 (.9272,.9486)	57	.9701 (.9604,.9784)	256	.9834 (.9755,.9899)
4	.8895 (.8731,.9117)	16	.9416 (.9291,.9504)	60	.9708 (.9612,.9790)	271	.9838 (.9758,.9901)
4	.8918 (.8757,.9133)	16	.9417 (.9293,.9506)	63	.9715 (.9620,.9797)	286	.9841 (.9762,.9904)
4	.8941 (.8783,.9149)	17	.9433 (.9310,.9522)	65	.9718 (.9622,.9799)	302	.9844 (.9766,.9906)
4	.8964 (.8809,.9165)	18	.9449 (.9328,.9540)	67	.9722 (.9627,.9803)	500	.9868 (.9794,.9924)
5	.8986 (.8834,.9181)	19	.9466 (.9346,.9557)	71	.9729 (.9635,.9809)	1000	.9894 (.9826,.9943)
5	.9008 (.8859,.9196)	20	.9482 (.9364,.9574)	75	.9735 (.9642,.9815)		( , )
5	.9030 (.8884,.9212)	20	.9489 (.9371,.9580)	79	.9741 (.9649,.9820)	6	.9001 (.8844,.9179)
5	.9051 (.8909,.9227)	21	.9499 (.9381,.9590)	80	.9742 (.9650,.9821)	21	.9499 (.9381,.9590)
6	.9072 (.8933,.9242)	22	.9515 (.9399,.9606)	84	.9747 (.9656,.9825)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 201 as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .

Figure 5.15: Marginalized cumulative risk curves ( $=s$ ).



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .

Figure 5.16: Controlled VE curves ( $=s$ ).




Figure 5.17: Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ).

Table 5.13: Marginalized cumulative risk by Day 201 as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.5	.0116 (.0090,.0132)	20	.0064 (.0051,.0078)	49	.0036 (.0029,.0049)	129	.0020 (.0015,.0031)
8	.0116 (.0090,.0132)	20	.0062 (.0050,.0076)	51	.0035 (.0028,.0048)	134	.0019 (.0015,.0030)
8	.0116 (.0090,.0132)	21	.0061 (.0049,.0075)	53	.0034 (.0028,.0047)	139	.0019 (.0015,.0030)
8	.0113 (.0088,.0129)	22	.0060 (.0048,.0074)	55	.0033 (.0027,.0046)	145	.0018 (.0014,.0029)
8	.0110 (.0086,.0126)	22	.0059 (.0047,.0073)	58	.0033 (.0026,.0045)	151	.0018 (.0014,.0029)
8	.0108 (.0084,.0123)	23	.0058 (.0046,.0072)	60	.0032 (.0026,.0045)	157	.0018 (.0014,.0028)
9	.0105 (.0083,.0120)	24	.0057 (.0045,.0071)	62	.0031 (.0025,.0044)	163	.0017 (.0013,.0028)
9	.0103 (.0081,.0117)	25	.0055 (.0044,.0069)	64	.0031 (.0025,.0043)	169	.0017 (.0013,.0027)
9	.0100 (.0079,.0115)	26	.0054 (.0043,.0068)	65	.0030 (.0024,.0043)	176	.0016 (.0013,.0027)
10	.0098 (.0077,.0112)	27	.0053 (.0042,.0067)	67	.0030 (.0024,.0042)	183	.0016 (.0012,.0026)
10	.0096 (.0075,.0110)	27	.0053 (.0042,.0067)	70	.0029 (.0023,.0042)	190	.0016 (.0012,.0026)
11	.0093 (.0074,.0107)	28	.0051 (.0041,.0065)	73	.0028 (.0023,.0041)	197	.0015 (.0012,.0025)
11	.0091 (.0072,.0105)	29	.0050 (.0040,.0064)	75	.0028 (.0022,.0040)	205	.0015 (.0011,.0025)
11	.0089 (.0071,.0103)	30	.0049 (.0039,.0063)	75	.0028 (.0022,.0040)	213	.0014 (.0011,.0024)
12	.0087 (.0069,.0101)	31	.0048 (.0038,.0062)	78	.0027 (.0021,.0039)	221	.0014 (.0011,.0024)
12	.0085 (.0067,.0099)	32	.0047 (.0038,.0060)	81	.0026 (.0021,.0039)	230	.0014 (.0010,.0024)
13	.0083 (.0066,.0097)	34	.0046 (.0037,.0059)	85	.0026 (.0020,.0038)	239	.0013 (.0010,.0023)
13	.0081 (.0064,.0095)	35	.0045 (.0036,.0058)	88	.0025 (.0020,.0037)	248	.0013 (.0010,.0023)
14	.0079 (.0063,.0093)	35	.0044 (.0036,.0058)	91	.0024 (.0019,.0037)	258	.0013 (.0010,.0022)
14	.0077 (.0061,.0091)	36	.0044 (.0035,.0057)	92	.0024 (.0019,.0037)	268	.0013 (.0009,.0022)
15	.0075 (.0060,.0090)	38	.0042 (.0034,.0056)	95	.0024 (.0019,.0036)	279	.0012 (.0009,.0022)
15	.0074 (.0059,.0089)	39	.0041 (.0033,.0055)	99	.0023 (.0018,.0035)	290	.0012 (.0009,.0021)
16	.0074 (.0059,.0088)	41	.0040 (.0033,.0054)	103	.0023 (.0018,.0035)	301	.0012 (.0009,.0021)
16	.0072 (.0057,.0086)	42	.0040 (.0032,.0053)	107	.0022 (.0017,.0034)	313	.0011 (.0009,.0020)
17	.0070 (.0056,.0084)	44	.0039 (.0031,.0052)	111	.0022 (.0017,.0033)	325	.0011 (.0008,.0020)
17	.0069 (.0055,.0083)	45	.0038 (.0031,.0051)	115	.0021 (.0017,.0033)	338	.0011 (.0008,.0020)
18	.0067 (.0053,.0081)	46	.0038 (.0030,.0051)	120	.0021 (.0016,.0032)	500	.0008 (.0006,.0017)
19	.0065 (.0052,.0079)	48	.0037 (.0030,.0050)	124	.0020 (.0016,.0032)	1000	.0006 (.0004,.0012)

Table 5.14: Controlled VE as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 201 days post Day 29 was 0.005 in vaccine recipients compared to 0.107 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 95.8%).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.5	.8916 (.8737,.9152)	20	.9417 (.9291,.9525)	53	.9679 (.9564,.9741)	145	.9828 (.9728,.9867)
8	.8916 (.8737,.9152)	21	.9430 (.9305,.9536)	55	.9687 (.9572,.9748)	151	.9832 (.9733,.9871)
8	.8916 (.8737,.9152)	22	.9436 (.9312,.9541)	58	.9694 (.9579,.9754)	157	.9836 (.9738,.9874)
8	.8942 (.8767,.9167)	22	.9444 (.9319,.9547)	60	.9701 (.9587,.9760)	163	.9840 (.9742,.9877)
8	.8967 (.8796,.9181)	23	.9457 (.9333,.9557)	62	.9708 (.9594,.9766)	169	.9844 (.9747,.9880)
8	.8991 (.8825,.9195)	24	.9470 (.9346,.9567)	64	.9713 (.9599,.9771)	176	.9847 (.9752,.9883)
9	.9015 (.8853,.9210)	25	.9482 (.9360,.9578)	65	.9715 (.9602,.9772)	183	.9851 (.9756,.9886)
9	.9038 (.8880,.9227)	26	.9494 (.9372,.9588)	67	.9722 (.9609,.9778)	190	.9854 (.9760,.9889)
9	.9060 (.8907,.9243)	27	.9505 (.9383,.9597)	70	.9729 (.9616,.9784)	197	.9858 (.9765,.9892)
10	.9082 (.8933,.9261)	27	.9506 (.9384,.9598)	73	.9735 (.9623,.9789)	205	.9861 (.9769,.9895)
10	.9104 (.8958,.9278)	28	.9518 (.9396,.9607)	75	.9741 (.9629,.9794)	213	.9865 (.9773,.9897)
11	.9125 (.8983,.9294)	29	.9529 (.9407,.9617)	75	.9741 (.9630,.9795)	221	.9868 (.9777,.9900)
11	.9146 (.9007,.9311)	30	.9541 (.9419,.9626)	78	.9747 (.9636,.9800)	230	.9871 (.9781,.9902)
11	.9166 (.9031,.9326)	31	.9551 (.9430,.9635)	81	.9753 (.9643,.9805)	239	.9874 (.9785,.9905)
12	.9185 (.9054,.9342)	32	.9562 (.9441,.9644)	85	.9759 (.9649,.9810)	248	.9877 (.9789,.9907)
12	.9205 (.9077,.9357)	34	.9572 (.9451,.9652)	88	.9765 (.9655,.9815)	258	.9880 (.9793,.9910)
13	.9223 (.9096,.9372)	35	.9582 (.9462,.9660)	91	.9770 (.9662,.9819)	268	.9883 (.9797,.9912)
13	.9242 (.9114,.9386)	35	.9585 (.9465,.9663)	92	.9771 (.9662,.9820)	279	.9885 (.9800,.9914)
14	.9259 (.9132,.9400)	36	.9592 (.9472,.9669)	95	.9776 (.9668,.9824)	290	.9888 (.9804,.9916)
14	.9277 (.9149,.9414)	38	.9602 (.9482,.9676)	99	.9781 (.9674,.9828)	301	.9891 (.9807,.9919)
15	.9294 (.9167,.9428)	39	.9611 (.9492,.9684)	103	.9786 (.9680,.9833)	313	.9893 (.9810,.9921)
15	.9303 (.9176,.9435)	41	.9621 (.9502,.9692)	107	.9791 (.9685,.9837)	325	.9896 (.9813,.9923)
16	.9311 (.9183,.9441)	42	.9630 (.9512,.9699)	111	.9796 (.9691,.9841)	338	.9898 (.9816,.9925)
16	.9327 (.9200,.9454)	44	.9638 (.9521,.9706)	115	.9801 (.9697,.9845)	500	.9921 (.9844,.9942)
17	.9343 (.9216,.9466)	45	.9643 (.9526,.9710)	120	.9806 (.9702,.9849)	1000	.9948 (.9883,.9963)
17	.9358 (.9231,.9479)	46	.9647 (.9530,.9713)	124	.9811 (.9707,.9853)	( , )	
18	.9373 (.9247,.9491)	48	.9655 (.9539,.9721)	129	.9815 (.9713,.9857)	8	.8991 (.8825,.9195)
19	.9388 (.9262,.9502)	49	.9663 (.9547,.9728)	134	.9819 (.9718,.9860)	27	.9505 (.9383,.9597)
20	.9402 (.9277,.9514)	51	.9671 (.9556,.9735)	139	.9824 (.9723,.9864)		

Table 5.15: Controlled VE with sensitivity analysis as functions of Day 29 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.5	.9031 (.8870,.9242)	20	.9421 (.9297,.9529)	53	.9669 (.9549,.9733)	145	.9797 (.9679,.9843)
8	.9031 (.8870,.9242)	21	.9434 (.9310,.9539)	55	.9675 (.9556,.9739)	151	.9800 (.9682,.9846)
8	.9031 (.8870,.9242)	22	.9439 (.9315,.9543)	58	.9682 (.9562,.9744)	157	.9804 (.9686,.9849)
8	.9048 (.8891,.9250)	22	.9446 (.9322,.9549)	60	.9688 (.9568,.9750)	163	.9807 (.9690,.9852)
8	.9065 (.8911,.9259)	23	.9459 (.9335,.9558)	62	.9694 (.9574,.9755)	169	.9810 (.9693,.9855)
8	.9082 (.8932,.9268)	24	.9471 (.9348,.9568)	64	.9698 (.9579,.9759)	176	.9813 (.9697,.9857)
9	.9099 (.8951,.9278)	25	.9483 (.9360,.9578)	65	.9700 (.9580,.9760)	183	.9817 (.9700,.9860)
9	.9116 (.8971,.9290)	26	.9495 (.9372,.9588)	67	.9706 (.9586,.9765)	190	.9820 (.9703,.9863)
9	.9132 (.8991,.9301)	27	.9505 (.9383,.9597)	70	.9712 (.9592,.9770)	197	.9823 (.9707,.9865)
10	.9148 (.9010,.9314)	27	.9506 (.9384,.9598)	73	.9717 (.9597,.9775)	205	.9826 (.9710,.9868)
10	.9164 (.9029,.9326)	28	.9518 (.9396,.9607)	75	.9722 (.9602,.9780)	213	.9829 (.9713,.9870)
11	.9180 (.9047,.9339)	29	.9529 (.9407,.9617)	75	.9723 (.9603,.9780)	221	.9831 (.9716,.9872)
11	.9196 (.9066,.9351)	30	.9540 (.9418,.9626)	78	.9728 (.9608,.9784)	230	.9834 (.9719,.9875)
11	.9211 (.9084,.9363)	31	.9551 (.9429,.9634)	81	.9733 (.9613,.9789)	239	.9837 (.9722,.9877)
12	.9226 (.9102,.9375)	32	.9561 (.9440,.9643)	85	.9738 (.9618,.9793)	248	.9840 (.9725,.9879)
12	.9242 (.9120,.9387)	34	.9571 (.9450,.9651)	88	.9743 (.9623,.9797)	258	.9842 (.9728,.9881)
13	.9256 (.9135,.9399)	35	.9581 (.9460,.9659)	91	.9748 (.9628,.9801)	268	.9845 (.9731,.9884)
13	.9271 (.9149,.9410)	35	.9583 (.9462,.9661)	92	.9748 (.9628,.9802)	279	.9847 (.9734,.9886)
14	.9286 (.9163,.9422)	36	.9590 (.9469,.9667)	95	.9752 (.9633,.9805)	290	.9850 (.9736,.9888)
14	.9300 (.9177,.9433)	38	.9599 (.9478,.9674)	99	.9757 (.9637,.9809)	301	.9852 (.9738,.9890)
15	.9314 (.9190,.9444)	39	.9608 (.9487,.9681)	103	.9761 (.9642,.9813)	313	.9855 (.9740,.9892)
15	.9322 (.9198,.9450)	41	.9616 (.9496,.9688)	107	.9765 (.9646,.9817)	325	.9857 (.9743,.9893)
16	.9328 (.9204,.9455)	42	.9624 (.9504,.9695)	111	.9770 (.9651,.9820)	338	.9859 (.9745,.9895)
16	.9342 (.9218,.9466)	44	.9632 (.9513,.9701)	115	.9774 (.9655,.9824)	500	.9880 (.9765,.9912)
17	.9355 (.9231,.9477)	45	.9636 (.9517,.9705)	120	.9778 (.9659,.9827)	1000	.9909 (.9794,.9935)
17	.9369 (.9244,.9487)	46	.9640 (.9521,.9708)	124	.9782 (.9663,.9831)	( , )	
18	.9382 (.9258,.9498)	48	.9647 (.9529,.9714)	129	.9786 (.9667,.9834)	8	.8991 (.8825,.9195)
19	.9395 (.9271,.9508)	49	.9655 (.9536,.9721)	134	.9789 (.9671,.9837)	27	.9505 (.9383,.9597)
20	.9408 (.9284,.9518)	51	.9662 (.9543,.9727)	139	.9793 (.9675,.9840)		

# Chapter 6

## Day D57 Univariate CoR: Cox Models of Risk

The main regression model is the Cox proportional hazards model. All plots are made with Cox models fit unless specified otherwise.

### 6.1 Hazard ratios

Table 6.1: Inference for Day 57 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker\*

MockCOVE Immunologic Marker	No. cases / No. at-risk**	HR per 10-fold incr. Pt. Est.	P-value 95% CI (2-sided)	q-value ***	FWER
Anti Spike IgG (BAU/ml)	51/11,163	0.07 (0.04-0.14)	<0.001	<0.001	<0.001
Anti RBD IgG (BAU/ml)	51/11,163	0.35 (0.21-0.58)	<0.001	<0.001	<0.001
Pseudovirus-nAb cID50	51/11,163	0.19 (0.10-0.38)	<0.001	<0.001	<0.001
Pseudovirus-nAb cID80	51/11,163	0.21 (0.10-0.41)	<0.001	<0.001	<0.001

\*Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. Maximum failure event time 173 days.

\*\*No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 57 visit; no. cases = number of this cohort with an observed COVID endpoint.

\*\*\*q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

Table 6.2: Inference for Day 57 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile\*

MockCOVE Immunologic Marker	Tertile	No. cases / No. at-risk**	Attack rate	Pt. Est.	Haz. Ratio 95% CI	P-value (2-sided)	Overall P- value***	Overall q- value †	Overall FWER
Anti Spike IgG (BAU/ml)	Lower	28/4,218	0.0066	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	18/4,193	0.0043	0.20	(0.10-0.41)	<0.001			
	Upper	5/2,752	0.0018	0.04	(0.01-0.11)	<0.001			
Anti RBD IgG (BAU/ml)	Lower	26/4,145	0.0063	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	13/4,137	0.0031	0.27	(0.12-0.59)	0.001			
	Upper	13/2,881	0.0045	0.18	(0.08-0.42)	<0.001			
Pseudovirus-nAb cID50	Lower	23/3,724	0.0062	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	16/3,726	0.0043	0.40	(0.20-0.82)	0.013			
	Upper	12/3,712	0.0032	0.18	(0.08-0.41)	<0.001			
Pseudovirus-nAb cID80	Lower	21/3,722	0.0056	1	N/A	N/A	0.003	<0.001	0.013
	Middle	19/3,720	0.0051	0.58	(0.29-1.17)	0.128			
	Upper	11/3,721	0.0030	0.24	(0.10-0.54)	<0.001			
Placebo		1010/11,301	0.0894						

\*Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. Maximum failure event time 173 days. Cutpoints: Anti Spike IgG (BAU/ml) [3.31, 4.01], Anti RBD IgG (BAU/ml) [3.44, 4.21], Pseudovirus-nAb cID50 [2.43, 2.85], Pseudovirus-nAb cID80 [2.55, 2.93], all on the log10 scale.

\*\*No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 57 visit; no. cases = number of this cohort with an observed COVID endpoint.

\*\*\*Generalized Wald-test p-value of the null hypothesis that the hazard rate is constant across the Lower, Middle, and Upper tertile groups.

† q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).




Figure 6.1: Forest plots of hazard ratios per 10-fold increase in the marker among baseline negative vaccine recipients and subgroups with 95% point-wise confidence intervals.

### Binding Antibody to Spike: Day 57




Figure 6.2: Forest plots of hazard ratios per 10-fold increase in the Day 57 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.

### Binding Antibody to RBD: Day 57




Figure 6.3: Forest plots of hazard ratios per 10-fold increase in the Day 57 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.




Figure 6.4: Forest plots of hazard ratios per 10-fold increase in the Day 57 pseudo neut ID50 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.

MOCT

**PsV Neutralization 80% Titer: Day 57**




Figure 6.5: Forest plots of hazard ratios per 10-fold increase in the Day 57 pseudo neut ID80 markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals.


## 6.2 Marginalized risk and controlled vaccine efficacy plots

Table 6.3: Analysis of Day 57 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.


	marginalized risk			controlled risk		
	ratio $RR_M(0, 1)$	Point Est.	95% CI	ratio $RR_C(0, 1)$ <sup>1</sup>	Point Est.	95% CI
Anti Spike IgG (BAU/ml)	0.04	0.03–0.06	0.05	0.03–0.08	50.9	34.9
Anti RBD IgG (BAU/ml)	0.18	0.08–0.38	0.25	0.11–0.50	10.3	4.8
Pseudovirus-nAb cID50	0.18	0.12–0.31	0.24	0.16–0.41	10.5	6.0
Pseudovirus-nAb cID80	0.24	0.10–0.46	0.32	0.14–0.62	7.9	3.7

<sup>1</sup>Conservative (upper bound) estimate assuming unmeasured confounding at level  $RR_{UD}(0, 1) = RR_{EU}(0, 1) = 2$  and thus  $B(0, 1) = 4/3$ .

<sup>2</sup>E-values are computed for upper tertile ( $s = 1$ ) vs. lower tertile ( $s = 0$ ) biomarker subgroups after controlling for MinorityInd + HighRiskInd + Age; UL = upper limit.



(a) Marginalized cumulative incidence rate curves for trichotomized Day 57 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.



(b) Marginalized cumulative risk by Day 173 as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3.

Figure 6.6: Marginalized cumulative risk curves ( $=s$ ).




Figure 6.7: Controlled VE curves ( $=s$ ).




Figure 6.8: Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ).

Table 6.4: Marginalized cumulative risk by Day 173 as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
57.7	.2628 (.2099,.3457)	249	.0920 (.0743,.1374)	922	.0250 (.0212,.0359)	3392	.0059 (.0047,.0072)
61	.2551 (.2035,.3369)	262	.0878 (.0710,.1318)	968	.0237 (.0202,.0338)	3573	.0056 (.0044,.0067)
64	.2475 (.1973,.3281)	276	.0838 (.0679,.1262)	1000	.0229 (.0195,.0325)	3765	.0052 (.0042,.0064)
67	.2400 (.1912,.3194)	291	.0799 (.0649,.1208)	1020	.0224 (.0191,.0317)	3967	.0049 (.0039,.0060)
71	.2326 (.1852,.3109)	307	.0761 (.0620,.1155)	1075	.0212 (.0181,.0297)	4180	.0047 (.0036,.0057)
75	.2253 (.1793,.3024)	323	.0725 (.0592,.1103)	1133	.0200 (.0171,.0278)	4404	.0044 (.0034,.0054)
79	.2182 (.1735,.2940)	341	.0690 (.0565,.1052)	1193	.0189 (.0162,.0260)	4640	.0041 (.0032,.0051)
83	.2111 (.1678,.2857)	359	.0657 (.0539,.1003)	1257	.0179 (.0153,.0243)	4685	.0041 (.0032,.0051)
88	.2042 (.1622,.2775)	378	.0625 (.0513,.0955)	1325	.0169 (.0145,.0227)	4889	.0039 (.0030,.0048)
92	.1974 (.1567,.2694)	399	.0594 (.0489,.0909)	1359	.0164 (.0141,.0220)	5151	.0037 (.0028,.0046)
97	.1907 (.1514,.2614)	420	.0564 (.0466,.0864)	1396	.0159 (.0137,.0212)	5427	.0035 (.0026,.0043)
103	.1841 (.1461,.2535)	442	.0536 (.0444,.0820)	1471	.0150 (.0130,.0198)	5718	.0033 (.0025,.0041)
108	.1776 (.1410,.2458)	466	.0509 (.0422,.0778)	1549	.0142 (.0122,.0185)	6024	.0031 (.0023,.0039)
114	.1713 (.1360,.2381)	491	.0483 (.0401,.0737)	1633	.0134 (.0115,.0173)	6347	.0029 (.0022,.0037)
120	.1651 (.1311,.2305)	500	.0474 (.0395,.0723)	1720	.0126 (.0109,.0161)	6688	.0027 (.0020,.0035)
126	.1590 (.1263,.2231)	517	.0458 (.0381,.0698)	1812	.0119 (.0102,.0150)	7046	.0026 (.0019,.0033)
133	.1530 (.1216,.2157)	545	.0434 (.0362,.0660)	1909	.0113 (.0097,.0141)	7245	.0025 (.0018,.0032)
140	.1472 (.1171,.2085)	574	.0412 (.0344,.0623)	2012	.0106 (.0091,.0132)	7424	.0024 (.0017,.0031)
148	.1415 (.1126,.2014)	605	.0390 (.0327,.0588)	2120	.0100 (.0085,.0124)	7822	.0023 (.0016,.0030)
156	.1359 (.1083,.1944)	638	.0370 (.0310,.0555)	2233	.0094 (.0080,.0117)	8241	.0021 (.0015,.0028)
164	.1305 (.1040,.1875)	643	.0366 (.0307,.0550)	2353	.0089 (.0075,.0110)	8683	.0020 (.0014,.0027)
173	.1252 (.0999,.1808)	672	.0350 (.0294,.0523)	2479	.0084 (.0070,.0103)	9149	.0019 (.0013,.0025)
182	.1200 (.0959,.1741)	708	.0332 (.0279,.0492)	2612	.0079 (.0066,.0097)	9639	.0018 (.0012,.0024)
192	.1150 (.0920,.1676)	746	.0314 (.0264,.0463)	2752	.0075 (.0061,.0091)	10156	.0017 (.0011,.0022)
202	.1101 (.0883,.1613)	786	.0297 (.0251,.0436)	2876	.0071 (.0058,.0087)	10156	.0017 (.0011,.0022)
213	.1054 (.0846,.1552)	828	.0281 (.0237,.0409)	2900	.0070 (.0058,.0086)	10156	.0017 (.0011,.0022)
224	.1008 (.0811,.1491)	872	.0266 (.0225,.0384)	3055	.0066 (.0054,.0081)	10156	.0017 (.0011,.0022)
236	.0963 (.0776,.1432)	919	.0251 (.0213,.0360)	3219	.0063 (.0051,.0076)	10156	.0017 (.0011,.0022)

Table 6.5: Controlled VE as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
57.7	-1.7677 (-2.6860,-1.1863)	262	0.0752 (-0.4148, 0.2511)	1000	0.7585 ( 0.6516, 0.7914)	3967	0.9480 ( 0.9359, 0.9579)
61	-1.6866 (-2.5917,-1.1219)	276	0.1177 (-0.3552, 0.2840)	1020	0.7636 ( 0.6602, 0.7957)	4180	0.9510 ( 0.9396, 0.9606)
64	-1.6066 (-2.4984,-1.0584)	291	0.1587 (-0.2969, 0.3159)	1075	0.7767 ( 0.6818, 0.8064)	4404	0.9538 ( 0.9431, 0.9631)
67	-1.5276 (-2.4061,-0.9959)	307	0.1982 (-0.2399, 0.3466)	1133	0.7890 ( 0.7021, 0.8166)	4640	0.9564 ( 0.9462, 0.9654)
71	-1.4499 (-2.3147,-0.9344)	323	0.2363 (-0.1843, 0.3762)	1193	0.8007 ( 0.7213, 0.8263)	4685	0.9569 ( 0.9468, 0.9658)
75	-1.3732 (-2.2244,-0.8739)	341	0.2729 (-0.1300, 0.4048)	1257	0.8117 ( 0.7394, 0.8355)	4889	0.9590 ( 0.9492, 0.9676)
79	-1.2978 (-2.1350,-0.8146)	359	0.3082 (-0.0772, 0.4323)	1325	0.8222 ( 0.7564, 0.8443)	5151	0.9613 ( 0.9520, 0.9697)
83	-1.2235 (-2.0467,-0.7562)	378	0.3420 (-0.0258, 0.4587)	1359	0.8272 ( 0.7644, 0.8484)	5427	0.9636 ( 0.9547, 0.9716)
88	-1.1505 (-1.9595,-0.6990)	399	0.3745 ( 0.0241, 0.4842)	1396	0.8322 ( 0.7724, 0.8526)	5718	0.9657 ( 0.9572, 0.9734)
92	-1.0786 (-1.8733,-0.6429)	420	0.4056 ( 0.0726, 0.5087)	1471	0.8415 ( 0.7874, 0.8604)	6024	0.9676 ( 0.9596, 0.9751)
97	-1.0080 (-1.7883,-0.5878)	442	0.4355 ( 0.1195, 0.5322)	1549	0.8504 ( 0.8015, 0.8679)	6347	0.9695 ( 0.9619, 0.9768)
103	-0.9387 (-1.7043,-0.5339)	466	0.4640 ( 0.1649, 0.5547)	1633	0.8588 ( 0.8148, 0.8750)	6688	0.9713 ( 0.9639, 0.9784)
108	-0.8706 (-1.6214,-0.4811)	491	0.4914 ( 0.2087, 0.5763)	1720	0.8668 ( 0.8272, 0.8818)	7046	0.9729 ( 0.9658, 0.9798)
114	-0.8039 (-1.5397,-0.4294)	500	0.5005 ( 0.2234, 0.5835)	1812	0.8743 ( 0.8388, 0.8885)	7245	0.9738 ( 0.9668, 0.9806)
120	-0.7384 (-1.4592,-0.3788)	517	0.5175 ( 0.2510, 0.5970)	1909	0.8814 ( 0.8496, 0.8954)	7424	0.9745 ( 0.9676, 0.9812)
126	-0.6742 (-1.3798,-0.3293)	545	0.5424 ( 0.2917, 0.6169)	2012	0.8881 ( 0.8598, 0.9019)	7822	0.9760 ( 0.9694, 0.9825)
133	-0.6114 (-1.3019,-0.2810)	574	0.5663 ( 0.3308, 0.6359)	2120	0.8945 ( 0.8687, 0.9081)	8241	0.9774 ( 0.9710, 0.9837)
140	-0.5500 (-1.2266,-0.2338)	605	0.5890 ( 0.3683, 0.6540)	2233	0.9005 ( 0.8767, 0.9138)	8683	0.9787 ( 0.9725, 0.9848)
148	-0.4899 (-1.1524,-0.1872)	638	0.6106 ( 0.4042, 0.6714)	2353	0.9061 ( 0.8839, 0.9192)	9149	0.9799 ( 0.9740, 0.9858)
156	-0.4313 (-1.0794,-0.1415)	643	0.6140 ( 0.4099, 0.6741)	2479	0.9115 ( 0.8907, 0.9243)	9639	0.9811 ( 0.9754, 0.9868)
164	-0.3740 (-1.0076,-0.0969)	672	0.6312 ( 0.4386, 0.6879)	2612	0.9165 ( 0.8972, 0.9290)	10156	0.9822 ( 0.9767, 0.9877)
173	-0.3182 (-0.9369,-0.0536)	708	0.6509 ( 0.4714, 0.7038)	2752	0.9213 ( 0.9032, 0.9335)	10156	0.9822 ( 0.9767, 0.9877)
182	-0.2639 (-0.8674,-0.0114)	746	0.6695 ( 0.5027, 0.7189)	2876	0.9251 ( 0.9079, 0.9371)	10156	0.9822 ( 0.9767, 0.9877)
192	-0.2110 (-0.7990, 0.0296)	786	0.6873 ( 0.5325, 0.7333)	2900	0.9258 ( 0.9087, 0.9377)	10156	0.9822 ( 0.9767, 0.9877)
202	-0.1596 (-0.7319, 0.0694)	828	0.7042 ( 0.5608, 0.7470)	3055	0.9301 ( 0.9140, 0.9416)	10156	0.9822 ( 0.9767, 0.9877)
213	-0.1096 (-0.6660, 0.1081)	872	0.7202 ( 0.5877, 0.7601)	3219	0.9341 ( 0.9189, 0.9453)	707.9	.6509 (.4714,.7038)
224	-0.0612 (-0.6013, 0.1455)	919	0.7355 ( 0.6132, 0.7725)	3392	0.9379 ( 0.9235, 0.9488)	2233	.9005 (.8767,.9138)
236	-0.0142 (-0.5379, 0.1819)	922	0.7364 ( 0.6147, 0.7733)	3573	0.9414 ( 0.9279, 0.9520)	4180	.9510 (.9396,.9606)
249	0.0312 (-0.4757, 0.2171)	968	0.7499 ( 0.6374, 0.7844)	3765	0.9448 ( 0.9320, 0.9550)		

Table 6.6: Controlled VE with sensitivity analysis as functions of Day 57 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
57.7	-0.3732 (-0.8288,-0.0847)	262	0.3555 ( 0.0140, 0.4781)	1000	0.7861 ( 0.6915, 0.8153)	3967	0.9480 ( 0.9359, 0.9579)
61	-0.3497 (-0.8045,-0.0660)	276	0.3785 ( 0.0454, 0.4957)	1020	0.7901 ( 0.6982, 0.8185)	4180	0.9510 ( 0.9396, 0.9606)
64	-0.3259 (-0.7796,-0.0471)	291	0.4011 ( 0.0768, 0.5130)	1075	0.8002 ( 0.7153, 0.8268)	4404	0.9538 ( 0.9430, 0.9630)
67	-0.3019 (-0.7543,-0.0280)	307	0.4232 ( 0.1080, 0.5299)	1133	0.8098 ( 0.7315, 0.8347)	4640	0.9564 ( 0.9462, 0.9654)
71	-0.2775 (-0.7285,-0.0087)	323	0.4448 ( 0.1391, 0.5465)	1193	0.8191 ( 0.7470, 0.8423)	4685	0.9569 ( 0.9467, 0.9658)
75	-0.2529 (-0.7022, 0.0107)	341	0.4660 ( 0.1701, 0.5628)	1257	0.8279 ( 0.7618, 0.8496)	4889	0.9589 ( 0.9491, 0.9675)
79	-0.2280 (-0.6754, 0.0303)	359	0.4867 ( 0.2007, 0.5787)	1325	0.8364 ( 0.7759, 0.8567)	5151	0.9612 ( 0.9519, 0.9695)
83	-0.2029 (-0.6483, 0.0499)	378	0.5068 ( 0.2311, 0.5943)	1359	0.8405 ( 0.7825, 0.8601)	5427	0.9634 ( 0.9545, 0.9714)
88	-0.1776 (-0.6207, 0.0696)	399	0.5264 ( 0.2612, 0.6095)	1396	0.8445 ( 0.7892, 0.8634)	5718	0.9654 ( 0.9569, 0.9732)
92	-0.1522 (-0.5927, 0.0894)	420	0.5455 ( 0.2909, 0.6243)	1471	0.8523 ( 0.8019, 0.8699)	6024	0.9673 ( 0.9592, 0.9749)
97	-0.1265 (-0.5642, 0.1092)	442	0.5641 ( 0.3201, 0.6388)	1549	0.8597 ( 0.8139, 0.8761)	6347	0.9691 ( 0.9614, 0.9765)
103	-0.1008 (-0.5354, 0.1291)	466	0.5821 ( 0.3489, 0.6528)	1633	0.8668 ( 0.8252, 0.8821)	6688	0.9708 ( 0.9633, 0.9780)
108	-0.0749 (-0.5063, 0.1490)	491	0.5996 ( 0.3771, 0.6665)	1720	0.8736 ( 0.8360, 0.8879)	7046	0.9724 ( 0.9651, 0.9794)
114	-0.0489 (-0.4768, 0.1689)	500	0.6055 ( 0.3867, 0.6711)	1812	0.8801 ( 0.8462, 0.8936)	7245	0.9732 ( 0.9661, 0.9802)
120	-0.0228 (-0.4469, 0.1887)	517	0.6166 ( 0.4048, 0.6798)	1909	0.8863 ( 0.8558, 0.8997)	7424	0.9739 ( 0.9669, 0.9808)
126	0.0032 (-0.4168, 0.2086)	545	0.6330 ( 0.4318, 0.6927)	2012	0.8922 ( 0.8649, 0.9055)	7822	0.9753 ( 0.9685, 0.9820)
133	0.0293 (-0.3865, 0.2284)	574	0.6488 ( 0.4582, 0.7052)	2120	0.8978 ( 0.8729, 0.9110)	8241	0.9766 ( 0.9701, 0.9831)
140	0.0554 (-0.3569, 0.2481)	605	0.6642 ( 0.4839, 0.7173)	2233	0.9032 ( 0.8801, 0.9162)	8683	0.9779 ( 0.9715, 0.9842)
148	0.0815 (-0.3270, 0.2681)	638	0.6790 ( 0.5089, 0.7291)	2353	0.9083 ( 0.8866, 0.9211)	9149	0.9791 ( 0.9729, 0.9852)
156	0.1074 (-0.2968, 0.2881)	643	0.6814 ( 0.5128, 0.7309)	2479	0.9132 ( 0.8929, 0.9258)	9639	0.9802 ( 0.9742, 0.9861)
164	0.1332 (-0.2664, 0.3081)	672	0.6933 ( 0.5331, 0.7405)	2612	0.9179 ( 0.8988, 0.9302)	10156	0.9812 ( 0.9755, 0.9870)
173	0.1589 (-0.2358, 0.3278)	708	0.7071 ( 0.5565, 0.7515)	2752	0.9223 ( 0.9045, 0.9344)	10156	0.9812 ( 0.9755, 0.9870)
182	0.1844 (-0.2050, 0.3474)	746	0.7204 ( 0.5792, 0.7621)	2876	0.9259 ( 0.9089, 0.9377)	10156	0.9812 ( 0.9755, 0.9870)
192	0.2098 (-0.1740, 0.3667)	786	0.7332 ( 0.6011, 0.7724)	2900	0.9266 ( 0.9097, 0.9383)	10156	0.9812 ( 0.9755, 0.9870)
202	0.2348 (-0.1429, 0.3859)	828	0.7455 ( 0.6221, 0.7823)	3055	0.9306 ( 0.9146, 0.9421)	10156	0.9812 ( 0.9755, 0.9870)
213	0.2596 (-0.1116, 0.4049)	872	0.7573 ( 0.6424, 0.7919)	3219	0.9344 ( 0.9193, 0.9456)	707.9	.6509 (.4714,.7038)
224	0.2841 (-0.0803, 0.4236)	919	0.7687 ( 0.6618, 0.8011)	3392	0.9381 ( 0.9238, 0.9489)	2233	.9005 (.8767,.9138)
236	0.3083 (-0.0489, 0.4420)	922	0.7694 ( 0.6630, 0.8017)	3573	0.9415 ( 0.9280, 0.9521)	4180	.9510 (.9396,.9606)
249	0.3321 (-0.0174, 0.4602)	968	0.7796 ( 0.6804, 0.8100)	3765	0.9448 ( 0.9321, 0.9551)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 57 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 173 as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. Iod = 1.6.

Figure 6.9: Marginalized cumulative risk curves (=s).



(a) Controlled VE with sensitivity analysis as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.



(b) Controlled VE with sensitivity analysis as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.

Figure 6.10: Controlled VE curves (=s).




Figure 6.11: Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ).

Table 6.7: Marginalized cumulative risk by Day 173 as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.9	.0832 (.0293,.2959)	68	.0332 (.0156,.1021)	548	.0131 (.0085,.0255)	3483	.0057 (.0046,.0069)
9	.0806 (.0286,.2872)	74	.0321 (.0153,.0974)	592	.0127 (.0083,.0241)	3762	.0055 (.0044,.0066)
9	.0781 (.0280,.2785)	80	.0310 (.0150,.0929)	639	.0122 (.0081,.0228)	3798	.0054 (.0044,.0065)
10	.0757 (.0274,.2700)	86	.0300 (.0146,.0886)	690	.0118 (.0079,.0216)	4064	.0053 (.0042,.0063)
11	.0733 (.0268,.2616)	93	.0290 (.0143,.0845)	743	.0114 (.0077,.0205)	4389	.0051 (.0041,.0061)
12	.0710 (.0262,.2533)	101	.0280 (.0140,.0805)	746	.0114 (.0077,.0204)	4741	.0049 (.0039,.0059)
13	.0687 (.0256,.2451)	109	.0271 (.0137,.0766)	806	.0110 (.0075,.0193)	5121	.0047 (.0038,.0058)
14	.0666 (.0251,.2370)	117	.0262 (.0134,.0730)	870	.0106 (.0074,.0183)	5531	.0046 (.0036,.0056)
15	.0645 (.0245,.2291)	127	.0253 (.0131,.0694)	940	.0103 (.0072,.0173)	5974	.0044 (.0035,.0054)
16	.0624 (.0240,.2213)	137	.0244 (.0128,.0660)	1000	.0100 (.0070,.0166)	6453	.0043 (.0033,.0053)
17	.0604 (.0234,.2137)	148	.0236 (.0125,.0628)	1015	.0099 (.0070,.0164)	6791	.0042 (.0033,.0052)
18	.0585 (.0229,.2061)	160	.0228 (.0122,.0597)	1096	.0096 (.0068,.0155)	6970	.0041 (.0032,.0051)
20	.0566 (.0224,.1988)	172	.0221 (.0119,.0567)	1152	.0094 (.0067,.0149)	7528	.0040 (.0031,.0050)
22	.0548 (.0219,.1915)	186	.0213 (.0117,.0538)	1184	.0092 (.0067,.0146)	8131	.0038 (.0030,.0049)
23	.0530 (.0214,.1844)	201	.0206 (.0114,.0511)	1279	.0089 (.0065,.0138)	8782	.0037 (.0028,.0047)
25	.0513 (.0210,.1775)	217	.0199 (.0111,.0485)	1382	.0086 (.0064,.0131)	9486	.0036 (.0027,.0046)
27	.0496 (.0205,.1707)	235	.0192 (.0109,.0460)	1492	.0083 (.0062,.0124)	10246	.0035 (.0026,.0045)
29	.0480 (.0200,.1641)	254	.0186 (.0106,.0437)	1612	.0080 (.0061,.0117)	11067	.0033 (.0025,.0044)
32	.0465 (.0196,.1576)	274	.0179 (.0104,.0414)	1625	.0080 (.0060,.0117)	11504	.0033 (.0024,.0043)
34	.0449 (.0192,.1513)	296	.0173 (.0102,.0393)	1741	.0078 (.0059,.0111)	11953	.0032 (.0024,.0043)
37	.0435 (.0187,.1452)	319	.0167 (.0099,.0372)	1880	.0075 (.0058,.0105)	12911	.0031 (.0023,.0042)
40	.0420 (.0183,.1392)	345	.0162 (.0097,.0353)	2031	.0072 (.0056,.0099)	13945	.0030 (.0022,.0041)
43	.0407 (.0179,.1334)	373	.0156 (.0095,.0335)	2194	.0070 (.0055,.0094)	15063	.0029 (.0021,.0040)
47	.0393 (.0175,.1278)	403	.0151 (.0093,.0317)	2369	.0067 (.0054,.0089)	16269	.0028 (.0020,.0039)
50	.0380 (.0171,.1223)	435	.0146 (.0091,.0300)	2559	.0065 (.0052,.0085)	16269	.0028 (.0020,.0039)
54	.0368 (.0167,.1170)	470	.0141 (.0089,.0284)	2764	.0063 (.0051,.0080)	16269	.0028 (.0020,.0039)
59	.0355 (.0164,.1118)	500	.0137 (.0087,.0272)	2986	.0061 (.0049,.0076)	16269	.0028 (.0020,.0039)
63	.0344 (.0160,.1069)	507	.0136 (.0087,.0269)	3225	.0059 (.0047,.0073)	16269	.0028 (.0020,.0039)

Table 6.8: Controlled VE as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.9	.1241 (-2.0838,.6945)	74	.6618 (-0.0152,.8402)	639	.8712 ( 0.7618,.9154)	4064	.9445 ( 0.9351,.9545)
9	.1512 (-1.9925,.7011)	80	.6731 ( 0.0315,.8438)	690	.8756 ( 0.7746,.9173)	4389	.9464 ( 0.9372,.9561)
9	.1776 (-1.9024,.7077)	86	.6840 ( 0.0764,.8473)	743	.8797 ( 0.7862,.9191)	4741	.9483 ( 0.9389,.9578)
10	.2032 (-1.8135,.7141)	93	.6946 ( 0.1196,.8507)	746	.8798 ( 0.7867,.9192)	5121	.9501 ( 0.9406,.9594)
11	.2282 (-1.7257,.7203)	101	.7048 ( 0.1612,.8540)	806	.8840 ( 0.7982,.9210)	5531	.9518 ( 0.9422,.9609)
12	.2524 (-1.6392,.7265)	109	.7147 ( 0.2012,.8573)	870	.8880 ( 0.8091,.9228)	5974	.9535 ( 0.9438,.9624)
13	.2760 (-1.5539,.7325)	117	.7243 ( 0.2396,.8605)	940	.8918 ( 0.8194,.9246)	6453	.9551 ( 0.9454,.9638)
14	.2989 (-1.4700,.7383)	127	.7336 ( 0.2765,.8636)	1000	.8948 ( 0.8273,.9259)	6791	.9561 ( 0.9464,.9647)
15	.3211 (-1.3874,.7441)	137	.7425 ( 0.3118,.8667)	1015	.8955 ( 0.8291,.9263)	6970	.9566 ( 0.9469,.9652)
16	.3427 (-1.3062,.7497)	148	.7512 ( 0.3457,.8697)	1096	.8991 ( 0.8384,.9279)	7528	.9581 ( 0.9483,.9666)
17	.3637 (-1.2264,.7552)	160	.7596 ( 0.3781,.8726)	1152	.9014 ( 0.8441,.9290)	8131	.9596 ( 0.9497,.9680)
18	.3841 (-1.1480,.7606)	172	.7677 ( 0.4091,.8755)	1184	.9026 ( 0.8472,.9296)	8782	.9610 ( 0.9511,.9694)
20	.4039 (-1.0711,.7659)	186	.7756 ( 0.4387,.8783)	1279	.9059 ( 0.8555,.9312)	9486	.9623 ( 0.9524,.9707)
22	.4231 (-0.9957,.7711)	201	.7832 ( 0.4670,.8810)	1382	.9092 ( 0.8634,.9329)	10246	.9636 ( 0.9537,.9719)
23	.4417 (-0.9219,.7762)	217	.7905 ( 0.4941,.8837)	1492	.9123 ( 0.8706,.9345)	11067	.9649 ( 0.9549,.9731)
25	.4598 (-0.8496,.7811)	235	.7977 ( 0.5199,.8863)	1612	.9153 ( 0.8775,.9360)	11504	.9655 ( 0.9555,.9737)
27	.4773 (-0.7790,.7860)	254	.8045 ( 0.5445,.8888)	1625	.9156 ( 0.8781,.9362)	11953	.9661 ( 0.9560,.9742)
29	.4943 (-0.7099,.7907)	274	.8112 ( 0.5680,.8913)	1741	.9183 ( 0.8840,.9376)	12911	.9673 ( 0.9571,.9754)
32	.5108 (-0.6426,.7953)	296	.8176 ( 0.5903,.8938)	1880	.9211 ( 0.8901,.9391)	13945	.9684 ( 0.9582,.9765)
34	.5268 (-0.5769,.7999)	319	.8238 ( 0.6116,.8962)	2031	.9238 ( 0.8959,.9405)	15063	.9695 ( 0.9592,.9775)
37	.5423 (-0.5129,.8043)	345	.8298 ( 0.6319,.8985)	2194	.9264 ( 0.9014,.9419)	16269	.9706 ( 0.9602,.9785)
40	.5573 (-0.4506,.8087)	373	.8356 ( 0.6512,.9008)	2369	.9290 ( 0.9067,.9433)	16269	.9706 ( 0.9602,.9785)
43	.5718 (-0.3901,.8129)	403	.8412 ( 0.6695,.9030)	2559	.9314 ( 0.9116,.9448)	16269	.9706 ( 0.9602,.9785)
47	.5859 (-0.3313,.8171)	435	.8466 ( 0.6869,.9052)	2764	.9338 ( 0.9163,.9462)	16269	.9706 ( 0.9602,.9785)
50	.5996 (-0.2742,.8212)	470	.8519 ( 0.7035,.9074)	2986	.9361 ( 0.9207,.9476)	16269	.9706 ( 0.9602,.9785)
54	.6129 (-0.2189,.8251)	500	.8560 ( 0.7163,.9091)	3225	.9383 ( 0.9249,.9492)	68.4	.6501 (-0.0635,.8366)
59	.6257 (-0.1654,.8290)	507	.8570 ( 0.7192,.9094)	3483	.9404 ( 0.9288,.9510)	1096	.8991 ( 0.8384,.9279)
63	.6381 (-0.1136,.8329)	548	.8619 ( 0.7342,.9115)	3762	.9425 ( 0.9323,.9528)	5121	.9501 ( 0.9406,.9594)
68	.6501 (-0.0635,.8366)	592	.8666 ( 0.7483,.9135)	3798	.9427 ( 0.9327,.9530)		

Table 6.9: Controlled VE with sensitivity analysis as functions of Day 57 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
7.9	.7131 (-0.0101,.8999)	74	.8168 ( 0.4500,.9134)	639	.8952 ( 0.8062,.9312)	4064	.9448 ( 0.9355,.9548)
9	.7169 ( 0.0018,.9003)	80	.8200 ( 0.4667,.9140)	690	.8975 ( 0.8143,.9319)	4389	.9466 ( 0.9374,.9563)
9	.7207 ( 0.0142,.9007)	86	.8232 ( 0.4831,.9145)	743	.8998 ( 0.8219,.9326)	4741	.9483 ( 0.9390,.9578)
10	.7244 ( 0.0270,.9011)	93	.8263 ( 0.4994,.9151)	746	.8999 ( 0.8222,.9327)	5121	.9501 ( 0.9406,.9594)
11	.7282 ( 0.0402,.9015)	101	.8294 ( 0.5154,.9157)	806	.9022 ( 0.8298,.9334)	5531	.9518 ( 0.9422,.9609)
12	.7320 ( 0.0538,.9019)	109	.8325 ( 0.5311,.9162)	870	.9045 ( 0.8372,.9342)	5974	.9534 ( 0.9438,.9624)
13	.7357 ( 0.0678,.9024)	117	.8356 ( 0.5466,.9168)	940	.9067 ( 0.8443,.9350)	6453	.9550 ( 0.9453,.9637)
14	.7395 ( 0.0822,.9028)	127	.8386 ( 0.5617,.9174)	1000	.9085 ( 0.8498,.9356)	6791	.9560 ( 0.9462,.9646)
15	.7432 ( 0.0969,.9032)	137	.8416 ( 0.5766,.9180)	1015	.9090 ( 0.8511,.9357)	6970	.9565 ( 0.9467,.9651)
16	.7469 ( 0.1120,.9036)	148	.8446 ( 0.5912,.9186)	1096	.9112 ( 0.8577,.9365)	7528	.9579 ( 0.9480,.9664)
17	.7506 ( 0.1274,.9041)	160	.8475 ( 0.6055,.9192)	1152	.9126 ( 0.8618,.9371)	8131	.9592 ( 0.9493,.9677)
18	.7543 ( 0.1432,.9045)	172	.8504 ( 0.6194,.9198)	1184	.9133 ( 0.8640,.9373)	8782	.9605 ( 0.9505,.9690)
20	.7580 ( 0.1592,.9050)	186	.8533 ( 0.6331,.9204)	1279	.9155 ( 0.8701,.9382)	9486	.9617 ( 0.9516,.9701)
22	.7616 ( 0.1754,.9054)	201	.8561 ( 0.6463,.9210)	1382	.9176 ( 0.8760,.9391)	10246	.9628 ( 0.9527,.9713)
23	.7653 ( 0.1920,.9059)	217	.8589 ( 0.6593,.9217)	1492	.9197 ( 0.8815,.9400)	11067	.9639 ( 0.9536,.9723)
25	.7689 ( 0.2087,.9064)	235	.8617 ( 0.6719,.9223)	1612	.9218 ( 0.8868,.9409)	11504	.9644 ( 0.9541,.9728)
27	.7725 ( 0.2256,.9068)	254	.8645 ( 0.6842,.9229)	1625	.9220 ( 0.8873,.9410)	11953	.9650 ( 0.9545,.9733)
29	.7760 ( 0.2427,.9073)	274	.8672 ( 0.6962,.9236)	1741	.9238 ( 0.8919,.9418)	12911	.9660 ( 0.9553,.9743)
32	.7796 ( 0.2599,.9078)	296	.8699 ( 0.7078,.9242)	1880	.9259 ( 0.8968,.9428)	13945	.9669 ( 0.9561,.9753)
34	.7831 ( 0.2772,.9083)	319	.8725 ( 0.7191,.9249)	2031	.9279 ( 0.9015,.9437)	15063	.9678 ( 0.9569,.9762)
37	.7866 ( 0.2946,.9088)	345	.8752 ( 0.7300,.9256)	2194	.9298 ( 0.9060,.9446)	16269	.9687 ( 0.9576,.9771)
40	.7900 ( 0.3120,.9093)	373	.8778 ( 0.7406,.9262)	2369	.9318 ( 0.9104,.9456)	16269	.9687 ( 0.9576,.9771)
43	.7935 ( 0.3295,.9098)	403	.8803 ( 0.7509,.9269)	2559	.9337 ( 0.9146,.9466)	16269	.9687 ( 0.9576,.9771)
47	.7969 ( 0.3469,.9103)	435	.8829 ( 0.7609,.9276)	2764	.9356 ( 0.9186,.9477)	16269	.9687 ( 0.9576,.9771)
50	.8003 ( 0.3644,.9108)	470	.8854 ( 0.7706,.9283)	2986	.9375 ( 0.9225,.9488)	16269	.9687 ( 0.9576,.9771)
54	.8036 ( 0.3817,.9113)	500	.8874 ( 0.7782,.9289)	3225	.9394 ( 0.9262,.9501)	68.4	.6501 (-0.0635,.8366)
59	.8070 ( 0.3990,.9118)	507	.8879 ( 0.7799,.9290)	3483	.9412 ( 0.9297,.9517)	1096	.8991 ( 0.8384,.9279)
63	.8103 ( 0.4161,.9124)	548	.8903 ( 0.7890,.9297)	3762	.9430 ( 0.9329,.9532)	5121	.9501 ( 0.9406,.9594)
68	.8135 ( 0.4332,.9129)	592	.8928 ( 0.7977,.9305)	3798	.9432 ( 0.9333,.9534)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 57 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 173 as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4.

Figure 6.12: Marginalized cumulative risk curves (=s).



(a) Controlled VE with sensitivity analysis as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 2.4$ .



(b) Controlled VE with sensitivity analysis as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 2.4$ .

Figure 6.13: Controlled VE curves ( $=s$ ).




Figure 6.14: Marginalized cumulative risk curves and controlled VE curves ( $>=s$ ).

Table 6.10: Marginalized cumulative risk by Day 173 as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
11.8	.0601 (.0348,.1043)	81	.0163 (.0120,.0208)	427	.0051 (.0037,.0063)	1946	.0017 (.0009,.0027)
13	.0575 (.0335,.0989)	87	.0155 (.0115,.0196)	457	.0049 (.0035,.0060)	1948	.0017 (.0009,.0027)
14	.0549 (.0323,.0939)	93	.0148 (.0111,.0185)	489	.0046 (.0033,.0058)	2085	.0017 (.0008,.0026)
15	.0525 (.0311,.0890)	100	.0141 (.0107,.0174)	490	.0046 (.0033,.0058)	2234	.0016 (.0008,.0025)
16	.0502 (.0300,.0843)	107	.0134 (.0103,.0164)	500	.0046 (.0032,.0058)	2393	.0015 (.0007,.0024)
17	.0479 (.0289,.0798)	115	.0128 (.0099,.0155)	525	.0044 (.0031,.0056)	2519	.0014 (.0007,.0024)
18	.0458 (.0278,.0756)	118	.0126 (.0098,.0152)	562	.0042 (.0029,.0054)	2564	.0014 (.0007,.0024)
19	.0437 (.0268,.0715)	123	.0122 (.0095,.0146)	602	.0040 (.0027,.0052)	2747	.0014 (.0006,.0023)
20	.0418 (.0258,.0676)	132	.0116 (.0091,.0137)	645	.0038 (.0025,.0050)	2944	.0013 (.0006,.0022)
22	.0399 (.0248,.0639)	141	.0111 (.0088,.0129)	655	.0038 (.0025,.0050)	3154	.0012 (.0005,.0021)
24	.0381 (.0239,.0604)	152	.0106 (.0085,.0122)	691	.0036 (.0024,.0048)	3379	.0012 (.0005,.0020)
25	.0364 (.0230,.0570)	162	.0101 (.0081,.0115)	741	.0035 (.0022,.0046)	3621	.0011 (.0005,.0020)
27	.0347 (.0222,.0538)	164	.0100 (.0081,.0114)	794	.0033 (.0021,.0045)	3879	.0011 (.0004,.0019)
29	.0331 (.0214,.0508)	174	.0096 (.0078,.0108)	850	.0031 (.0019,.0043)	4156	.0010 (.0004,.0018)
31	.0316 (.0206,.0479)	186	.0091 (.0075,.0102)	911	.0030 (.0018,.0041)	4453	.0010 (.0004,.0017)
33	.0302 (.0198,.0452)	200	.0087 (.0072,.0097)	927	.0029 (.0018,.0041)	4771	.0009 (.0004,.0017)
36	.0288 (.0190,.0426)	205	.0085 (.0071,.0095)	976	.0028 (.0017,.0040)	5112	.0009 (.0003,.0016)
38	.0274 (.0183,.0401)	214	.0083 (.0068,.0092)	1000	.0028 (.0017,.0039)	5477	.0008 (.0003,.0016)
41	.0262 (.0176,.0378)	229	.0079 (.0064,.0088)	1046	.0027 (.0016,.0038)	5868	.0008 (.0003,.0015)
44	.0250 (.0170,.0356)	246	.0075 (.0060,.0085)	1121	.0026 (.0015,.0037)	6288	.0008 (.0003,.0015)
47	.0238 (.0163,.0336)	263	.0072 (.0057,.0082)	1201	.0025 (.0014,.0036)	6737	.0007 (.0003,.0014)
50	.0227 (.0157,.0316)	282	.0068 (.0053,.0079)	1286	.0023 (.0013,.0034)	7218	.0007 (.0002,.0014)
54	.0217 (.0151,.0297)	302	.0065 (.0050,.0076)	1378	.0022 (.0012,.0033)	7733	.0007 (.0002,.0013)
58	.0207 (.0146,.0280)	324	.0062 (.0047,.0073)	1477	.0021 (.0011,.0032)	8286	.0006 (.0002,.0013)
62	.0197 (.0140,.0264)	345	.0059 (.0044,.0071)	1569	.0020 (.0011,.0031)	8878	.0006 (.0002,.0012)
66	.0188 (.0135,.0249)	347	.0059 (.0044,.0070)	1582	.0020 (.0011,.0031)	9512	.0006 (.0002,.0012)
71	.0179 (.0130,.0234)	372	.0056 (.0042,.0068)	1695	.0019 (.0010,.0030)	10191	.0005 (.0002,.0011)
76	.0171 (.0125,.0221)	398	.0054 (.0039,.0065)	1816	.0018 (.0009,.0028)	10919	.0005 (.0002,.0011)

Table 6.11: Controlled VE as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
11.8	.3671 (-0.0995,.6331)	87	.8366 ( 0.7953,.8782)	489	.9513 ( 0.9397,.9647)	2234	.9834 ( 0.9738,.9919)
13	.3948 (-0.0434,.6465)	93	.8443 ( 0.8071,.8829)	490	.9513 ( 0.9397,.9647)	2393	.9842 ( 0.9747,.9924)
14	.4215 ( 0.0103,.6594)	100	.8516 ( 0.8182,.8873)	500	.9520 ( 0.9404,.9654)	2519	.9847 ( 0.9754,.9928)
15	.4471 ( 0.0619,.6718)	107	.8586 ( 0.8287,.8916)	525	.9536 ( 0.9419,.9670)	2564	.9849 ( 0.9757,.9929)
16	.4717 ( 0.1112,.6838)	115	.8652 ( 0.8386,.8958)	562	.9558 ( 0.9441,.9691)	2747	.9856 ( 0.9766,.9934)
17	.4952 ( 0.1583,.6954)	118	.8673 ( 0.8416,.8971)	602	.9579 ( 0.9462,.9711)	2944	.9863 ( 0.9774,.9938)
18	.5178 ( 0.2034,.7066)	123	.8716 ( 0.8477,.8997)	645	.9599 ( 0.9482,.9730)	3154	.9870 ( 0.9783,.9942)
19	.5394 ( 0.2464,.7174)	132	.8776 ( 0.8562,.9036)	655	.9604 ( 0.9486,.9734)	3379	.9876 ( 0.9791,.9946)
20	.5601 ( 0.2874,.7279)	141	.8834 ( 0.8643,.9073)	691	.9618 ( 0.9501,.9747)	3621	.9882 ( 0.9798,.9949)
22	.5800 ( 0.3265,.7380)	152	.8889 ( 0.8719,.9108)	741	.9637 ( 0.9519,.9764)	3879	.9888 ( 0.9806,.9952)
24	.5990 ( 0.3637,.7477)	162	.8941 ( 0.8791,.9142)	794	.9654 ( 0.9537,.9779)	4156	.9893 ( 0.9813,.9955)
25	.6172 ( 0.3991,.7570)	164	.8947 ( 0.8799,.9146)	850	.9670 ( 0.9554,.9793)	4453	.9898 ( 0.9820,.9958)
27	.6346 ( 0.4327,.7661)	174	.8991 ( 0.8859,.9175)	911	.9686 ( 0.9571,.9806)	4771	.9903 ( 0.9827,.9961)
29	.6512 ( 0.4647,.7748)	186	.9039 ( 0.8923,.9207)	927	.9690 ( 0.9575,.9810)	5112	.9908 ( 0.9833,.9964)
31	.6672 ( 0.4950,.7832)	200	.9084 ( 0.8984,.9237)	976	.9701 ( 0.9587,.9819)	5477	.9912 ( 0.9839,.9966)
33	.6824 ( 0.5238,.7913)	205	.9102 ( 0.9008,.9251)	1000	.9706 ( 0.9592,.9823)	5868	.9916 ( 0.9845,.9968)
36	.6970 ( 0.5510,.7991)	214	.9127 ( 0.9037,.9270)	1046	.9715 ( 0.9602,.9831)	6288	.9920 ( 0.9851,.9970)
38	.7109 ( 0.5768,.8067)	229	.9169 ( 0.9079,.9312)	1121	.9729 ( 0.9617,.9842)	6737	.9924 ( 0.9856,.9972)
41	.7242 ( 0.6013,.8139)	246	.9208 ( 0.9118,.9353)	1201	.9742 ( 0.9631,.9852)	7218	.9928 ( 0.9861,.9974)
44	.7369 ( 0.6244,.8209)	263	.9246 ( 0.9152,.9391)	1286	.9754 ( 0.9645,.9861)	7733	.9931 ( 0.9866,.9976)
47	.7491 ( 0.6463,.8277)	282	.9281 ( 0.9184,.9427)	1378	.9766 ( 0.9658,.9870)	8286	.9934 ( 0.9871,.9977)
50	.7607 ( 0.6670,.8342)	302	.9315 ( 0.9214,.9461)	1477	.9777 ( 0.9671,.9879)	8878	.9938 ( 0.9876,.9979)
54	.7718 ( 0.6865,.8404)	324	.9348 ( 0.9243,.9492)	1569	.9786 ( 0.9681,.9886)	9512	.9941 ( 0.9880,.9980)
58	.7824 ( 0.7050,.8465)	345	.9377 ( 0.9269,.9520)	1582	.9788 ( 0.9683,.9887)	10191	.9943 ( 0.9885,.9981)
62	.7925 ( 0.7224,.8523)	347	.9379 ( 0.9271,.9522)	1695	.9798 ( 0.9695,.9894)	10919	.9946 ( 0.9889,.9983)
66	.8022 ( 0.7388,.8579)	372	.9408 ( 0.9298,.9550)	1816	.9807 ( 0.9706,.9901)	28.9	.6512 (.4647,.7748)
71	.8114 ( 0.7544,.8632)	398	.9436 ( 0.9324,.9576)	1946	.9817 ( 0.9717,.9907)	174	.8991 (.8859,.9175)
76	.8202 ( 0.7690,.8684)	427	.9463 ( 0.9349,.9601)	1948	.9817 ( 0.9717,.9907)	457	.9489 (.9374,.9625)
81	.8286 ( 0.7828,.8734)	457	.9489 ( 0.9374,.9625)	2085	.9825 ( 0.9727,.9913)		

Table 6.12: Controlled VE with sensitivity analysis as functions of Day 57 Pseudovirus-nAb cID50 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
11.8	.6340 (.3643,.7879)	87	.8610 (.8259,.8964)	489	.9513 (.9397,.9647)	2234	.9812 (.9703,.9908)
13	.6448 (.3875,.7925)	93	.8661 (.8341,.8993)	490	.9513 (.9397,.9647)	2393	.9819 (.9711,.9913)
14	.6553 (.4102,.7970)	100	.8711 (.8421,.9021)	500	.9520 (.9404,.9654)	2519	.9824 (.9717,.9917)
15	.6656 (.4325,.8015)	107	.8759 (.8497,.9049)	525	.9536 (.9419,.9670)	2564	.9826 (.9719,.9918)
16	.6756 (.4543,.8059)	115	.8805 (.8570,.9076)	562	.9558 (.9440,.9691)	2747	.9832 (.9726,.9922)
17	.6855 (.4756,.8102)	118	.8820 (.8592,.9085)	602	.9578 (.9460,.9710)	2944	.9839 (.9734,.9927)
18	.6951 (.4963,.8145)	123	.8851 (.8637,.9103)	645	.9597 (.9479,.9729)	3154	.9845 (.9741,.9931)
19	.7045 (.5166,.8187)	132	.8894 (.8701,.9129)	655	.9602 (.9483,.9732)	3379	.9850 (.9747,.9934)
20	.7137 (.5363,.8229)	141	.8937 (.8763,.9155)	691	.9616 (.9497,.9745)	3621	.9856 (.9754,.9938)
22	.7227 (.5554,.8270)	152	.8978 (.8822,.9180)	741	.9633 (.9514,.9761)	3879	.9861 (.9760,.9941)
24	.7315 (.5740,.8310)	162	.9018 (.8879,.9205)	794	.9649 (.9530,.9776)	4156	.9866 (.9766,.9944)
25	.7400 (.5920,.8350)	164	.9023 (.8885,.9207)	850	.9664 (.9546,.9789)	4453	.9871 (.9772,.9947)
27	.7484 (.6094,.8389)	174	.9057 (.8934,.9229)	911	.9678 (.9560,.9802)	4771	.9876 (.9778,.9950)
29	.7565 (.6263,.8428)	186	.9095 (.8986,.9253)	927	.9682 (.9564,.9805)	5112	.9880 (.9784,.9953)
31	.7645 (.6426,.8466)	200	.9131 (.9036,.9276)	976	.9692 (.9574,.9814)	5477	.9885 (.9789,.9955)
33	.7722 (.6584,.8503)	205	.9146 (.9056,.9287)	1000	.9697 (.9579,.9818)	5868	.9889 (.9794,.9958)
36	.7797 (.6736,.8540)	214	.9166 (.9080,.9303)	1046	.9705 (.9588,.9825)	6288	.9893 (.9799,.9960)
38	.7871 (.6883,.8576)	229	.9201 (.9115,.9338)	1121	.9717 (.9601,.9835)	6737	.9896 (.9804,.9962)
41	.7942 (.7025,.8612)	246	.9234 (.9146,.9374)	1201	.9729 (.9613,.9845)	7218	.9900 (.9808,.9964)
44	.8012 (.7161,.8647)	263	.9266 (.9175,.9407)	1286	.9740 (.9625,.9854)	7733	.9904 (.9813,.9966)
47	.8079 (.7293,.8681)	282	.9297 (.9202,.9439)	1378	.9751 (.9636,.9862)	8286	.9907 (.9817,.9968)
50	.8145 (.7419,.8715)	302	.9327 (.9228,.9470)	1477	.9761 (.9647,.9870)	8878	.9910 (.9821,.9969)
54	.8209 (.7540,.8748)	324	.9356 (.9253,.9499)	1569	.9769 (.9656,.9876)	9512	.9913 (.9825,.9971)
58	.8272 (.7657,.8780)	345	.9383 (.9276,.9525)	1582	.9770 (.9657,.9877)	10191	.9916 (.9829,.9972)
62	.8332 (.7769,.8812)	347	.9385 (.9278,.9527)	1695	.9779 (.9667,.9884)	10919	.9919 (.9833,.9974)
66	.8391 (.7876,.8844)	372	.9412 (.9303,.9553)	1816	.9788 (.9676,.9891)	28.9	.6512 (.4647,.7748)
71	.8448 (.7979,.8875)	398	.9439 (.9327,.9578)	1946	.9796 (.9685,.9897)	174	.8991 (.8859,.9175)
76	.8504 (.8078,.8905)	427	.9464 (.9351,.9602)	1948	.9796 (.9686,.9897)	457	.9489 (.9374,.9625)
81	.8558 (.8172,.8935)	457	.9489 (.9374,.9625)	2085	.9804 (.9694,.9903)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 57 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 173 as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .

Figure 6.15: Marginalized cumulative risk curves ( $=s$ ).



(a) Controlled VE with sensitivity analysis as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .



(b) Controlled VE with sensitivity analysis as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid.  $lod = 15$ .

Figure 6.16: Controlled VE curves ( $=s$ ).




Figure 6.17: Marginalized cumulative risk curves and controlled VE curves ( $\geq s$ ).

Table 6.13: Marginalized cumulative risk by Day 173 as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
19.3	.0446 (.0220,.1052)	128	.0128 (.0086,.0189)	584	.0046 (.0034,.0059)	2659	.0016 (.0010,.0026)
21	.0427 (.0213,.0994)	137	.0123 (.0083,.0178)	602	.0045 (.0033,.0058)	2787	.0016 (.0009,.0025)
22	.0409 (.0206,.0939)	146	.0117 (.0080,.0167)	644	.0043 (.0032,.0056)	2844	.0016 (.0009,.0025)
24	.0391 (.0199,.0887)	156	.0112 (.0077,.0156)	689	.0041 (.0030,.0054)	3043	.0015 (.0008,.0024)
25	.0375 (.0193,.0837)	160	.0110 (.0076,.0153)	738	.0039 (.0029,.0052)	3255	.0014 (.0008,.0023)
27	.0359 (.0186,.0789)	167	.0107 (.0074,.0146)	756	.0039 (.0028,.0051)	3482	.0014 (.0007,.0022)
29	.0343 (.0180,.0744)	179	.0102 (.0071,.0137)	789	.0037 (.0027,.0050)	3725	.0013 (.0007,.0022)
31	.0328 (.0174,.0701)	191	.0098 (.0069,.0129)	844	.0036 (.0026,.0048)	3986	.0012 (.0007,.0021)
33	.0314 (.0168,.0661)	205	.0093 (.0066,.0121)	903	.0034 (.0024,.0046)	4264	.0012 (.0006,.0020)
35	.0301 (.0163,.0622)	207	.0093 (.0066,.0119)	966	.0033 (.0023,.0045)	4561	.0011 (.0006,.0019)
38	.0288 (.0158,.0586)	219	.0089 (.0064,.0113)	1000	.0032 (.0022,.0044)	4880	.0011 (.0005,.0019)
41	.0275 (.0152,.0551)	234	.0085 (.0061,.0106)	1014	.0032 (.0022,.0044)	5221	.0010 (.0005,.0018)
43	.0263 (.0147,.0519)	251	.0081 (.0059,.0099)	1034	.0031 (.0022,.0043)	5585	.0010 (.0005,.0017)
46	.0252 (.0142,.0488)	262	.0079 (.0058,.0095)	1106	.0030 (.0020,.0042)	5975	.0009 (.0004,.0017)
50	.0241 (.0138,.0459)	268	.0078 (.0057,.0093)	1183	.0028 (.0019,.0040)	6392	.0009 (.0004,.0016)
53	.0230 (.0133,.0431)	287	.0074 (.0055,.0088)	1266	.0027 (.0018,.0039)	6838	.0009 (.0004,.0015)
57	.0220 (.0129,.0405)	307	.0071 (.0053,.0085)	1354	.0026 (.0017,.0037)	7316	.0008 (.0004,.0015)
61	.0210 (.0125,.0381)	328	.0068 (.0051,.0081)	1448	.0025 (.0016,.0036)	7826	.0008 (.0003,.0014)
65	.0201 (.0120,.0358)	351	.0065 (.0049,.0078)	1550	.0024 (.0015,.0035)	8373	.0008 (.0003,.0014)
70	.0192 (.0117,.0336)	376	.0062 (.0047,.0075)	1570	.0023 (.0015,.0034)	8957	.0007 (.0003,.0013)
74	.0184 (.0113,.0315)	402	.0059 (.0044,.0072)	1658	.0023 (.0014,.0033)	9582	.0007 (.0003,.0013)
80	.0176 (.0109,.0296)	430	.0057 (.0042,.0069)	1773	.0022 (.0014,.0032)	10251	.0007 (.0003,.0013)
85	.0168 (.0105,.0278)	445	.0055 (.0041,.0068)	1897	.0021 (.0013,.0031)	10967	.0006 (.0003,.0012)
91	.0161 (.0102,.0261)	460	.0054 (.0040,.0067)	1993	.0020 (.0012,.0030)	11733	.0006 (.0002,.0012)
97	.0154 (.0098,.0245)	492	.0052 (.0038,.0065)	2030	.0020 (.0012,.0030)	12552	.0006 (.0002,.0011)
104	.0147 (.0095,.0230)	500	.0051 (.0038,.0064)	2171	.0019 (.0012,.0029)	13428	.0005 (.0002,.0011)
111	.0140 (.0092,.0215)	526	.0049 (.0037,.0062)	2323	.0018 (.0011,.0028)	14365	.0005 (.0002,.0011)
119	.0134 (.0089,.0202)	563	.0047 (.0035,.0060)	2485	.0017 (.0010,.0027)	15368	.0005 (.0002,.0010)

Table 6.14: Controlled VE as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 173 days post Day 57 was 0.005 in vaccine recipients compared to 0.095 in placebo recipients, with cumulative vaccine efficacy 94.9% (95% CI 94.0 to 96.0%).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
19.3	.5303 (-0.0872,.7632)	137	.8709 ( 0.8166,.9102)	644	.9547 ( 0.9423,.9656)	3043	.9842 ( 0.9751,.9911)
21	.5503 (-0.0274,.7709)	146	.8766 ( 0.8280,.9134)	689	.9568 ( 0.9443,.9675)	3255	.9849 ( 0.9760,.9917)
22	.5695 ( 0.0295,.7784)	156	.8821 ( 0.8388,.9165)	738	.9587 ( 0.9463,.9693)	3482	.9856 ( 0.9769,.9922)
24	.5879 ( 0.0838,.7856)	160	.8839 ( 0.8423,.9176)	756	.9594 ( 0.9470,.9699)	3725	.9863 ( 0.9777,.9927)
25	.6055 ( 0.1354,.7926)	167	.8873 ( 0.8489,.9196)	789	.9605 ( 0.9483,.9710)	3986	.9869 ( 0.9785,.9931)
27	.6224 ( 0.1845,.7994)	179	.8923 ( 0.8583,.9225)	844	.9623 ( 0.9501,.9726)	4264	.9875 ( 0.9793,.9936)
29	.6387 ( 0.2311,.8060)	191	.8971 ( 0.8672,.9253)	903	.9640 ( 0.9519,.9741)	4561	.9880 ( 0.9801,.9940)
31	.6542 ( 0.2754,.8123)	205	.9017 ( 0.8756,.9280)	966	.9656 ( 0.9537,.9756)	4880	.9886 ( 0.9808,.9943)
33	.6692 ( 0.3174,.8185)	207	.9025 ( 0.8770,.9285)	1000	.9664 ( 0.9545,.9763)	5221	.9891 ( 0.9815,.9947)
35	.6835 ( 0.3572,.8244)	219	.9060 ( 0.8834,.9307)	1014	.9667 ( 0.9549,.9766)	5585	.9896 ( 0.9821,.9950)
38	.6972 ( 0.3949,.8302)	234	.9102 ( 0.8907,.9332)	1034	.9671 ( 0.9553,.9769)	5975	.9900 ( 0.9828,.9953)
41	.7103 ( 0.4305,.8358)	251	.9142 ( 0.8976,.9356)	1106	.9686 ( 0.9569,.9782)	6392	.9905 ( 0.9834,.9956)
43	.7229 ( 0.4643,.8412)	262	.9167 ( 0.9017,.9371)	1183	.9700 ( 0.9585,.9794)	6838	.9909 ( 0.9840,.9959)
46	.7350 ( 0.4961,.8464)	268	.9180 ( 0.9037,.9379)	1266	.9714 ( 0.9600,.9806)	7316	.9913 ( 0.9845,.9961)
50	.7465 ( 0.5263,.8515)	287	.9217 ( 0.9093,.9401)	1354	.9727 ( 0.9614,.9816)	7826	.9917 ( 0.9851,.9964)
53	.7576 ( 0.5547,.8563)	307	.9252 ( 0.9132,.9423)	1448	.9739 ( 0.9628,.9827)	8373	.9921 ( 0.9856,.9966)
57	.7682 ( 0.5815,.8611)	328	.9285 ( 0.9168,.9443)	1550	.9750 ( 0.9641,.9836)	8957	.9924 ( 0.9861,.9968)
61	.7783 ( 0.6068,.8656)	351	.9317 ( 0.9198,.9470)	1570	.9753 ( 0.9644,.9838)	9582	.9928 ( 0.9866,.9970)
65	.7880 ( 0.6307,.8701)	376	.9347 ( 0.9227,.9495)	1658	.9762 ( 0.9654,.9845)	10251	.9931 ( 0.9870,.9972)
70	.7973 ( 0.6532,.8744)	402	.9377 ( 0.9255,.9519)	1773	.9772 ( 0.9667,.9854)	10967	.9934 ( 0.9875,.9974)
74	.8062 ( 0.6743,.8785)	430	.9404 ( 0.9281,.9541)	1897	.9783 ( 0.9679,.9862)	11733	.9937 ( 0.9879,.9976)
80	.8147 ( 0.6943,.8825)	445	.9418 ( 0.9294,.9552)	1993	.9790 ( 0.9687,.9868)	12552	.9940 ( 0.9883,.9977)
85	.8229 ( 0.7131,.8864)	460	.9431 ( 0.9307,.9563)	2030	.9792 ( 0.9690,.9870)	13428	.9943 ( 0.9887,.9979)
91	.8307 ( 0.7307,.8901)	492	.9456 ( 0.9332,.9583)	2171	.9802 ( 0.9701,.9878)	14365	.9945 ( 0.9891,.9980)
97	.8382 ( 0.7473,.8938)	500	.9462 ( 0.9338,.9588)	2323	.9811 ( 0.9712,.9885)	15368	.9948 ( 0.9895,.9981)
104	.8453 ( 0.7630,.8973)	526	.9481 ( 0.9356,.9603)	2485	.9819 ( 0.9723,.9892)	30.9	.6542 (.2754,.8123)
111	.8521 ( 0.7776,.9007)	563	.9504 ( 0.9379,.9622)	2659	.9827 ( 0.9733,.9899)	205	.9017 (.8756,.9280)
119	.8587 ( 0.7914,.9039)	584	.9516 ( 0.9391,.9631)	2787	.9833 ( 0.9739,.9903)	563	.9504 (.9379,.9622)
128	.8649 ( 0.8044,.9071)	602	.9526 ( 0.9401,.9639)	2844	.9835 ( 0.9742,.9905)		

Table 6.15: Controlled VE with sensitivity analysis as functions of Day 57 Pseudovirus-nAb cID80 (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
19.3	.7276 (.3694,.8626)	137	.8875 (.8403,.9218)	644	.9547 (.9422,.9656)	3043	.9813 (.9705,.9895)
21	.7349 (.3943,.8649)	146	.8914 (.8486,.9237)	689	.9566 (.9442,.9674)	3255	.9819 (.9712,.9900)
22	.7421 (.4186,.8672)	156	.8951 (.8566,.9258)	738	.9585 (.9461,.9692)	3482	.9825 (.9719,.9905)
24	.7491 (.4423,.8695)	160	.8963 (.8592,.9264)	756	.9591 (.9467,.9698)	3725	.9831 (.9726,.9910)
25	.7560 (.4653,.8717)	167	.8987 (.8642,.9277)	789	.9602 (.9479,.9708)	3986	.9836 (.9733,.9914)
27	.7628 (.4877,.8740)	179	.9023 (.8714,.9297)	844	.9619 (.9496,.9723)	4264	.9842 (.9739,.9919)
29	.7694 (.5094,.8762)	191	.9057 (.8783,.9316)	903	.9634 (.9512,.9737)	4561	.9847 (.9745,.9923)
31	.7759 (.5304,.8784)	205	.9091 (.8849,.9335)	966	.9649 (.9527,.9751)	4880	.9852 (.9751,.9926)
33	.7823 (.5508,.8806)	207	.9097 (.8861,.9338)	1000	.9656 (.9534,.9757)	5221	.9857 (.9757,.9930)
35	.7885 (.5705,.8827)	219	.9124 (.8912,.9353)	1014	.9659 (.9537,.9760)	5585	.9861 (.9762,.9933)
38	.7946 (.5896,.8848)	234	.9156 (.8972,.9371)	1034	.9663 (.9541,.9763)	5975	.9865 (.9767,.9937)
41	.8006 (.6080,.8870)	251	.9187 (.9029,.9389)	1106	.9676 (.9555,.9775)	6392	.9870 (.9773,.9940)
43	.8064 (.6257,.8890)	262	.9207 (.9064,.9401)	1183	.9688 (.9568,.9786)	6838	.9874 (.9777,.9943)
46	.8121 (.6428,.8911)	268	.9217 (.9080,.9407)	1266	.9700 (.9581,.9797)	7316	.9878 (.9782,.9946)
50	.8177 (.6593,.8932)	287	.9247 (.9128,.9424)	1354	.9712 (.9593,.9806)	7826	.9881 (.9786,.9948)
53	.8232 (.6752,.8952)	307	.9276 (.9160,.9441)	1448	.9722 (.9605,.9816)	8373	.9885 (.9791,.9951)
57	.8285 (.6904,.8972)	328	.9304 (.9190,.9458)	1550	.9733 (.9616,.9824)	8957	.9889 (.9795,.9953)
61	.8337 (.7051,.8992)	351	.9331 (.9215,.9481)	1570	.9735 (.9618,.9826)	9582	.9892 (.9799,.9956)
65	.8388 (.7192,.9012)	376	.9358 (.9239,.9503)	1658	.9742 (.9626,.9833)	10251	.9895 (.9803,.9958)
70	.8438 (.7327,.9032)	402	.9384 (.9263,.9524)	1773	.9752 (.9637,.9841)	10967	.9898 (.9807,.9960)
74	.8486 (.7457,.9051)	430	.9409 (.9287,.9545)	1897	.9761 (.9646,.9848)	11733	.9902 (.9811,.9962)
80	.8534 (.7581,.9070)	445	.9422 (.9299,.9555)	1993	.9767 (.9653,.9853)	12552	.9904 (.9814,.9964)
85	.8580 (.7700,.9089)	460	.9434 (.9310,.9565)	2030	.9769 (.9656,.9855)	13428	.9907 (.9818,.9965)
91	.8626 (.7814,.9108)	492	.9458 (.9334,.9585)	2171	.9777 (.9665,.9863)	14365	.9910 (.9821,.9967)
97	.8670 (.7923,.9127)	500	.9463 (.9339,.9589)	2323	.9785 (.9673,.9870)	15368	.9913 (.9825,.9969)
104	.8713 (.8028,.9145)	526	.9481 (.9356,.9603)	2485	.9792 (.9682,.9877)	30.9	.6542 (.2754,.8123)
111	.8755 (.8128,.9164)	563	.9504 (.9379,.9622)	2659	.9800 (.9690,.9883)	205	.9017 (.8756,.9280)
119	.8796 (.8224,.9182)	584	.9516 (.9391,.9631)	2787	.9804 (.9695,.9887)	563	.9504 (.9379,.9622)
128	.8836 (.8315,.9200)	602	.9526 (.9401,.9639)	2844	.9806 (.9698,.9889)		

## Chapter 7

# Univariate CoR: Nonparametric Threshold Modeling ( $>=s$ )

An extension of the unadjusted nonparametric threshold-searching approach developed in Donovan, Hudgens, and Gilbert (2019), the covariate-adjusted TMLE-based approach developed by van der Laan, Zhang, Gilbert (submitted) is used to estimate the so-called threshold-response function  $E_X[E[Y | S \geq s, X, A = 1] | A = 1]$  for a range of thresholds  $s$ . Here,  $X$  is a set of baseline characteristics,  $A = 1$  represents the vaccine group,  $S$  is the biomarker/immune-response/correlate of interest, and  $Y$  is the indicator of COVID disease before some time point  $t_f$ . This parameter can be viewed as a causal/covariate-adjusted version of the parameter  $P(Y = 1 | S \geq s, A = 1)$ . Intuitively, the threshold-response at a given threshold is the expected probability of obtaining COVID disease if one experiences a marker/immune-response value above that threshold. The threshold-response function is estimated for each of the four Day 57 antibody markers, in each case adjusting for the baseline covariates: baseline risk score, high risk indicator, and underrepresented minority status. A restrictive but flexible specification of the Highly Adaptive Lasso estimator is used for the covariate adjustment. A number of plots and tables are reported:

1. A plot and table with risk estimates and point-wise 95% confidence intervals
2. A plot and table with risk estimates and simultaneous 95% confidence bands
3. Monotone-corrected versions of 1 and 2.

A reverse cumulative distribution function curve estimated by the IPW NPMLE of the marker values is superimposed on the threshold-response plots and a dashed red line is added to mark the threshold value after which no more events are observed.

The blue dots on the plots represent the risk predictions at marker values where there was an observed COVID-19 case.

## 7.1 Plots and Tables with estimates and pointwise confidence intervals for Day 57

MOCK

### 7.1.1 Day 57 bindSpike




Figure 7.1: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 7.1: Table of risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.761	$5.77 * 10^1$	0.00479	0.00286	0.00672
2.699	$5.00 * 10^2$	0.00461	0.00255	0.00666
2.808	$6.43 * 10^2$	0.00452	0.00235	0.00669
2.965	$9.23 * 10^2$	0.00421	0.00204	0.00638
3.000	$1.00 * 10^3$	0.00421	0.00204	0.00638
3.133	$1.36 * 10^3$	0.00412	0.00181	0.00643
3.459	$2.88 * 10^3$	0.00328	0.00024	0.00633
3.671	$4.69 * 10^3$	0.00218	0.00000	0.00521
3.860	$7.24 * 10^3$	0.00213	0.00000	0.00831
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958

### 7.1.2 Day 57 bindRBD




Figure 7.2: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 7.2: Table of risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.898	$7.91 * 10^0$	0.00478	0.00285	0.00670
2.699	$5.00 * 10^2$	0.00459	0.00255	0.00663
2.871	$7.43 * 10^2$	0.00469	0.00251	0.00688
3.000	$1.00 * 10^3$	0.00437	0.00215	0.00658
3.062	$1.15 * 10^3$	0.00437	0.00215	0.00658
3.211	$1.63 * 10^3$	0.00407	0.00182	0.00632
3.580	$3.80 * 10^3$	0.00395	0.00040	0.00749
3.832	$6.79 * 10^3$	0.00475	0.00000	0.01193
4.061	$1.15 * 10^4$	0.00450	0.00000	0.01635
4.211	$1.63 * 10^4$	0.00439	0.00000	0.03856
4.211	$1.63 * 10^4$	0.00439	0.00000	0.03856
4.211	$1.63 * 10^4$	0.00439	0.00000	0.03856
4.211	$1.63 * 10^4$	0.00439	0.00000	0.03856

### 7.1.3 Day 57 pseudoneutid50




Figure 7.3: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 7.3: Table of risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals.

log <sub>10</sub> -Threshold	Threshold	Risk estimate	CI left	CI right
1.072	1.18 * 10 <sup>1</sup>	0.00472	0.00279	0.00664
2.070	1.17 * 10 <sup>2</sup>	0.00404	0.00211	0.00596
2.214	1.64 * 10 <sup>2</sup>	0.00402	0.00205	0.00599
2.313	2.06 * 10 <sup>2</sup>	0.00412	0.00205	0.00619
2.538	3.45 * 10 <sup>2</sup>	0.00371	0.00150	0.00593
2.690	4.90 * 10 <sup>2</sup>	0.00241	0.00047	0.00436
2.699	5.00 * 10 <sup>2</sup>	0.00241	0.00047	0.00436
2.817	6.56 * 10 <sup>2</sup>	0.00272	0.00019	0.00525
2.967	9.27 * 10 <sup>2</sup>	0.00288	0.00000	0.00607
3.000	1.00 * 10 <sup>3</sup>	0.00260	0.00000	0.00571
3.196	1.57 * 10 <sup>3</sup>	0.00312	0.00000	0.00697
3.290	1.95 * 10 <sup>3</sup>	0.00208	0.00000	0.00515
3.401	2.52 * 10 <sup>3</sup>	0.00191	0.00000	0.00460
4.038	1.09 * 10 <sup>4</sup>	0.00000	NA	NA

### 7.1.4 Day 57 pseudoneutid80




Figure 7.4: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 7.4: Table of risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.285	$1.93 \times 10^1$	0.00475	0.00283	0.00668
2.204	$1.60 \times 10^2$	0.00434	0.00230	0.00639
2.316	$2.07 \times 10^2$	0.00397	0.00198	0.00596
2.418	$2.62 \times 10^2$	0.00409	0.00191	0.00627
2.648	$4.45 \times 10^2$	0.00435	0.00161	0.00710
2.699	$5.00 \times 10^2$	0.00383	0.00119	0.00647
2.766	$5.83 \times 10^2$	0.00355	0.00072	0.00639
2.878	$7.55 \times 10^2$	0.00309	0.00006	0.00613
3.000	$1.00 \times 10^3$	0.00255	0.00000	0.00562
3.006	$1.01 \times 10^3$	0.00255	0.00000	0.00562
3.196	$1.57 \times 10^3$	0.00196	0.00000	0.00535
3.299	$1.99 \times 10^3$	0.00161	0.00000	0.00390
3.445	$2.79 \times 10^3$	0.00098	0.00000	0.00263
4.187	$1.54 \times 10^4$	0.00000	NA	NA

## 7.2 Plots and Tables with estimates and pointwise confidence intervals for Day 57 (monotone-corrected)

MOCK

### 7.2.1 Day 57 bindSpike




Figure 7.5: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.5: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.761	$5.77 * 10^1$	0.00479	0.00286	0.00672
2.699	$5.00 * 10^2$	0.00461	0.00255	0.00666
2.808	$6.43 * 10^2$	0.00452	0.00235	0.00669
2.965	$9.23 * 10^2$	0.00421	0.00204	0.00638
3.000	$1.00 * 10^3$	0.00421	0.00204	0.00638
3.133	$1.36 * 10^3$	0.00412	0.00181	0.00643
3.459	$2.88 * 10^3$	0.00328	0.00024	0.00633
3.671	$4.69 * 10^3$	0.00221	0.00000	0.00524
3.860	$7.24 * 10^3$	0.00221	0.00000	0.00839
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958
4.007	$1.02 * 10^4$	0.00194	0.00000	0.02958

### 7.2.2 Day 57 bindRBD




Figure 7.6: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.6: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.898	$7.91 * 10^0$	0.00479	0.00286	0.00671
2.699	$5.00 * 10^2$	0.00462	0.00258	0.00667
2.871	$7.43 * 10^2$	0.00462	0.00244	0.00681
3.000	$1.00 * 10^3$	0.00437	0.00215	0.00658
3.062	$1.15 * 10^3$	0.00437	0.00215	0.00658
3.211	$1.63 * 10^3$	0.00432	0.00207	0.00657
3.580	$3.80 * 10^3$	0.00432	0.00078	0.00786
3.832	$6.79 * 10^3$	0.00432	0.00000	0.01150
4.061	$1.15 * 10^4$	0.00432	0.00000	0.01617
4.211	$1.63 * 10^4$	0.00432	0.00000	0.03849
4.211	$1.63 * 10^4$	0.00432	0.00000	0.03849
4.211	$1.63 * 10^4$	0.00432	0.00000	0.03849
4.211	$1.63 * 10^4$	0.00432	0.00000	0.03849

### 7.2.3 Day 57 pseudoneutid50




Figure 7.7: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.7: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.072	$1.18 * 10^1$	0.00472	0.00279	0.00664
2.070	$1.17 * 10^2$	0.00406	0.00214	0.00599
2.214	$1.64 * 10^2$	0.00406	0.00209	0.00603
2.313	$2.06 * 10^2$	0.00406	0.00199	0.00614
2.538	$3.45 * 10^2$	0.00371	0.00150	0.00593
2.690	$4.90 * 10^2$	0.00272	0.00077	0.00467
2.699	$5.00 * 10^2$	0.00272	0.00077	0.00467
2.817	$6.56 * 10^2$	0.00272	0.00019	0.00525
2.967	$9.27 * 10^2$	0.00272	0.00000	0.00590
3.000	$1.00 * 10^3$	0.00272	0.00000	0.00583
3.196	$1.57 * 10^3$	0.00272	0.00000	0.00656
3.290	$1.95 * 10^3$	0.00208	0.00000	0.00515
3.401	$2.52 * 10^3$	0.00191	0.00000	0.00460
4.038	$1.09 * 10^4$	0.00000	NA	NA

### 7.2.4 Day 57 pseudoneutid80




Figure 7.8: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.8: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.285	1.93 * 10 <sup>1</sup>	0.00475	0.00283	0.00668
2.204	1.60 * 10 <sup>2</sup>	0.00434	0.00230	0.00639
2.316	2.07 * 10 <sup>2</sup>	0.00412	0.00212	0.00611
2.418	2.62 * 10 <sup>2</sup>	0.00412	0.00194	0.00630
2.648	4.45 * 10 <sup>2</sup>	0.00412	0.00137	0.00686
2.699	5.00 * 10 <sup>2</sup>	0.00388	0.00124	0.00652
2.766	5.83 * 10 <sup>2</sup>	0.00355	0.00072	0.00639
2.878	7.55 * 10 <sup>2</sup>	0.00323	0.00020	0.00627
3.000	1.00 * 10 <sup>3</sup>	0.00248	0.00000	0.00555
3.006	1.01 * 10 <sup>3</sup>	0.00248	0.00000	0.00555
3.196	1.57 * 10 <sup>3</sup>	0.00198	0.00000	0.00537
3.299	1.99 * 10 <sup>3</sup>	0.00161	0.00000	0.00390
3.445	2.79 * 10 <sup>3</sup>	0.00118	0.00000	0.00282
4.187	1.54 * 10 <sup>4</sup>	0.00000	NA	NA

### 7.3 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected)

MOCK

### 7.3.1 Day 29 bindSpike




Figure 7.9: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.9: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.459	$2.88 \times 10^0$	0.00507	0.00303	0.00710
1.805	$6.38 \times 10^1$	0.00459	0.00253	0.00665
1.967	$9.27 \times 10^1$	0.00459	0.00246	0.00673
2.114	$1.30 \times 10^2$	0.00459	0.00226	0.00692
2.356	$2.27 \times 10^2$	0.00459	0.00200	0.00718
2.518	$3.30 \times 10^2$	0.00459	0.00123	0.00796
2.675	$4.73 \times 10^2$	0.00459	0.00005	0.00913
2.699	$5.00 \times 10^2$	0.00459	0.00005	0.00913
2.850	$7.08 \times 10^2$	0.00459	0.00000	0.00975
3.000	$1.00 \times 10^3$	0.00446	0.00000	0.00983
3.112	$1.29 \times 10^3$	0.00446	0.00000	0.01072
3.250	$1.78 \times 10^3$	0.00253	0.00000	0.00675
3.350	$2.24 \times 10^3$	0.00000	NA	NA
4.007	$1.02 \times 10^4$	0.00000	NA	NA

### 7.3.2 Day 29 bindRBD




Figure 7.10: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.10: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.609	$4.06 * 10^0$	0.00623	0.00418	0.00828
1.940	$8.71 * 10^1$	0.00623	0.00400	0.00846
2.110	$1.29 * 10^2$	0.00623	0.00400	0.00846
2.281	$1.91 * 10^2$	0.00623	0.00382	0.00864
2.610	$4.07 * 10^2$	0.00623	0.00361	0.00885
2.699	$5.00 * 10^2$	0.00623	0.00340	0.00906
2.811	$6.47 * 10^2$	0.00623	0.00283	0.00964
2.991	$9.79 * 10^2$	0.00623	0.00206	0.01040
3.000	$1.00 * 10^3$	0.00623	0.00206	0.01040
3.192	$1.56 * 10^3$	0.00623	0.00042	0.01204
3.489	$3.08 * 10^3$	0.00623	0.00000	0.01356
3.613	$4.10 * 10^3$	0.00623	0.00000	0.01532
3.759	$5.74 * 10^3$	0.00623	0.00000	0.01393
4.211	$1.63 * 10^4$	0.00623	0.00000	0.03897

### 7.3.3 Day 29 pseudoneutid50




Figure 7.11: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.11: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right	
	0.083	1.21 * 10 <sup>0</sup>	0.00533	0.00327	0.00739
	0.814	6.52 * 10 <sup>0</sup>	0.00497	0.00281	0.00712
	0.912	8.17 * 10 <sup>0</sup>	0.00497	0.00263	0.00731
	0.985	9.66 * 10 <sup>0</sup>	0.00497	0.00261	0.00733
	1.200	1.58 * 10 <sup>1</sup>	0.00497	0.00208	0.00785
	1.304	2.01 * 10 <sup>1</sup>	0.00497	0.00195	0.00798
	1.404	2.54 * 10 <sup>1</sup>	0.00497	0.00124	0.00869
	1.537	3.44 * 10 <sup>1</sup>	0.00497	0.00057	0.00936
	1.730	5.37 * 10 <sup>1</sup>	0.00497	0.00000	0.01112
	1.811	6.47 * 10 <sup>1</sup>	0.00497	0.00000	0.01205
	1.905	8.04 * 10 <sup>1</sup>	0.00497	0.00000	0.01161
	2.481	3.03 * 10 <sup>2</sup>	0.00000	NA	NA
	2.699	5.00 * 10 <sup>2</sup>	0.00000	NA	NA
	3.000	1.00 * 10 <sup>3</sup>	0.00000	NA	NA

### 7.3.4 Day 29 pseudoneutid80




Figure 7.12: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.12: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	1.185 1.53 * 10 <sup>1</sup>	0.00467	0.00249	0.00685
	1.334 2.16 * 10 <sup>1</sup>	0.00467	0.00217	0.00717
	1.425 2.66 * 10 <sup>1</sup>	0.00430	0.00121	0.00739
	1.548 3.53 * 10 <sup>1</sup>	0.00327	0.00033	0.00621
	1.652 4.49 * 10 <sup>1</sup>	0.00316	0.00000	0.00667
	1.806 6.40 * 10 <sup>1</sup>	0.00294	0.00000	0.00733
	1.877 7.53 * 10 <sup>1</sup>	0.00220	0.00000	0.00589
	1.962 9.16 * 10 <sup>1</sup>	0.00203	0.00000	0.00607
	2.529 3.38 * 10 <sup>2</sup>	0.00000	NA	NA
	2.699 5.00 * 10 <sup>2</sup>	0.00000	NA	NA
	3.000 1.00 * 10 <sup>3</sup>	0.00000	NA	NA

**7.4 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected)**

MOCK

### 7.4.1 Day 29 bindSpike




Figure 7.13: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.13: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.459	$2.88 * 10^0$	0.00507	0.00303	0.00710
1.805	$6.38 * 10^1$	0.00459	0.00253	0.00665
1.967	$9.27 * 10^1$	0.00459	0.00246	0.00673
2.114	$1.30 * 10^2$	0.00459	0.00226	0.00692
2.356	$2.27 * 10^2$	0.00459	0.00200	0.00718
2.518	$3.30 * 10^2$	0.00459	0.00123	0.00796
2.675	$4.73 * 10^2$	0.00459	0.00005	0.00913
2.699	$5.00 * 10^2$	0.00459	0.00005	0.00913
2.850	$7.08 * 10^2$	0.00459	0.00000	0.00975
3.000	$1.00 * 10^3$	0.00446	0.00000	0.00983
3.112	$1.29 * 10^3$	0.00446	0.00000	0.01072
3.250	$1.78 * 10^3$	0.00253	0.00000	0.00675
3.350	$2.24 * 10^3$	0.00000	NA	NA
4.007	$1.02 * 10^4$	0.00000	NA	NA

### 7.4.2 Day 29 bindRBD




Figure 7.14: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.14: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.609	$4.06 * 10^0$	0.00623	0.00418	0.00828
1.940	$8.71 * 10^1$	0.00623	0.00400	0.00846
2.110	$1.29 * 10^2$	0.00623	0.00400	0.00846
2.281	$1.91 * 10^2$	0.00623	0.00382	0.00864
2.610	$4.07 * 10^2$	0.00623	0.00361	0.00885
2.699	$5.00 * 10^2$	0.00623	0.00340	0.00906
2.811	$6.47 * 10^2$	0.00623	0.00283	0.00964
2.991	$9.79 * 10^2$	0.00623	0.00206	0.01040
3.000	$1.00 * 10^3$	0.00623	0.00206	0.01040
3.192	$1.56 * 10^3$	0.00623	0.00042	0.01204
3.489	$3.08 * 10^3$	0.00623	0.00000	0.01356
3.613	$4.10 * 10^3$	0.00623	0.00000	0.01532
3.759	$5.74 * 10^3$	0.00623	0.00000	0.01393
4.211	$1.63 * 10^4$	0.00623	0.00000	0.03897

### 7.4.3 Day 29 pseudoneutid50




Figure 7.15: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.15: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.083	$1.21 * 10^0$	0.00533	0.00327	0.00739
0.814	$6.52 * 10^0$	0.00497	0.00281	0.00712
0.912	$8.17 * 10^0$	0.00497	0.00263	0.00731
0.985	$9.66 * 10^0$	0.00497	0.00261	0.00733
1.200	$1.58 * 10^1$	0.00497	0.00208	0.00785
1.304	$2.01 * 10^1$	0.00497	0.00195	0.00798
1.404	$2.54 * 10^1$	0.00497	0.00124	0.00869
1.537	$3.44 * 10^1$	0.00497	0.00057	0.00936
1.730	$5.37 * 10^1$	0.00497	0.00000	0.01112
1.811	$6.47 * 10^1$	0.00497	0.00000	0.01205
1.905	$8.04 * 10^1$	0.00497	0.00000	0.01161
2.481	$3.03 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

#### 7.4.4 Day 29 pseudoneutid80




Figure 7.16: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.16: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with pointwise 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	0.876 7.52 * 10 <sup>0</sup>	0.00517	0.00310	0.00724
	1.185 1.53 * 10 <sup>1</sup>	0.00467	0.00249	0.00685
	1.334 2.16 * 10 <sup>1</sup>	0.00467	0.00217	0.00717
	1.425 2.66 * 10 <sup>1</sup>	0.00430	0.00121	0.00739
	1.548 3.53 * 10 <sup>1</sup>	0.00327	0.00033	0.00621
	1.652 4.49 * 10 <sup>1</sup>	0.00316	0.00000	0.00667
	1.806 6.40 * 10 <sup>1</sup>	0.00294	0.00000	0.00733
	1.877 7.53 * 10 <sup>1</sup>	0.00220	0.00000	0.00589
	1.962 9.16 * 10 <sup>1</sup>	0.00203	0.00000	0.00607
	2.529 3.38 * 10 <sup>2</sup>	0.00000	NA	NA
	2.699 5.00 * 10 <sup>2</sup>	0.00000	NA	NA
	3.000 1.00 * 10 <sup>3</sup>	0.00000	NA	NA

## 7.5 Plots and Tables with estimates and simultaneous confidence intervals for Day 57 (monotone-corrected)

MOCK

### 7.5.1 Day 57 bindSpike




Figure 7.17: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.17: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
	1.761 5.77 * 10 <sup>1</sup>	0.00479	0.00221	0.00736
	2.699 5.00 * 10 <sup>2</sup>	0.00461	0.00187	0.00735
	2.808 6.43 * 10 <sup>2</sup>	0.00452	0.00163	0.00742
	2.965 9.23 * 10 <sup>2</sup>	0.00421	0.00131	0.00711
	3.000 1.00 * 10 <sup>3</sup>	0.00421	0.00131	0.00711
	3.133 1.36 * 10 <sup>3</sup>	0.00412	0.00104	0.00720
	3.459 2.88 * 10 <sup>3</sup>	0.00328	0.00000	0.00735
	3.671 4.69 * 10 <sup>3</sup>	0.00221	0.00000	0.00626
	3.860 7.24 * 10 <sup>3</sup>	0.00221	0.00000	0.01045
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884

### 7.5.2 Day 57 bindRBD




Figure 7.18: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.18: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.898	$7.91 * 10^0$	0.00479	0.00231	0.00727
2.699	$5.00 * 10^2$	0.00462	0.00199	0.00726
2.871	$7.43 * 10^2$	0.00462	0.00181	0.00744
3.000	$1.00 * 10^3$	0.00437	0.00151	0.00722
3.062	$1.15 * 10^3$	0.00437	0.00151	0.00722
3.211	$1.63 * 10^3$	0.00432	0.00142	0.00722
3.580	$3.80 * 10^3$	0.00432	0.00000	0.00889
3.832	$6.79 * 10^3$	0.00432	0.00000	0.01357
4.061	$1.15 * 10^4$	0.00432	0.00000	0.01960
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838

### 7.5.3 Day 57 pseudoneutid50




Figure 7.19: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.19: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.072	$1.18 * 10^1$	0.00472	0.00196	0.00747
2.070	$1.17 * 10^2$	0.00406	0.00131	0.00681
2.214	$1.64 * 10^2$	0.00406	0.00124	0.00688
2.313	$2.06 * 10^2$	0.00406	0.00110	0.00703
2.538	$3.45 * 10^2$	0.00371	0.00054	0.00688
2.690	$4.90 * 10^2$	0.00272	0.00000	0.00551
2.699	$5.00 * 10^2$	0.00272	0.00000	0.00551
2.817	$6.56 * 10^2$	0.00272	0.00000	0.00634
2.967	$9.27 * 10^2$	0.00272	0.00000	0.00728
3.000	$1.00 * 10^3$	0.00272	0.00000	0.00717
3.196	$1.57 * 10^3$	0.00272	0.00000	0.00822
3.290	$1.95 * 10^3$	0.00208	0.00000	0.00648
3.401	$2.52 * 10^3$	0.00191	0.00000	0.00577
4.038	$1.09 * 10^4$	0.00000	NA	NA

### 7.5.4 Day 57 pseudoneutid80




Figure 7.20: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.20: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.285	$1.93 * 10^1$	0.00475	0.00201	0.00749
2.204	$1.60 * 10^2$	0.00434	0.00143	0.00726
2.316	$2.07 * 10^2$	0.00412	0.00128	0.00695
2.418	$2.62 * 10^2$	0.00412	0.00101	0.00722
2.648	$4.45 * 10^2$	0.00412	0.00021	0.00803
2.699	$5.00 * 10^2$	0.00388	0.00012	0.00764
2.766	$5.83 * 10^2$	0.00355	0.00000	0.00759
2.878	$7.55 * 10^2$	0.00323	0.00000	0.00755
3.000	$1.00 * 10^3$	0.00248	0.00000	0.00685
3.006	$1.01 * 10^3$	0.00248	0.00000	0.00685
3.196	$1.57 * 10^3$	0.00198	0.00000	0.00680
3.299	$1.99 * 10^3$	0.00161	0.00000	0.00488
3.445	$2.79 * 10^3$	0.00118	0.00000	0.00352
4.187	$1.54 * 10^4$	0.00000	NA	NA

## 7.6 Plots and Tables with estimates and simultaneous confidence intervals for Day 57 (monotone-corrected)

MOCK

### 7.6.1 Day 57 bindSpike




Figure 7.21: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.21: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindSpike levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
	1.761 5.77 * 10 <sup>1</sup>	0.00479	0.00221	0.00736
	2.699 5.00 * 10 <sup>2</sup>	0.00461	0.00187	0.00735
	2.808 6.43 * 10 <sup>2</sup>	0.00452	0.00163	0.00742
	2.965 9.23 * 10 <sup>2</sup>	0.00421	0.00131	0.00711
	3.000 1.00 * 10 <sup>3</sup>	0.00421	0.00131	0.00711
	3.133 1.36 * 10 <sup>3</sup>	0.00412	0.00104	0.00720
	3.459 2.88 * 10 <sup>3</sup>	0.00328	0.00000	0.00735
	3.671 4.69 * 10 <sup>3</sup>	0.00221	0.00000	0.00626
	3.860 7.24 * 10 <sup>3</sup>	0.00221	0.00000	0.01045
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884
	4.007 1.02 * 10 <sup>4</sup>	0.00194	0.00000	0.03884

### 7.6.2 Day 57 bindRBD




Figure 7.22: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.22: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57bindRBD levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.898	$7.91 * 10^0$	0.00479	0.00231	0.00727
2.699	$5.00 * 10^2$	0.00462	0.00199	0.00726
2.871	$7.43 * 10^2$	0.00462	0.00181	0.00744
3.000	$1.00 * 10^3$	0.00437	0.00151	0.00722
3.062	$1.15 * 10^3$	0.00437	0.00151	0.00722
3.211	$1.63 * 10^3$	0.00432	0.00142	0.00722
3.580	$3.80 * 10^3$	0.00432	0.00000	0.00889
3.832	$6.79 * 10^3$	0.00432	0.00000	0.01357
4.061	$1.15 * 10^4$	0.00432	0.00000	0.01960
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838
4.211	$1.63 * 10^4$	0.00432	0.00000	0.04838

### 7.6.3 Day 57 pseudoneutid50




Figure 7.23: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.23: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid50 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.072	$1.18 * 10^1$	0.00472	0.00196	0.00747
2.070	$1.17 * 10^2$	0.00406	0.00131	0.00681
2.214	$1.64 * 10^2$	0.00406	0.00124	0.00688
2.313	$2.06 * 10^2$	0.00406	0.00110	0.00703
2.538	$3.45 * 10^2$	0.00371	0.00054	0.00688
2.690	$4.90 * 10^2$	0.00272	0.00000	0.00551
2.699	$5.00 * 10^2$	0.00272	0.00000	0.00551
2.817	$6.56 * 10^2$	0.00272	0.00000	0.00634
2.967	$9.27 * 10^2$	0.00272	0.00000	0.00728
3.000	$1.00 * 10^3$	0.00272	0.00000	0.00717
3.196	$1.57 * 10^3$	0.00272	0.00000	0.00822
3.290	$1.95 * 10^3$	0.00208	0.00000	0.00648
3.401	$2.52 * 10^3$	0.00191	0.00000	0.00577
4.038	$1.09 * 10^4$	0.00000	NA	NA

### 7.6.4 Day 57 pseudoneutid80




Figure 7.24: Adjusted threshold-response function for a range of thresholds of the Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.24: Table of monotone-corrected risk estimates for a range of thresholds of Day 57 Day57pseudoneutid80 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
1.285	$1.93 * 10^1$	0.00475	0.00201	0.00749
2.204	$1.60 * 10^2$	0.00434	0.00143	0.00726
2.316	$2.07 * 10^2$	0.00412	0.00128	0.00695
2.418	$2.62 * 10^2$	0.00412	0.00101	0.00722
2.648	$4.45 * 10^2$	0.00412	0.00021	0.00803
2.699	$5.00 * 10^2$	0.00388	0.00012	0.00764
2.766	$5.83 * 10^2$	0.00355	0.00000	0.00759
2.878	$7.55 * 10^2$	0.00323	0.00000	0.00755
3.000	$1.00 * 10^3$	0.00248	0.00000	0.00685
3.006	$1.01 * 10^3$	0.00248	0.00000	0.00685
3.196	$1.57 * 10^3$	0.00198	0.00000	0.00680
3.299	$1.99 * 10^3$	0.00161	0.00000	0.00488
3.445	$2.79 * 10^3$	0.00118	0.00000	0.00352
4.187	$1.54 * 10^4$	0.00000	NA	NA

## 7.7 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)

MOCK

### 7.7.1 Day 29 bindSpike




Figure 7.25: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.25: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.459	$2.88 \times 10^0$	0.00507	0.00221	0.00792
1.805	$6.38 \times 10^1$	0.00459	0.00171	0.00748
1.967	$9.27 \times 10^1$	0.00459	0.00160	0.00759
2.114	$1.30 \times 10^2$	0.00459	0.00133	0.00786
2.356	$2.27 \times 10^2$	0.00459	0.00096	0.00822
2.518	$3.30 \times 10^2$	0.00459	0.00000	0.00931
2.675	$4.73 \times 10^2$	0.00459	0.00000	0.01095
2.699	$5.00 \times 10^2$	0.00459	0.00000	0.01095
2.850	$7.08 \times 10^2$	0.00459	0.00000	0.01181
3.000	$1.00 \times 10^3$	0.00446	0.00000	0.01198
3.112	$1.29 \times 10^3$	0.00446	0.00000	0.01323
3.250	$1.78 \times 10^3$	0.00253	0.00000	0.00845
3.350	$2.24 \times 10^3$	0.00000	NA	NA
4.007	$1.02 \times 10^4$	0.00000	NA	NA

### 7.7.2 Day 29 bindRBD




Figure 7.26: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.26: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.609	$4.06 \times 10^0$	0.00623	0.00333	0.00913
1.940	$8.71 \times 10^1$	0.00623	0.00307	0.00939
2.110	$1.29 \times 10^2$	0.00623	0.00307	0.00939
2.281	$1.91 \times 10^2$	0.00623	0.00283	0.00963
2.610	$4.07 \times 10^2$	0.00623	0.00253	0.00993
2.699	$5.00 \times 10^2$	0.00623	0.00223	0.01023
2.811	$6.47 \times 10^2$	0.00623	0.00142	0.01104
2.991	$9.79 \times 10^2$	0.00623	0.00034	0.01212
3.000	$1.00 \times 10^3$	0.00623	0.00034	0.01212
3.192	$1.56 \times 10^3$	0.00623	0.00000	0.01445
3.489	$3.08 \times 10^3$	0.00623	0.00000	0.01659
3.613	$4.10 \times 10^3$	0.00623	0.00000	0.01908
3.759	$5.74 \times 10^3$	0.00623	0.00000	0.01711
4.211	$1.63 \times 10^4$	0.00623	0.00000	0.05251

### 7.7.3 Day 29 pseudoneutid50




Figure 7.27: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.27: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.083	$1.21 * 10^0$	0.00533	0.00244	0.00822
0.814	$6.52 * 10^0$	0.00497	0.00194	0.00800
0.912	$8.17 * 10^0$	0.00497	0.00167	0.00826
0.985	$9.66 * 10^0$	0.00497	0.00164	0.00829
1.200	$1.58 * 10^1$	0.00497	0.00091	0.00903
1.304	$2.01 * 10^1$	0.00497	0.00072	0.00921
1.404	$2.54 * 10^1$	0.00497	0.00000	0.01021
1.537	$3.44 * 10^1$	0.00497	0.00000	0.01116
1.730	$5.37 * 10^1$	0.00497	0.00000	0.01362
1.811	$6.47 * 10^1$	0.00497	0.00000	0.01494
1.905	$8.04 * 10^1$	0.00497	0.00000	0.01431
2.481	$3.03 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

### 7.7.4 Day 29 pseudoneutid80




Figure 7.28: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.28: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
1.185	$1.53 * 10^1$	0.00467	0.00160	0.00773
1.334	$2.16 * 10^1$	0.00467	0.00116	0.00818
1.425	$2.66 * 10^1$	0.00430	0.00000	0.00864
1.548	$3.53 * 10^1$	0.00327	0.00000	0.00740
1.652	$4.49 * 10^1$	0.00316	0.00000	0.00809
1.806	$6.40 * 10^1$	0.00294	0.00000	0.00910
1.877	$7.53 * 10^1$	0.00220	0.00000	0.00738
1.962	$9.16 * 10^1$	0.00203	0.00000	0.00770
2.529	$3.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

**7.8 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)**

MOCK

### 7.8.1 Day 29 bindSpike




Figure 7.29: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.29: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.459	$2.88 \times 10^0$	0.00507	0.00221	0.00792
1.805	$6.38 \times 10^1$	0.00459	0.00171	0.00748
1.967	$9.27 \times 10^1$	0.00459	0.00160	0.00759
2.114	$1.30 \times 10^2$	0.00459	0.00133	0.00786
2.356	$2.27 \times 10^2$	0.00459	0.00096	0.00822
2.518	$3.30 \times 10^2$	0.00459	0.00000	0.00931
2.675	$4.73 \times 10^2$	0.00459	0.00000	0.01095
2.699	$5.00 \times 10^2$	0.00459	0.00000	0.01095
2.850	$7.08 \times 10^2$	0.00459	0.00000	0.01181
3.000	$1.00 \times 10^3$	0.00446	0.00000	0.01198
3.112	$1.29 \times 10^3$	0.00446	0.00000	0.01323
3.250	$1.78 \times 10^3$	0.00253	0.00000	0.00845
3.350	$2.24 \times 10^3$	0.00000	NA	NA
4.007	$1.02 \times 10^4$	0.00000	NA	NA

### 7.8.2 Day 29 bindRBD




Figure 7.30: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.30: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.609	$4.06 \times 10^0$	0.00623	0.00333	0.00913
1.940	$8.71 \times 10^1$	0.00623	0.00307	0.00939
2.110	$1.29 \times 10^2$	0.00623	0.00307	0.00939
2.281	$1.91 \times 10^2$	0.00623	0.00283	0.00963
2.610	$4.07 \times 10^2$	0.00623	0.00253	0.00993
2.699	$5.00 \times 10^2$	0.00623	0.00223	0.01023
2.811	$6.47 \times 10^2$	0.00623	0.00142	0.01104
2.991	$9.79 \times 10^2$	0.00623	0.00034	0.01212
3.000	$1.00 \times 10^3$	0.00623	0.00034	0.01212
3.192	$1.56 \times 10^3$	0.00623	0.00000	0.01445
3.489	$3.08 \times 10^3$	0.00623	0.00000	0.01659
3.613	$4.10 \times 10^3$	0.00623	0.00000	0.01908
3.759	$5.74 \times 10^3$	0.00623	0.00000	0.01711
4.211	$1.63 \times 10^4$	0.00623	0.00000	0.05251

### 7.8.3 Day 29 pseudoneutid50




Figure 7.31: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.31: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid50 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.083	$1.21 * 10^0$	0.00533	0.00244	0.00822
0.814	$6.52 * 10^0$	0.00497	0.00194	0.00800
0.912	$8.17 * 10^0$	0.00497	0.00167	0.00826
0.985	$9.66 * 10^0$	0.00497	0.00164	0.00829
1.200	$1.58 * 10^1$	0.00497	0.00091	0.00903
1.304	$2.01 * 10^1$	0.00497	0.00072	0.00921
1.404	$2.54 * 10^1$	0.00497	0.00000	0.01021
1.537	$3.44 * 10^1$	0.00497	0.00000	0.01116
1.730	$5.37 * 10^1$	0.00497	0.00000	0.01362
1.811	$6.47 * 10^1$	0.00497	0.00000	0.01494
1.905	$8.04 * 10^1$	0.00497	0.00000	0.01431
2.481	$3.03 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

### 7.8.4 Day 29 pseudoneutid80




Figure 7.32: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 7.32: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29pseudoneutid80 levels with simultaneous 95% confidence intervals.

$\log_{10}$ -Threshold	Threshold	Risk estimate	CI left	CI right
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
0.876	$7.52 * 10^0$	0.00517	0.00227	0.00807
1.185	$1.53 * 10^1$	0.00467	0.00160	0.00773
1.334	$2.16 * 10^1$	0.00467	0.00116	0.00818
1.425	$2.66 * 10^1$	0.00430	0.00000	0.00864
1.548	$3.53 * 10^1$	0.00327	0.00000	0.00740
1.652	$4.49 * 10^1$	0.00316	0.00000	0.00809
1.806	$6.40 * 10^1$	0.00294	0.00000	0.00910
1.877	$7.53 * 10^1$	0.00220	0.00000	0.00738
1.962	$9.16 * 10^1$	0.00203	0.00000	0.00770
2.529	$3.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

MOCK

## Chapter 8

# Univariate CoR: Nonparametric Threshold Modeling ( $\leq s$ )

The same methodology as the previous section is apply to estimate the “below” threshold-response function  $E_{WE}[Y = 1 | A = 1, X, S \leq s]$ .

MOCHI

MOCK

## Chapter 9

# Day D29 Univariate CoR: Nonlinear modeling

To explore nonlinear association and threshold modeling, we fit smoothing spline models with degrees of freedom selected by cross-validation using the mgcv R package.




Figure 9.1: Marginalized risk as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3.

### Binding Antibody to RBD: Day 29




Figure 9.2: Marginalized risk as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.




Figure 9.3: Marginalized risk as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4.

### PsV Neutralization 80% Titer: Day 29




Figure 9.4: Marginalized risk as functions of Day 29 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 201 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid.  $\text{lod} = 15$ .

MOCK

## Chapter 10

# Day D57 Univariate CoR: Nonlinear modeling

To explore nonlinear association and threshold modeling, we fit smoothing spline models with degrees of freedom selected by cross-validation using the mgcv R package.




Figure 10.1: Marginalized risk as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3.

### Binding Antibody to RBD: Day 57




Figure 10.2: Marginalized risk as functions of Day 57 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6.




Figure 10.3: Marginalized risk as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 2.4.

### PsV Neutralization 80% Titer: Day 57




Figure 10.4: Marginalized risk as functions of Day 57 markers ( $=s$ ) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: MinorityInd + HighRiskInd + Age. The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 173 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 15.

MOCK

# Chapter 11

## Appendix

```
#> [1] "reading data from moderna_mock_data_processed_with_riskscore.csv"
```

- This report was built from the [CoVPN/correlates\\_reporting](#) repository with commit hash a64ca5378085ea76ec67a8282e9b958ae4b4a17d. A diff of the changes introduced by that commit may be viewed at [https://github.com/CoVPN/correlates\\_reporting/commit/a64ca5378085ea76ec67a8282e9b958ae4b4a17d](https://github.com/CoVPN/correlates_reporting/commit/a64ca5378085ea76ec67a8282e9b958ae4b4a17d)
- The sha256 hash sum of the processed file, “moderna\_mock\_data\_processed\_with\_riskscore.csv”: c29963d581d8d6b7c13fecc9ca9b60a505a187b34fae117ebc0ad747cff1b26a