## Tygron Environment Guide

Tygron Connect VH group 1

June 2015

# Contents

1	Percepts	;
2	Actions	,
3	Decisions	9

# Summary

In this document you can find the list of actions and percepts that are implemented in the Tygron environment. The environment can be downloaded from our Jenkins server located at: http://jenkins.buildwise.eu/job/tygron-connect/lastBuild/. You will need a configuration file to log in on the server, for this configuration file, ask us on github at https://github.com/tygron-virtual-humans/tygron-connect.

# Chapter 1

# Percepts

This section will list all the percepts that are usable in the Tygron environment, there are currently two types of percepts: **Send once** and **Send on change**. For the implementation of these percepts in your GOAL code, please refer to the GOAL manual.

1. Percepts 4

### 1.1 Send once percepts

### Stakeholder percept

Description Information about the stakeholders present in the map.

Type Send once

Syntax stakeholder(<ID>, <Name>, <ShortName>)
Parameters <ID>: Unique number of the stakeholder.

<Name>: The name of the stakeholder (eg. Housing Cor-

poration).

<ShortName>: The short name of the stakeholder (eg.

DUWO).

### Stakeholder Self percept

Description The ID of the current stakeholder.

Type Send once

Syntax  $stakeholderSelf(\langle ID \rangle)$ 

Parameters <ID>: Unique number of the stakeholder.

### InitIndicator percept

Description Weights of the indicators in the map.

Type Send once

Syntax initIndicator(<SID>, <IID>, <Weight>)

Parameters <SID>: ID of the stakeholder for which this percept has

this weight.

<IID>: The ID of the indicator.

<ShortName>: The weight of the indicator.

1. Percepts 5

## 1.2 On change percepts

### Indicator percept

Description Information about the indicators present in the map.

Type Send on change

Syntax indicator(<ID>, <Type>, <Name>, <Progress>, <Cur-

rent>, <Target>)

Parameters <ID>: Unique number of the indicator.

<Type>: The type of indicator (eg. finance).

<Name>: The name of the indicator.

<Progress>: the progress of the indicator (current / target).

<Current>: The current value of the indicator.
<Target>: The target value of the indicator.

### Economy percept

Description Information about the economies present in the map.

Type Send on change

Syntax economy(<ID>, <Category>, <State>)
Parameters <ID>: Unique number of the economy.

<Category>: The category of the economy.

<State>: The state of the economy.

#### Building percept

Description Information about the buildings present in the map.

Type Send on change

Syntax building(<ID>, <Name>)

Parameters <ID>: Unique number for the building.

<Name>: The name of the building.

### Permit percept

Description Information about all the permits requested by the current

stakeholder.

Type Send on change Syntax permits(<Amount>)

Parameters <Amount>: Amount of permits.

1. Percepts 6

#### Caution

The following percepts take a lot of time to complete, the bot will respond slower the more you call these percepts. Do not use these percepts if your bot needs to be fast and responsive. Only call the percept when really needed. Cycles will last longer when using this.

#### Available land percept

Desription Information about the available land of the current stake-

holder in the map.

Type Send on change

Syntax availableLand(<Amount>)
Parameters <Amount>: Amount of land.

### All land percept

Description Information about all the land of the current stakeholder in

the map.

Type Send on change Syntax allLand(<Amount>)

Parameters <Amount>: Amount of land.

# Chapter 2

# Actions

In this section, You will find all the actions present in the latest stable Tygron environment, these actions can all be performed by the GOAL agent. The actions should be implemented with an action spec.

2. Actions 8

### 2.1 General actions

#### **Build action**

Description Build.

Syntax build(<Surface>, <Type>)

Parameters <Surface>: The size of the surface to build on.

<Type>: The type of building to be built, this is a natural

number with:

0 = building, 1 = park, 2 = parking lot and 3 = office.

Effects Builds a park, building, office or parking lot on an available

piece of land.

#### Buy land action

Description Buy land.

Syntax buyLand(<Surface>, <Cost>)

Parameters <Surface>: The size of the surface to buy.

<Cost>: The cost of the land per  $m^2$ .

Effects Buys land from another stakeholder.

#### Ask money action

Description Ask money from another stakeholder. Syntax buyLand(<Stakeholder>, <Amount>)

Parameters < Stakeholder >: The stakeholder to ask money from.

<Amount>: The amount of money.

Effects Asks money from another stakeholder.

#### Give money action

Description Give money to another stakeholder. Syntax buyLand(<Stakeholder>, <Amount>)

Parameters < Stakeholder >: The stakeholder to give money to.

<Amount>: The amount of money.

Effects Gives money to another stakeholder.

# Chapter 3

# **Decisions**

## 3.1 Build action

For this release of the environment we decided to have four sorts of buildings that the agent can build: parking spaces, offices, parks and buildings. We decided to do this because we have limited time; the Virtual Human will only play in a map where the only goals that can be accomplished involves building these buildings.