

# **Uber Case Study**

# Background



Uber Technologies, Inc. is an American multinational transportation network company based in San Francisco.



Ridesharing is a very volatile market and demand fluctuates wildly with time, place, weather, local events, etc.

It has operations in over 785 metropolitan areas worldwide with over 110 million users worldwide.



The key to being successful in this business is to be able to detect patterns in these fluctuations and cater to the demand at any given time.

### **Objective**



To extract actionable insights from the data that we have collected over the past 6 months to optimise resources and identify area of growth and improvement.

We will be majorly focusing on these problems -

- Variables that influence the pickups
- Factors that affect pickups the most and the respective reasons
- Ways to capitalize the fluctuating demand

### **Data Information**



The data contains the details for the Uber rides across various boroughs (subdivisions) of New York City at an hourly level and attributes associated with weather conditions at that time.

Variable	Description	
pickup_dt	Date and time of the pick up	
borough	NYC's borough	
pickups	Number of pickups for the period (hourly)	
spd	Wind speed in miles/hour	
vsb	Visibility in miles to nearest tenth	
temp	Temperature in Fahrenheit	
dewp	Dew point in Fahrenheit	
slp	Sea level pressure	
рср01	1-hour liquid precipitation	
рср06	6-hour liquid precipitation	
рср24	24-hour liquid precipitation	
sd	Snow depth in inches	
hday	Being a holiday (Y) or not (N)	

Observations	Variables	Duration
29101	13	6 months

#### Note:

- The time period for the data is from January to June for the year 2015
- The date column has been splitted into month, year and time of the day separately for the analysis
- There are some missing values in the borough column that has been replaced with a new label named 'Unknown' in the analysis
- The missing values in the temperature column have been imputed with the mean temperature of or not (N) the month of January for the Brooklyn borough
  This file is meant for personal use by arielighuma4@gmail.com only.



# **Exploratory Data Analysis - Number of Pickups**


In this data, there are variables like temperature, wind speed, dew point, number of pickups etc. that affects the ride sharing business.

Let us first explore some of the variables and how they are distributed

#### **Observations:**

- The distribution of hourly pickups is highly right skewed
- There are a lot of outliers in this variable
- While most hourly pickups are at lower end, we have observations where hourly pickups went as high as 8000

#### Number of pickups







This file is meant for personal use by arielighuma4@gmail.com on 19.00 4000 5000 6000 7000 8000

### **Exploratory Data Analysis - Visibility, Temperature & Dew point**





- Both the mean and median are high indicating that the visibility is good on most days
- There are however outliers towards the left, indicating that visibility is
- Temperature does not have any outliers
- 50% of the temperature values are less than 45F (~7 degree celsius), indicating cold weather conditions



- The distribution is similar to that of temperature. It suggests possible correlation between the two variables
  - Dew point is an indication of humidity, which is correlated with temperature

extremely low on some days This file is meant for personal use by arielighuma4@gmail.com only.






1.5

2.0

1.0

pcp24



0.0

0.2

0.4

0.6

pcp06

0.8

1.0

1.2

0.0

0.5

#### **Observations:**

0.00

0.05

It rains on relatively fewer days in New York

0.20

0.25

Most of the days are dry

0.10

The outliers occur when it rains heavily

0.15

pcp01


# **Exploratory Data Analysis - Snow depth**




#### Observations:

- We observe that there is a snowfall in the time period that we are analysing.
- There are outliers in this data.
- We will have to see how snowfall affects pickups.
   We know that very few people are likely to get out if it is snowing heavily, so our pickups will decrease when it snows.

#### Snow depth





# **Exploratory Data Analysis - Correlation matrix**



-0.75

- 0.50

-0.25

- 0.00

- -0.25

-0.50


-0.75

-1.00

#### **Observations:**

- Temperature shows a high correlation with dew point
- Visibility is negatively correlated with precipitation. If the rains are high during the hour, visibility is low.
- Snow depth is also negatively correlated with temperature.
- Wind speed and sea level pressure is negatively correlated with temperature.
   As the temperature increases, wind speeds decrease and so does sea level pressure.
- There does not seem to be a strong relationship between number of pickups and weather stats.


#### Correlation matrix



# **Exploratory Data Analysis - Total Pickups**




#### Total Pickups per month



#### **Observations:**

- There is clear increasing trend in monthly bookings
- Bookings in June are almost 2.8 times than that that of Jan

#### Total pickups per weekday




#### **Observations:**

- Pickups gradually increase as the week progresses and starts dropping down after saturday.
- Demand is usually low at the beginning of the week

beginning of the week
This file is meant for personal use by arielighuma4@gmail.com only.

#### Total pickups per hours of the day



#### **Observations:**

 Bookings peak around the 19th and 20th hour of the day, which can be attributed to people leaving their workplaces




# Exploratory Data Analysis - Pickup across borough

#### **Observations:**

- There is a clear difference in ridership across the different boroughs.
- Manhattan has the highest no. of bookings
- Brooklyn and Queens are distant followers
- EWR, Unknown and Staten Island have very low bookings. The demand is so small that probably it can be covered by the drop-offs of the inbound trips from other areas.

#### Pickups across borough



### **Conclusions**



- 1. Uber cabs are most popular in the Manhattan area of New York.
- 2. Weather conditions do not have much impact on the number of Uber pickups.
- 3. The demand for Ubers has been increasing steadily over the months (Jan to June).
- 4. The rate of pickups is higher on the weekends as compared to weekdays.
- 5. It is encouraging to see that New Yorkers trust Uber taxi services when they step out to enjoy their evenings.
- 6. People use Uber for regular office commutes. The demand steadily increases from 6AM to 10AM in the morning, then declines a little and starts picking up at 12PM. The demand peaks at 7-8 PM at night.
- 7. We need to further investigate the low demand for Ubers on Mondays.

### Recommendations



- 1. Manhattan is the most mature market for Uber. Brooklyn, Queens and Bronx show a lot of potential.
- 2. There has been a gradual increase in Uber rides over the last few months and we need to keep up the momentum.
- 3. Riderships are high at peak office commute hours on weekdays and during late evenings on Saturday. Cab availability must be ensured during these times.
- 4. The demand for cabs is highest during saturday nights. Cab availability must be ensured during this time of the week.
- 5. We need to procure data for fleet size availability to get a better understanding of demand-supply status and build a machine learning model to accurately predict pickups per hour, to optimise the cab fleet in respective areas.
- 6. We need to procure more data on price and build a model that can predict optimal pricing.



**Happy Learning!** 

