Unity3D Tutorial - Beginner Basics

0. About This Tutorial

- 1 Unity3D is a *Game Development* tool for Windows and Mac OS. This tutorial will help a beginner Unity3D basics, using a Windows PC, a mouse, and keyboard.
- **2** To run Unity3D well, a Windows computer needs a 3D graphics card, and 2GB or more of RAM.
- 3 To understand this tutorial, you must be comfortable running computer programs in Windows, and using a mouse and keyboard. Knowing programming is not required.
- **4** By the end of this tutorial, a beginner should be able to make and play a simple **Scene** in Unity3D, with a First-Person Controller, and simple obstacles. More advanced users might be able to create a platform-based 3D maze game, complete with win condition.
- **5** This tutorial will hopefully teach enough to <u>make a beginner feel comfortable with Unity3D</u>.

1. Installing Unity3D

1 Head to http://unity3d.com/unity/download and download the Unity3D Download Unity 4. - . installer for *free*! It's a large file so be patient! Run it after it downloads. 2 While downloading, make sure you have an e-mail account. You need it to finish installation! Next > **3** After the installer verifies itself, press the license, which says you can't use the free version if you make more verifying installer: 42% than \$100,000 a year (note: I am not a lawyer, this is not legal advice). 4 For slow computers, un-check Example Project to reduce the install, and speed up the first load time. Next > **5** Press and wait for the progress bar **6** Finally, after Unity finishes installing press 7 Unity3D should start up on it's own. If it doesn't start automatically, start Unity3D with the shortcut that might be on the desktop, or by find it in the Start-menu or the Windows dashboard. 8 A special set of windows will pop up when you start Unity3D the first time. For the free version, you need to ✓ Activate the free version of Unity and press Give your Name, Email, create a Password, and mark V I agree to the Unity Terms of Use and Privacy Policy, Agreeing to the Terms of Use means that you're 13 or older, won't do anything illegal with Unity, won't hack Unity in any way, and will respect copyright (again, I am not a lawyer, this is not legal advice).

2. Start a Project (in Windows)

9 Press

1 If you un-checked Example Project earlier, just select the Create New Project tab. Otherwise, after the **Example Project** finishes loading, press File, and select New Project... Browse... to the Desktop, and create a (Right-Mouse Button in the File Folder, or just press Ctrl + Shift +N Chooser and select New Select Folder unity3d tutorial Create **3** Name the folder to create the project. Press

10 Register the installation with the Email and Password you entered earlier, then press


You can skip the survey with Not right now at the bottom, and finally

to continue. After creating your account, check your e-mail and

Start using Unity

3. Pick a User Interface Layout


- 1 Choose a User Interface layout using the drop-down menu (on the upper-right.
- **2** Below is an example of the **Tall** User Interface (or UI for short):



4 If you lose any UI, check Window, or reset the layout with the drop-down menu.


4. Use the Scene User Interface

1 Find your #Scene User Interface. It looks something like this:





- The Game User Interface is used while *play-testing* your game. If you accidentally click into that UI, just Click on #Scene again.
- You can *toggle* (turn on and off) the *grid* plane with Gizmos →, → Show Grid. The grid on can help with a sense of distance and scale while editing.
- 2 Turn the #Scene camera by holding the **Right-Mouse Button** and moving the mouse. Turning with the mouse like this is called *Mouselook*.
- **3** While holding the **Right-Mouse Button**, *move* the camera in the # scene using $\overline{\mathbf{W}}$, $\overline{\mathbf{A}}$, $\overline{\mathbf{S}}$, and $\overline{\mathbf{D}}$. If you have ever played Minecraft, or another First Person Shooter on a PC, this should be easy.
- 4 Notice the 3D **Scene Gizmo** at the Upper Right of the #Scene When you Mouselook. It's diagramming the XYZ Axis.





- The Z axis (Depth) is forward, along your pointer finger
- The Y axis (Height) is up, along your thumb
- The X axis (Width) is to the side, along your middle finger
- If you've studied Algebra or Geometry, you might have seen an *XY Grid*, also called a *Cartesian Plane*. The XYZ Axis is like that, but with a Z dimension too!







- If you Click on the cube in the center of the 3D **Scene Gizmo**, you will toggle how the camera draws 3D, between *Perspective* and *Isometric*.
- **Perspective** is how we see in real life.
- **Isometric** is helpful for lining up objects that are far away.
- The $\frac{2D}{D}$ view is an isometric perspective locked to the x/y axis.
- **5** The #Scene will help you organize your game, in 3D space.

5. Use the Hierarchy User Interface


1 The ☐ Hierarchy will help you organize your game as a list of Game Objects.




- Everything currently in the game **Scene** will be listed here!
- You can add a new element to the game with Creat
- Quickly **Double-Click** on an element in the Hierarchy and the will adjust to show it to you.
- Slowly **Double-Click** on an element in the ☐ Hierarchy and you can rename it!
- 2 Press Create and select Cube . It should appear in the ☐ Hierarchy , and the ☐ # Scene
- 3 If you cannot see the new Cube, double-click on its name in the Hierarchy
- 4 Create a Light with Create and Point Light
- Don't be afraid to experiment by creating other **Game Objects**. You can **Undo** (**Ctrl + Z**) almost anything, including adding a new object. To **Delete** an extra object, select it and press **Delete**, or press the **Right-Mouse Button** over the object in the **Hierarchy** and select **Delete** from the menu.
- **6** You can also find the same create menu through GameObject Create Other
- 7 Move around the scene using **WASD** and *Mouselook*, to see where the **Cube** and **Point Light** are in relation to each other.
- **8** If you don't see the **Translate Gizmo** (as pictured to the right), press in the upper-left of the Unity3D UI.
- 9 Move the Cube and Point Light closer together with the Translate Gizmo (colored *Arrows* and *Planes* in the #Scene). Drag the *Arrows* with your mouse, or Drag the *Planes* between the lines of the arrows.
- 10 The Cube should light differently in the #Scene as the Point Light moves. If not, press, at the top of the #Scene, to toggle lights.



6. Use the Inspector User Interface




7. Use the Project User Interface



- is a list of Assets (Game Objects, pictures, sound, scripts, ...) that <u>could be</u> in your #Scene . It's different from the Hierarchy, which is a list of Game Objects that <u>are</u> in your #Scene
- You can **Import** new assets with the Assets menu item.
- The **Assets** folder in Project mirrors the actual file system! To see it in *Windows Explorer*, press the **Right-Mouse Button** on Show in Explorer.
- 1 To import a Character Controller from the Standard Assets Library, select the Assets menu, then Import Package and Character Controller
- 2 To keep things simple, just press Import, and wait for it to load. Or to make the project smaller, uncheck the ✓ at the 3rd Person Controller.prefab, and every file within PrototypeCharacter/, including Constructor.FBX, constructor_done.mat, constructor_diffuse.png, and constructor_normals.png.
- 3 The Assets folder in Project now has an arrow . Click the arrow to toggle folder listing.
- 4 Select the Character Controllers folder, which is inside of the Standard Assets folder.
- **5** Select the **First Person Controller**, which looks like a *Capsule*, which is a rounded *Cylinder*.
- 6 Drag-and-drop the First Person Controller into the ☐ Hierarchy





- There are now 2 Main Cameras in your Game! The Scene started with one, and the First Person Controller came with one as well!
- Delete the Main Camera that was in the Scene *first*, the one *not* inside the First Person Controller. Select it and press **Delete**, or press the **Right**
 Mouse Button over the Main Camera and select Delete.
- This is not required, but may help with debugging scripts later!
- 7 Set the Position of the First Person Controller to X 0 Y 0 Z 0
- **8** Rename the **First Person Controller** to something like "player", to help keep things simple for later.
- **9 Save** your **Scene** by selecting File, and Save Scene Ctrl+S (or press Ctrl + S). Name it something like "tutorial", and be sure to save it in the **Assets** folder, or in a folder inside of it.
- **10** Save often, especially before you try something new that you have never done before!

player, the Inspector shows the new state of the player's \



8. Play-Test


1 Press the Play button (in the middle, near the top, with one of these buttons 2 The Game user interface is now active, and the rest of the UI changed color *very slightly*. **3** To move the First Person Controller (that was renamed to player), move the mouse (*Mouselook*), and use the **WASD** keys for movement, just like in the #Scene You can use **Space Bar** to jump! 4 If you fall, you can stop and restart the game by pressing 5 If your game seems broken, set the player's Position to X 0 Z 0 Y 0 Y -2 Z 0 Also, make sure you have a ground cube at **Position** \times 0 and the ground cube's Scale of X 20 6 While the game is playing, select the player in the ☐ Hierarchy then **Click** back into the **€** Game to give mouse and keyboard focus back to the game. Notice that when you move the

- 7 You can change the details of any Game Object while the game is running with the BUT! Any changes you make while in Play Mode can't be saved!
- You should adjust your Unity settings to *more* clearly show when the game is running, so you don't accidentally make changes that can't be saved. Go to General

 Playmode tint to something obvious. Like, hot pink.
- **9 Click** on the colored rectangle, and select a color using the color chooser.

9. "Iterate" On Your Game

- *Iterate* means *to do something over-and-over again*. Game Developers use that word to describe the working on a game. Most of real Game Development is the same thing over and over:
 - 1 Come up with an idea to try
 - 2 Use tools (like Unity3D) to try it out
 - 3 Test it out, to see if it works like expected
 - 4 If it doesn't work, or there's more to do (almost always there is), go back to the first step!
- This is also called the *Iterative Process*, and it is also similar to the *Scientific Method*.
- Try to add more **Game Object**s and move them around to create a more interesting **Scene**:
 - **1** Try to use several cubes and lights to build a maze. You can **Scale** the cubes into walls, and even additional ground *platforms*!
 - 2 Add lighting. Don't be afraid to edit objects in the Inspector Unity can Undo (Ctrl + Z) and Redo (Ctrl + Y) any of your changes. Also, don't forget to save often (Ctrl + S)!
 - **3** *Play-test* your game after making some changes, to see if it is more fun!
- You could try to make a simple maze, like this (6 Cubes, 2 Point Lights, and a First Person Controller):



- To Duplicate a Game
 Object, press the
 Right-Mouse
 Button over it in the

 # Scene and
 select Duplicate, or
 select it and press
 Ctrl + D.
- For more digital (or snap-to-grid) control while adjusting Game Objects with the Position , and Scale Gizmos, hold Ctrl, while Dragging the mouse.

10. Add a Script Component: Restart After Falling


- 1 To bring the *player* back to the beginning if the player falls off of a platform, we will need a *script*.
- **2** There's a LOT to learn about *scripting*, which is a way of saying *simple programming*. During this part of the tutorial it may be helpful to have someone who knows about programming around to help you!
- 3 Press the Right-Mouse Button over the Assets folder, in the Project

 Then select Create, and C# Script . C# is pronounced "See Sharp".
- 4 Name the script Fall, with a capital 'F'. You can also rename it with the **Right-Mouse Button** menu.
- 5 **Double-click**, or press **Enter** on the Fall script in the **Project**. Then, wait a minute or two! The script editor, **MonoDevelop**, takes some time to load.





6 Add to the Fall script in **MonoDevelop**, so that it looks like this:



- If **MonoDevelop** opens multiple times, just close the extra *instances*.
- Unity3D and MonoDevelop support several scripting languages, including:
 - **C#**: the *strictest* option, so it requires more code, but helps MonoDevelop offer better *auto-complete*. Supports entire .*NET* 2.0 library.
 - JavaScript: *UnityScript*. fairly simple *syntax*, very close to web JavaScript.
 - **Boo**: closely related to *Python*. Least common in Unity communities.
- 7 The *lines* with the green next to the line number are the ones you will need to type.
- **8** Copy this script *exactly*. Every capital letter is capital, and every lowercase letter is lowercase.
- **9** The *curly braces* **{ }** are on the keyboard near the Enter key, above and to the right of your right pinky.
- 10 Save the file in MonoDevelop (with <u>Ctrl + S</u>, or select the <u>File</u> menu, then <u>Save</u> Ctrl+S)
- **11** You can check to see if your script is correct in Unity by checking the bottom bar:

① Assets/Fall.cs(15,25): error CS0103: The name `transfrom' does not exist in the current context this example error is a simple case of misspelling: "transfrom" instead of "transform"

- **12** If there is an error, read the error message and use it to help you discover what is wrong, to solve the problem. This is where having someone who knows about programming will be very helpful!
- 13 If there are no errors, *drag-and-drop* the Fall script from the Project onto player (which is the renamed First Person Controller).
- **14** If you did it correctly, you will notice a Fall (Script) component in player.
- **15** If you accidentally added the script more than once, remove extras by pressing the

Right-Mouse Button over the extra script, and select

Remove Component



- 16 You can change how the Fall script works by changing Lowest Allowed in the Inspector
- 17 Test out the script by jumping from your game area! If it does not work, think about what might fix it, and try it out, or ask a friend to help you *Debug* your problem. *Debugging*, or *Troubleshooting*, which means *fixing computer problems*, is a very important and powerful skill for a *Game Developer* to develop for themselves. Think of these problems as challenges to improve your skills with!

11. More Scripting Examples

• Here are some more scripts you can try to figure out and play with (each script will need its own file):

```
<u>ClickColor.cs</u>
                                                                            FoundIt.cs
using UnityEngine;
using System.Collections;
                                                                            using UnityEngine;
                                                                            using System.Collections;
public class ClickColor : MonoBehaviour {
                                                                            public class FoundIt : MonoBehaviour {
     Color originalColor;
                                                                                 public GameObject player;
     public Color color = Color.red;
void Start () {
                                                                                 public float distance = 2;
public string message = "You Win!";
public static GameObject FindGObj(System.Type t) {
    object[] f;
    f = UnityEngine Object FindObjectSOfType(t):
          originalColor = renderer.material.color:
                                                                                      if = UnityEngine.Object.FindObjectsOfType(t);
if(f != null && f.Length > 0) {
    return ((CharacterController)f[0])
     void OnMouseDown () {
   if(renderer.material.color == originalColor) {
                renderer.material.color = color;
                                                                                                 .gameObject;
                renderer.material.color = originalColor;
                                                                                       return null;
                                                                                 void Start() {
                                                                                      if(player == null) {
    player = FindGObj(
<u>TouchSensitive.cs</u>
using UnityEngine;
using System.Collections;
                                                                                                 typeof(CharacterController));
// put this on the player
public class TouchSensitive : MonoBehaviour {
                                                                                 void OnGUI() {
     void OnControllerColliderHit(
                                                                                      if(player == null) {
    print("No player looking for "+name+"!");
    Destroy(this);
                              ControllerColliderHit hit) {
          Damage dmg = hit.gameObject.
                              GetComponent<Damage>();
                                                                                            return:
           if(dmg != null) {
                dmg.DoDamage(this.gameObject);
                                                                                       float calculatedDistance = Vector3.Distance(
          }
                                                                                            transform.position,
     }
                                                                                            player.transform.position);
                                                                                       if(calculatedDistance < distance) {</pre>
Damage.cs
                                                                                            GUILayout.Label(message);
using UnityEngine;
using System.Collections;
                                                                                 }
// put this on something that damages the player public class Damage : MonoBehaviour {
     public void DoDamage(GameObject go) {
          Fall f = go.GetComponent<Fall>();
if(f != null) {
                go.transform.position =
                     new Vector3(0, f.lowestAllowed, 0);
          }
```

- These scripts can create color-changing objects, goal objects, and penalty objects that restart the player!
- Someone who feels comfortable with Programming may want to check out the **Monobehaviour** documentation at http://docs.unity3d.com/Documentation/ScriptReference/MonoBehaviour.html.

12. What Else Can Unity3D Do?

- There is still SO MUCH that Unity3D can do to create games! You can use scripting to implement any kind of gameplay you can think of, but scripting is only one part of it! You should also know about:
 - Materials, to change the color and texture of objects
 - Particle Effects, to make explosions water effects, and things that look like magic!
 - Rigidbody Physics, to allow objects to interact with each other in interesting ways
 - 3D Models and Animations, which you can import from tools like Blender, 3DS Max, or Maya
 - Music and Sound Effects, which can add a lot to your game
 - And so much more! **Terrain** editors, *Web* and *Mobile* development, **Shaders**, **Lighting**, Novel *Game Controllers*, *Networking*, Graphical User Interface (**GUI**), the Unity **Asset Store**, ...
 - 1 Find the Unity3D User Guide is at: http://docs.unity3d.com/Documentation/Manual/UserGuide.html