
#### Bonus extra balls 3

Finally, we only lose a life, when the original ball drops. The clones simply "disappear".



Creative Commons License CC-BY-SA
Coderdojo Zürich, Ale Rimoldi
Inspired by Brunus-V's Breakout game:
https://github.com/Brunus-V/Scratch-games.



### Breakout

A ball bounces around.

With the paddle you make sure that it does not fall down to the ground.

The goal is to hit all the bricks with the ball.

### Preparation

You will need for the game:

- a ball, 🥚
- a paddle,
- a wide paddle costume,
- bricks of different colors, (one costume per color)
- pills with super powers.

Pick the sprites from the library or draw them yourself.

# Breakout

Hit all the bricks with the bouncing ball.






Each time the player catches an "Extra ball" bonus (the number 3) one more ball starts bouncing around.



The ball listens to the "bonus extra ball". If costume is the normal one, create a clone. What does a clone do? It changes the costume to "extra", goes to the start position and starts bouncing.



#### Bonus: a slow ball

When the player catches a "Slow ball" bonus (the number 2) the ball gets slower.



#### Bonus: a slow ball 2

The ball listens to the "bonus slow ball". Then, if the speed is currently the normal one, set the variable to the lower value, wait 10 seconds, before setting the speed value to its normal value.

```
when I receive bonus slow ball v


if speed = 8 then

set speed v to 5

wait 10 secs

set Speed v to 8
```

13




When the ball touches the paddle it will bounce to the left or to the right, depending on which part of the paddle is touched, more or less steep, depending on how close ball is to the center of the pad:

- First, move up by 20 px so that it does not touch the paddle anymore.
- Then point to the center of the paddle.
- Finally invert the direction (turn by 180°)

```
Try it out!
```

Click on the green flag: the ball will bounce around and the pad follow the mouse.




## Bonus a Wide Paddle

When the player catches a "Wide Paddle" bonus (the number 1), the paddle gets wider. It will return to the normal size after 10 seconds.

```
Add the broadcast to the "if touching paddle"
```



The paddle listens to the "Bonus Wide Paddle". It then switches to a costume with a wider paddle and waits for 10 second before switching back to the normal costume.



Losing a life


Create a "Bonus" sprite variable.

If the random value is bigger than 3 (3 chances out of 4) just do nothing and delete the clone...



... otherwise, move to the place where the brick was, appear there, and fall down until it gets past the paddle (or touches it).

When the ball drops below the paddle, decrease the number of lives, then the ball goes back to its start position.



First create the "Ball" variable (for all sprites) and initialize it to the number of lifes.

```
if y position < y position v of Paddle v then

hide
change balls v by -1

go to x: 0 y: 50

point in direction 180 + pick random -20 to 20

show
wait 2 secs
```

In the forever loop on page 2 we add a check for the ball position being below the paddle. If it's the case, we decrease the number of lifes and – after two seconds – move back to the start position.

#### Refactoring

You might have noticed, that the code for the initialization is very similar to the one for resetting the position after the ball has been missed.

Let's refactor the code and create a "Reset position" block.

```
define Reset position

go to x: 0 y: 50

point in direction 180 + pick random -20 to 20
```

We can use "Reset position" for both the "initialization" and when moving back to the start position:

```
set Speed v to 8 | hide |
set Balls v to 3 | change Balls v by -1 |
Reset position | wait 2 secs |
show | Reset position |
show |
```

Drop the pills

When the ball hits a brick, there is one chance in four to have a falling pill. If the player catches the falling pill, she/he will get a bonus.

```
set bonus start X to x position

set bonus start Y to y position

broadcast Drop bonus 

b
```

- Create the global variables "bonus start X" and "bonus Start Y"
- Towards the end of "When I start as a clone, just before deleting the clone...
- ... Set "bonus Start X" to the current "x position" and "bonus Start Y" to the "y position"
- Broadcast the "Drop bonus" Message.




Draw a pill. When the game starts it hides itself and when a brick broadcasts a "Drop bonus" it clones itself...







We set different colors for each row and on the second row add three gray bricks that cannot be destroyed.



Game Over Game Over

We keep an eye on the number of balls left and trigger a "Game over" when no we have lost all balls.

```
First, wait until at least one brick has being cloned:

wait until balls < 1

wait until balls < 1

show stop all v

Draw the bricks
```

We are now drawing three rows of bricks. We draw the brick zero. We keep it hidden and place somewhere in the left top corner.

```
when clicked
hide
go to x: -210 y: 160
```

We have made some calculations and if our bricks are 30 by 15 pixels we can fit them in 13 columns and 3 rows.

6

when clicked

set bricks to 0

set row to 0

repeat 3

set column to 0

repeat 13

create clone of myself change column by 1

change row by 1

We keep track of the number of bricks, the row and the column, and we create each brick as a clone of the brick 0. Important notice: "row" and "column" must be for the sprite only. That way, each brick knows where it is.

"bricks" is a global variable.

Each column is 35 wide and the rows 20 high. Each clone position is calculated by adding to the origin the index (colum or row) multiplied by the width or height.

```
Column and row start at 0,

go to x: -210 + 35 * column y: 160 - 20 * row not 1


Show

Change bricks by 1

Delayed start

Add a "wait" between the "reset" and the "bouncing"

wait until bricks = 39
```



... And when the ball hits a brick, it inverts its direction.

"Forever" loop.

(If the bricks do not disappear, wait 0.1 seconds before changing direction.)



First, wait for at least one bricks being cloned: otherwise it might stop as soon it starts.