
CoderDojo ist ein freier Programmierklub für Kinder und Jugendliche zwischen 7 und 17 Jahren.

Das CoderDojo fördert das selbständige Lernen durch Projektarbeit, die gegenseitige Hilfe und die Erstellung von innovativen Projekten.




Jeden Sonntag, 15:00 - 17:00 @ Liip

Limmatstrasse 183 8048 Zürich http://coderdojozh.github.io/

# Getting started



Install Processing and draw a circle.



#### The menu

on Mac).

In the Menu you can find many useful actions. As an example, if you have a look at the "Sketch" menu. vou'll find out that you can run your program with the shortcut "ctrl-r" (or "cmd-r"

Sketch	
Run	₩R
Present	☆器R
Tweak	☆業T
Stop	
Import Library	•
Show Sketch Folder	₩K
Add File	

Try to run the "Present" command: Processing will enter the presentation mode and only the circle will be on the screen.

## Save, open and new

All you need to save or open your work is in the "File" Menu.

When you run "Save", you will be prompted for a name and your program will be saved in the "sketchbook" directory.

If you want to open one of the programs you have previously saved, the "Sketchbook" menu item will present you with a list of your

# Installing Processing



#### Download

Start by downloading Processing from http:// processing.org/download. Please select the Mac, Windows, or Linux version, depending on your computer.

#### On Windows

On Windows, you'll have a .zip file. Double-click it, and drag the folder inside to a location on your hard disk. It could be Program Files or simply the desktop, but the important thing is for the processing folder to be pulled out of that .zip file. Then double-click processing.exe to start.

On Mac

The Mac OS X version is also a .zip file. Doubleclick it and drag the Processing icon to the Applications folder.



Creative Commons License CC-BY-SA, Coderdojo Zürich, Ale Rimoldi. Based on Casey Reas and Ben Fry's work.



## programs.

There is also an "Open" command: since it let's you open programs from anywhere on your disk, it's very useful if you have copied somebody else programs or downloaded a sample from the web.

You can create a new program:

- with the "New" command in the "File" menu, or
- withe "New tab" command in the "Tab" row



In the first case you'll get a new window and in the second one a new Tab

#### On Linux

The Linux version is a .tar.gz file. Download and double click the file to unpack it.

This will create a folder named processing-3.2.1 or something similar.

Open the directory and execute the file named "processing".



You have started the Processing Development Environment:

```
sketch_161007a

1 ellipse(50, 50, 80, 80);

2 3 4 5 6
```


The code ellipse(x, y, w, h) defines an ellipse (a "circle") of radius 80 placed at the (50, 50) coordinates.



The toolbar contains two buttons:

- The "Run" button lets you execute your program to draw a circle'. Try it out.
- With the "Stop" button you can close the gray window where Processing has drawn the circle.

If everything went correctly, you have run your first Processing program and a small circle has poped up on your screen:



While you were typing, you probably have noticed, that Processing has a Message area where hints about your code are shown:

