

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

II(HD) value lower boundary [1/M]

0

II(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

ID value lower boundary [1/M]

0

ID value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity': method from print.src dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

I(HD) value lower boundary [1/M]

0

I(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

I(D) value lower boundary [1/M]

0

I(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

II(HD) value lower boundary [1/M]

0

II(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

ID value lower boundary [1/M]

0

ID value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity': method from print.src.dplyr

Interrupted the calculation of the Sobol indices

Thermosimfit

Data import

DBA (const. host) model

DBA (const. dye) model

GDA model

IDA model

Info

Parameter

Host conc. [M]

0.000001

Dye conc. [M]

0.000001

K_a(HD) [1/M]

3000000

Advanced options

Boundaries

K_a(HG) value lower boundary [1/M]

10

K_a(HG) value upper boundary [1/M]

1e+08

II(HD) value lower boundary [1/M]

0

II(HD) value upper boundary [1/M]

1e+08

I(O) value lower boundary

0

I(O) value upper boundary

1e+08

II(D) value lower boundary [1/M]

0

II(D) value upper boundary [1/M]

1e+08

Optimization

Sensitivity analysis

Batch processing

Sensitivity analysis

+/- boundary in [%]

15

Start Sensitivity analysis

Cancel

Save result of sensitivity analysis

Registered S3 method overwritten by 'sensitivity':
method from
print.src.dplyr

Interrupted the calculation of the Sobol indices