

Unlike the other rounds, just getting the answer right is not enough on the Power Round. Make sure you explain your answer and use words to describe how you arrived at your answer. In the words of middle school math teachers across the nation – no work, no credit!

Feel free to use results from previous problems on this round to prove a later problem (that is, you can use Problem 2 to prove Problem 3, but not vice versa). You do not need to have solved the earlier problem to cite its result. You may also use results from the morning's Practice Power Round.

This Power Round is divided into three sections. The first is a short review from the morning's Practice Power round, and is recommended to be completed first. The remaining two sections are on 3×3 magic squares and more on magic rectangles, and can be completed independently of each other. They are equally weighted in terms of points. It might be wise to split up your team after finishing section 1, with one half working on section 2 and the other half working on section 3.

1 Review

Definition. An $n \times n$ *magic square* is an $n \times n$ grid with positive integers in each cell such that the sum of the integers in any row, the sum of the integers in any column, and the sum of the integers in either of the two long diagonals are all equal. This sum is called the *magic sum*.

Definition. A *standard* $n \times n$ magic square is one that uses the integers from 1 through n^2 , inclusive, each once.

Problem 1 (1 point). Determine all standard 1×1 magic squares.

Solution. By definition, a standard 1×1 magic square is a 1×1 grid that uses the number 1. Obviously, there is only one possible such magic square.

1

Problem 2 (5=3+1+1 points). In this problem, you will consider the magic sum for an arbitrary standard magic square.

- (a) Determine the magic sum for an $n \times n$ magic square, where n is any positive integer. (Hint: You may find the formula $1 + 2 + 3 + \cdots + k = \frac{k(k+1)}{2}$ useful.)
- (b) What does your formula give for the magic sum for each of $n = 1, 2, 3, 4$? Are these consistent with what you found this morning? (If not, go back and check your work for your formula.)
- (c) Is your expression always guaranteed to be an integer? Why or why not? (Hint: Consider when n is odd or even.)

Solution. (a) We use the same double counting approach from the Practice Power Round. The entries for a standard $n \times n$ magic square are the integers from 1 through n^2 , inclusive, the sum of which is $1 + 2 + \cdots + n^2 = \frac{n^2(n^2+1)}{2}$. (Here, we substituted n^2 for k in the hint's formula.) Suppose the

Time limit: 45 minutes.

magic sum is S . Then the sum of the entries is also the sum of the n rows, which is nS . Hence

$$nS = \frac{n^2(n^2+1)}{2}, \text{ so } S = \boxed{\frac{n(n^2+1)}{2}}.$$

- (b) This gives a magic sum of $\frac{1(2)}{2} = 1$ for $n = 1$, $\frac{2(5)}{2} = 5$ for $n = 2$, $\frac{3(10)}{2} = 15$ for $n = 3$, and $\frac{4(17)}{2} = 34$ for $n = 4$, all of which are consistent with those from the Practice Power Round.
- (c) ☐ Yes, n and $n^2 + 1$ have different parity, so at least one of them will be divisible by 2.

2 3×3 Magic Squares

Problem 3 (3 points). Fill in the missing entries below to make a magic square, or prove that it is impossible to do so.

20		
	17	
10	28	

Solution. Suppose the bottom-right entry (last row and last column) is x . Then the diagonal sum is $20 + 17 + x = 37 + x$, but the sum of the entries in the last row is $10 + 28 + x = 38 + x$. The fact that the magic sum is the same requires $37 + x = 38 + x$, or $0 = 1$, which is impossible.

Problem 4 (15=1+3+2+3+3+3 points). In this problem, you will construct a standard 3×3 magic square.

- What is the magic sum?
- List all the ways you can add three distinct numbers from the set $\{1, 2, 3, 4, 5, 6, 7, 8, 9\}$ to get the magic sum. (Order doesn't matter here, so $4 + 5 + 6$ is the same as $5 + 6 + 4$.)
- How many rows, columns, and diagonals are there? How many ways did you find in part (b)? These two numbers should be the same. What does that mean?
- Which number has to go in the center? Why?
- Which numbers have to go in the corners? Why?
- Draw a complete, standard 3×3 magic square.

Solution. (a) As computed above, the magic sum is .

Time limit: 45 minutes.

- (b) The possible ways to add three distinct numbers between 1 and 9, inclusive, to get 15 are $1 + 5 + 9$, $1 + 6 + 8$, $2 + 4 + 9$, $2 + 5 + 8$, $2 + 6 + 7$, $3 + 4 + 8$, $3 + 5 + 7$, and $4 + 5 + 6$.
- (c) There are 3 rows, 3 columns, and 2 diagonals. We found 8 possible ways in part (b), which equals $3 + 3 + 2$. This is the minimum number of ways necessary for there to possibly exist a magic square. If a 3×3 standard magic square exists, it must use each of these ways exactly once. Recall from the Practice Power Round that it was impossible to construct a standard 2×2 magic square because there were only 2 ways while a minimum of 6 were needed.
- (d) The center entry (second row, second column) is included in one row, one column, and two diagonals. The only entry that occurs in 4 of the 8 possible ways to sum to 15 is 5 (in $1 + 5 + 9$, $2 + 5 + 8$, $3 + 5 + 7$, and $4 + 5 + 6$), so it must go in the middle.
- (e) Each corner number occurs in one row, one column, and one diagonal, so it needs to occur in three sums. These numbers are 2, 4, 6, and 8.
- (f) The remaining odd numbers 1, 3, 5, and 7 must go along the four remaining edge squares. Using this, we can now construct a standard 3×3 magic square. One such example is shown below.

8	1	6
3	5	7
4	9	2

Problem 5 (12=4+4+4 points). For each of the following, find a 3×3 magic square whose entries are the given numbers, or prove that it is impossible to do so.

- (a) 2, 3, 4, 5, 6, 7, 8, 9, 10
- (b) 2, 4, 6, 8, 10, 12, 14, 16, 18
- (c) 1, 3, 4, 5, 6, 7, 8, 9, 10

Solution. (a) The easiest way to do this is to take any standard 3×3 magic square and increase every entry by 1. Using the example above gives the result below.

9	2	7
4	6	8
5	10	3

Time limit: 45 minutes.

- (b) Similar to part (a), in this case we multiply each element of the standard magic square by 2.

16	2	12
6	10	14
8	18	4

- (c) We will prove that no such magic square exists. The sum of the given entries is $1 + 3 + 4 + 5 + 6 + 7 + 8 + 9 + 10 = 53$. As we have seen many times, if the magic sum is S , then the sum of entries is $3S$. Then $3S = 53$, or $S = \frac{53}{3}$, which is not an integer. But all entries are integers, so this is impossible!

3 Magic Rectangles

Definition. An $m \times n$ magic rectangle is a grid with m rows and n columns and positive integers in each cell such that the sum of the integers in each row is the same and the sum of the integers in each column is the same, but these two sums do not necessarily have to be the same. The first is called the *row sum* and the second is called the *column sum*.

Definition. A *standard* $m \times n$ magic rectangle is one that uses the integers from 1 through $m \times n$, inclusive, each once.

Problem 6 (3 points). Fill in the missing entries below to make a standard magic rectangle, or prove that it is impossible to do so.

6		8		10
13		1	11	
	14	15	4	

Solution. The third column is already completed, so the column sum is $8 + 1 + 15 = 24$. Then the missing entry in the fourth column must be $24 - 11 - 4 = 9$ and the missing entry in the first column must be $24 - 6 - 13 = 5$. At this point, we can either simply use logic with the remaining 4 entries, which must be 2, 3, 7, and 12, in some order, since this is a standard magic rectangle, or we can compute the row sum via double counting, which turns out to be 40. In either case, there is only one way to complete the magic rectangle.

6	7	8	9	10
13	3	1	11	12
5	14	15	4	2

Problem 7 (8=2+2+4 points). In this problem, you will construct a standard 4×2 magic rectangle.

- (a) Using the sum of the entries, determine the row sum and the column sum.
- (b) List all the ways you can add two of the possible numbers to obtain the row sum.
- (c) Draw a complete, standard 4×2 magic rectangle.

Solution. (a) The sum of the integers from 1 through 8 is $1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 = 36$. There are 4 rows, so the row sum is $\frac{36}{4} = \boxed{9}$. There are 2 columns, so the column sum is $\frac{36}{2} = \boxed{18}$.

- (b) There are four possible ways, up to order: $1 + 8$, $2 + 7$, $3 + 6$, and $4 + 5$.
- (c) Using the above, along with considerations for the column sum, we can construct a standard 4×2 magic rectangle. One such example is shown below.

1	8
7	2
6	3
4	5

Problem 8 (6=3+2+1 points). In this problem, you will investigate the row and column sums for arbitrary magic rectangles.

- (a) Determine the row sum and the column sum for a standard $m \times n$ magic rectangle. (Hint: You may find the formula given in the hint for problem 2 useful.)
- (b) What do your formulas give for a 4×2 magic rectangle? What about a 4×3 magic rectangle? Are these correct?
- (c) Is your expression always guaranteed to be an integer? Why or why not? What are the implications of this?

Time limit: 45 minutes.

Solution. (a) Once again, we will use the method of double counting. A standard $m \times n$ magic rectangle uses the integers from 1 through mn each once, so the sum of all the entries is $1 + 2 + 3 + \cdots + mn = \frac{mn(mn+1)}{2}$. There are m rows, so the row sum is $\frac{n(mn+1)}{2}$. There are n columns, so the column

sum is $\frac{m(mn+1)}{2}$.

- (b) For a 4×2 magic rectangle the row sum is $\frac{2(9)}{2} = \boxed{9}$ and the column sum is $\frac{4(9)}{2} = \boxed{18}$. These are consistent with the previous problem.

For a 4×3 magic rectangle, the formula for the row sum gives $\frac{3(9)}{2} = 13.5$, which is not an integer, which makes no sense since all the entries are integers. This means that no standard 4×3 magic rectangle exists.

- (c) $\boxed{\text{No}}$, the formulas do not always give an integer, as demonstrated by the standard 4×3 magic rectangle in the previous part. This means that there are some dimensions for which it is impossible to construct a standard magic rectangle.

Problem 9 (8=4+4 points). For each of the following, find a standard magic rectangle with the given dimensions or prove that it is impossible to do so.

- (a) 8×2

- (b) 8×3

Solution. (a) We can construct this very similarly to how we found a standard 4×2 magic rectangle before. One such example is shown below.

1	16
15	2
3	14
13	4
12	5
6	11
10	7
8	9

Time limit: 45 minutes.

- (b) The sum of the integers from 1 through $8 \cdot 3 = 24$ is $\frac{24(25)}{2} = 150$. There are 8 rows, so the row sum would have to be $\frac{150}{8} = 18.75$, which is not an integer. But all the entries are integers, so this is impossible, meaning that it is impossible to construct a standard 8×3 magic rectangle.

Problem 10 (5 points). Show that it is impossible to construct a standard $m \times n$ rectangle if $m + n$ is odd.

Solution. If $m + n$ is odd, then one of m, n is odd and the other is even. Without loss of generality, suppose m is odd and n is even. The sum of all the entries is $1 + 2 + 3 + \cdots + mn = \frac{mn(mn+1)}{2}$. There are n columns, meaning that the column sum would be $\frac{m(mn+1)}{2}$. However, since m is odd and n is even, $mn + 1$ is also odd, so the numerator $m(mn + 1)$ is the product of two odd numbers, which cannot be divisible by 2. Hence this is not an integer, so it is impossible to construct a standard $m \times n$ rectangle, as desired.