



Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investi-

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has



Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has

Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater variation in the properties of different kinds of wood. This arises, in part, from the fact that timber is much affected by a number of external and internal conditions, during its growth and seasoning, and in its subsequent treatment, which gradually modify and change its properties. Although it is of less importance to investigate the strength of timber at the present time than it was formerly, in consequence of the diminished use of that material in permanent structures, and the more general employment of iron, still it will always be a very valuable material for certain purposes, and ought not to be neglected. Timber is variously used, even now, in permanent works, and is applied much more extensively in temporary structures—such as centerings and scaffolding. Hence its properties are well worthy of careful attention; and the student should be familiar, not only with the external appearance of the principal kinds of wood, but also with their relative strength, stiffness, toughness, and durability. One of the most obvious inferences to be drawn from the experiments previously recorded is that very wide variations exist in the strength and other elastic properties of different metals and even of different specimens of the same metal. If we could investigate the properties of timber with the same care which has been bestowed on the metals, we should find that there is an even greater